arXiv:alg-geom/9711032v1 25 Nov 1997

ON THE CLASSIFICATION OF HYPERBOLIC ROOT SYSTEMS OF THE RANK THREE. PART I

Viacheslav V. Nikulin[1]

Abstract. It was recently understood that from the point of view of automorphic Lorentzian Kac–Moody algebras and some aspects of Mirror Symmetry, interesting hyperbolic root systems should have restricted arithmetic type and a generalized lattice Weyl vector. One can consider hyperbolic root systems with these properties as an appropriate hyperbolic analog of the classical finite and affine root systems.

This series of papers is devoted to classification of hyperbolic root systems of restricted arithmetic type and with a generalized lattice Weyl vector ρ, having the rank 3 (it is the first non-trivial rank). In the Part I we announce classification of the maximal hyperbolic root systems of elliptic (i.e. $\rho^2 > 0$) and parabolic (i.e. $\rho^2 = 0$) type, having the rank 3. We give sketch of the proof. Details of the proof and further results (non-maximal cases) will be given in Part II. Classification for hyperbolic type (i.e. $\rho^2 < 0$) and applications will be considered in Part III.

0. Introduction

It was recently understood that from the point of view of the theory of Lorentzian (or hyperbolic) Kac–Moody algebras, some aspects of Mirror Symmetry and some other theories, interesting hyperbolic root systems should have some very restricted properties: they have *restricted arithmetic type* and *a generalized lattice Weyl vector* (see Sect. 1.3). One can consider hyperbolic root systems with these properties as an appropriate hyperbolic analog of the classical finite and affine root systems. These properties: restricted arithmetic type and existence of a generalized lattice Weyl vector, are so strong that there is a hope to describe all hyperbolic root systems with these properties. It was shown [N4], [N5], [N11], [N13] that for the fixed rank ≥ 3 number of such root systems is essentially finite. For example number of such maximal root systems of a fixed rank ≥ 3 is finite. It would be very interesting to classify all hyperbolic root systems of restricted arithmetic type and with a generalized lattice Weyl vector. It may be of the same importance as classification of finite and affine root systems having many applications in Lie algebras theory and other mathematical and physical theories.

This series of papers is devoted to classification of hyperbolic root systems of restricted arithmetic type and with a generalized lattice Weyl vector, having the rank 3. For the ranks 1 and 2 this problem is trivial. Thus, the rank 3 is the first non-trivial case. On the other hand, the rank 3 case is probably the most reach, complicated and important in applications. For higher rank ≥ 5 some partial results about this classification for elliptic type (see the definition below) have been known: see É.B. Vinberg [V3] for the rank ≥ 30, F. Esselmann [E2] for the rank ≥ 20, C.

---

[1] Supported by Grant of Russian Fund of Fundamental Research

Walhorn [W] for the rank 5, R. Scharlau and C. Walhorn [SW] about some results for the non-compact case of rank 4. The reason was that hyperbolic lattices of the rank ≥ 5 represent zero, fundamental domains of their automorphism groups are not compact. The rank 3 case is mainly non-compact.

Below we present results in more details.

Let S be a hyperbolic lattice (i.e. a non-degenerate integral symmetric bilinear form of signature $(1, n)$). We denote by $(\,.\,,\,.\,)$ the form of the lattice S. An element $\alpha \in S$ is called a *root* if $\alpha^2 = (\alpha, \alpha) < 0$ and $\alpha^2 | 2(\alpha, S)$. A root $\alpha \in S$ defines a reflection

$$s_\alpha : x \mapsto x - (2(x, \alpha)/\alpha^2)\alpha$$

of the lattice S. A subset $\Delta \subset S$ of roots of S is called a *root system with the root lattice* S if properties a), b) and c) below are valid:

a) $s_\alpha(\Delta) = \Delta$ for any $\alpha \in \Delta$;

b) for any root $\beta \in S$ such that $s_\beta(\Delta) = \Delta$ there exists a root $\beta' \in \Delta$ such that $\beta' = \lambda\beta$, $\lambda \in \mathbb{Q}$;

c) Δ generates $S \otimes \mathbb{Q}$.

We denote by $W(\Delta) \subset O(S)$ the group generated by all reflections in roots of Δ and by

$$A(\Delta) = \{\phi \in O^+(S) \mid \phi(\Delta) = \Delta\}$$

the group of symmetries of Δ. Let $\mathcal{M}$ be a fundamental polyhedron of $W(\Delta)$ in the hyperbolic space defined by S (see Sect. 1) and by

$$A(\Delta, \mathcal{M}) = \{\phi \in A(\Delta) \mid \phi(\mathcal{M}) = \mathcal{M}\}$$

the group of symmetries of $\mathcal{M}$. Then $A(\Delta) = W(\Delta) \rtimes A(\Delta, \mathcal{M})$. The root system Δ has *restricted arithmetic type* if $A(\Delta)$ has finite index in $O(S)$. The root system Δ has a *generalized lattice Weyl vector* if there exist a non-zero $\rho \in S$ and a subgroup $A \subset A(\Delta, \mathcal{M})$ of finite index such that $A(\rho) = \rho$. The ρ is called a *generalized lattice Weyl vector* of Δ for $\mathcal{M}$.

It is sufficient to describe *primitive root systems* when all elements of Δ are primitive (non-divisible) elements of S. Any other root system *is twisted* to a primitive one: one can get it by an appropriate multiplication on restricted natural numbers of elements of a primitive root system. Further we suppose that Δ is primitive. Then Δ is equivalent to a reflection subgroup $W = W(\Delta) \subset O(S)$. Really, Δ is the set of all primitive roots α of S such that the reflection $s_\alpha \in W$. Therefor, by definition, W has *restricted arithmetic type and a generalized lattice Weyl vector* if Δ does. It is easy to prove that if $W \subset W'$ are two reflection subgroups of $O(S)$, both groups W and W' have restricted arithmetic type and the group W has a generalized lattice Weyl vector, then W' also has a generalized lattice Weyl vector. It follows that the full reflection group $W(S)$ (generated by reflections in all roots of S) has restricted arithmetic type and a generalized lattice Weyl vector if there exists a reflection subgroup $W \subset W(S)$ having restricted arithmetic type and a generalized lattice Weyl vector. A hyperbolic lattice S having this property is called *reflective*. Depending on the type of the generalized lattice Weyl vector ρ of $W(S)$: $(\rho, \rho) > 0$, $(\rho, \rho) = 0$ or $(\rho, \rho) < 0$, the reflective lattice S is called reflective of *elliptic, parabolic or hyperbolic type*. Therefor, any primitive root system Δ of restricted arithmetic type and with a generalized lattice Weyl vector is a subsystem of the primitive root system $\Delta(S)$ of all primitive roots of the reflective lattice S.

Root systems $\Delta(S)$ of reflective lattices S are especially important: the root system $\Delta(S)$ is the maximal hyperbolic root system of restricted arithmetic type and with a generalized lattice Weyl vector having the root lattice S.

Obviously, S has elliptic type if and only if $[O(S) : W(S)] < \infty$, and this type of reflective lattices was considered long time ago in papers of É.B. Vinberg and the author (see references). Reflective lattices of parabolic and hyperbolic type were recently studied in [N11] and [N13]. We have the following general result

Theorem 1 ([N4], [N5], [N11], [N13]). *For the fixed rank rk* $S \geq 3$ *the set of primitive (see Sect. 1.4) reflective (of any type) hyperbolic lattices* S *is finite. In particular, for the fixed rank rk* $S \geq 3$, *the set of primitive root lattices* S *of hyperbolic root systems of restricted arithmetic type and with a generalized lattice Weyl vector is finite.*

To make a further reduction, we say that an embedding of lattices $S_1 \subset S$ of the same rank is called *equivariant* if it defines the embedding of automorphism groups $O(S_1) \subset O(S)$. For an equivariant embedding $S_1 \subset S$, the lattice S is reflective if S_1 does. It is easy to prove (and is well-known) that any hyperbolic lattice S_1 has an equivariant (and actually canonical) embedding into an elementary hyperbolic lattice S. (See Proposition 2.2.2.) Here a lattice L is called *elementary* if its discriminant group $A_L = L^*/L$ is elementary: any its p-component $A_{L_p} \cong (\mathbb{Z}/p\mathbb{Z})^{r_p}$ is a p-elementary Abelian group. To describe all reflective hyperbolic lattices, it is sufficient to describe all reflective primitive elementary hyperbolic lattices S and to describe their primitive reflective equivariant sublattices $S_1 \subset S$ (of finite index).

In this part I, we give the complete list of all elliptically or parabolically reflective elementary hyperbolic lattices of rank 3. See Sect. 2.3, basic Theorem 2.3.2.1 and Theorems 2.3.3.1, 2.3.4.1. We give idea of the proof (see the proof of basic Theorem 2.3.2.1). We use the same method: existing of narrow parts of the fundamental polyhedron $\mathcal{M}$, which we used to prove the finiteness Theorem 1. Moreover, we use the additional arithmetic argument: number of classes of central symmetries of the fundamental polyhedron $\mathcal{M}$ (see Lemma 2.3.1.2). Details of the proof will be given in Part II. In Part II we will also estimate indexes $[S : S_1]$ of elliptically or parabolically reflective primitive equivariant sublattices $S_1 \subset S$ of the primitive elementary hyperbolic lattices S of the rank 3. Using this estimate, one can find all elliptically or parabolically reflective hyperbolic lattices of the rank 3 if one wants. These estimates are very important in some applications. In Part III we will extend these results to the hyperbolic type of rank 3 and will give some applications of our classification.

We hope that our classification will be important in some theories. We mention that from the point of view of the theory of Lorentzian Kac–Moody algebras, the rank 3 case is the hyperbolic analog of sl_2. Moreover the rank 3 case is more visual than the rank ≥ 4 case. For the rank 3 case one has to work with polygons (i.e. fundamental polygons of reflection groups) which are much simpler and much more visual than polyhedra of dimension ≥ 3.

1. HYPERBOLIC REFLECTION GROUPS AND HYPERBOLIC ROOT SYSTEMS

1.1. Klein model of hyperbolic space. Let Φ be a *hyperbolic linear space* (i.e. Φ is a $\mathbb{R}$-linear space equipped with a non-degenerate symmetric $\mathbb{R}$-bilinear form of signature $(1, n)$ where $n + 1 = \dim \Phi$). For $x, y \in \Phi$ we denote by (x, y) the value at the pair (x,y) of the bilinear form corresponding to Φ, we also denote $x^2=(x,x)$. One can associate to Φ an open cone

$$V=V(\Phi)=\{x\in\Phi\mid x^2>0\}. \tag{1.1.1}$$

The V is the disjoint union of two open convex half-cones. We denote by $V^+=V^+(\Phi)$ one of them. The *hyperbolic space* corresponding to Φ is the set of rays

$$\mathcal{L}=\mathcal{L}(\Phi)=V^+/\mathbb{R}_{++}=\{\mathbb{R}_{++}x\mid x\in V^+\} \tag{1.1.2}$$

where $\mathbb{R}_{++}$ denote the set of positive real numbers. The distance ρ in $\mathcal{L}$ is defined by the formula

$$\cosh\rho(\mathbb{R}_{++}x,\mathbb{R}_{++}y)=(x,y)/\sqrt{x^2y^2}. \tag{1.1.3}$$

Then the curvature of $\mathcal{L}$ is equal to -1. The dimension $\dim\mathcal{L}=\dim\Phi-1$.

Let $O(\Phi)$ be the group of automorphisms of the hyperbolic linear space Φ. Then the group of motions of $\mathcal{L}$ is naturally identified with the subgroup $O^+(\Phi)\subset O(\Phi)$ of index 2 of automorphisms which fix the half-cone V^+.

A *half-space* of $\mathcal{L}$ is the set

$$\mathcal{H}_\delta^+=\{\mathbb{R}_{++}x\in\mathcal{L}|\ (x,\delta)\ge 0\}, \tag{1.1.4}$$

where $\delta\in\Phi$ and $\delta^2<0$. The half-space $\mathcal{H}_\delta^+$ is bounded by the *hyperplane*

$$\mathcal{H}_\delta=\{\mathbb{R}_{++}x\in\mathcal{L}\mid (x,\delta)=0\}. \tag{1.1.5}$$

The element $\delta\in\Phi$ is defined by the half-space $\mathcal{H}_\delta^+$ (respectively, the hyperplane $\mathcal{H}_\delta$) up to multiplication by elements of $\mathbb{R}_{++}$ (respectively, by elements of the set $\mathbb{R}^*$ of non-zero real numbers). The δ is called the *orthogonal vector* to the half-space $\mathcal{H}_\delta^+$ (respectively to the hyperplane $\mathcal{H}_\delta$).

Consider two half-spaces $\mathcal{H}_{\delta_1}^+$, $\mathcal{H}_{\delta_2}^+$ orthogonal to δ_1, $\delta_2\in\Phi$. Assume that $\mathcal{H}_{\delta_1}^+\not\subset\mathcal{H}_{\delta_2}^+$, $\mathcal{H}_{\delta_2}^+\not\subset\mathcal{H}_{\delta_1}^+$, and intersection $\mathcal{H}_{\delta_1}^+\cap\mathcal{H}_{\delta_2}^+$ contains a non-empty open subset of $\mathcal{L}(\Phi)$. Then we have two cases:

a) $\mathcal{H}_{\delta_1}^+\cap\mathcal{H}_{\delta_2}^+$ is an angle of a value ϕ where

$$\cos\phi=(\delta_1,\delta_2)/\sqrt{\delta_1^2\delta_2^2} \tag{1.1.6}$$

if $-1\le(\delta_1,\delta_2)/\sqrt{\delta_1^2\delta_2^2}\le 1$.

b) Intersection of the hyperplanes $\mathcal{H}_{\delta_1}$, $\mathcal{H}_{\delta_2}$ is empty (they are hyperparallel) and the distance ρ between them is equal to

$$\cosh\rho=(\delta_1,\delta_2)/\sqrt{\delta_1^2\delta_2^2} \tag{1.1.7}$$

if $1\le(\delta_1,\delta_2)/\sqrt{\delta_1^2\delta_2^2}$.

As usual, we complete $\mathcal{L}$ by the set of *infinite points* $\mathbb{R}_{++}c$ where $c\in\Phi$, $c^2=0$ and $(c,V^+)>0$. Then $\mathcal{L}$ with its infinite points is the closed ball

$$\overline{\mathcal{L}}=(\overline{V^+}-\{0\})/\mathbb{R}_{++} \tag{1.1.8}$$

where $\overline{V^+}$ is the closure of V^+ in the linear space Φ. The boundary $\mathcal{L}_\infty = \overline{\mathcal{L}} - \mathcal{L}$ is the sphere of dimension $n-1$. It is called *∞-sphere* or *infinity* of $\mathcal{L}$. We also add infinite points to half-spaces, hyperplanes and other subsets of $\mathcal{L}$ considering their closure in $\overline{\mathcal{L}}$.

A non-degenerate convex locally finite polyhedron $\mathcal{M}$ in a hyperbolic space $\mathcal{L}$ is the intersection of a set of half-spaces:

$$\mathcal{M} = \bigcap_{\delta \in P(\mathcal{M})} \mathcal{H}_\delta^+. \tag{1.1.9}$$

The $\mathcal{M}$ is called *non-degenerate* if $\mathcal{M}$ contains a non-empty open subset of $\mathcal{L}$. The $\mathcal{M}$ is called *locally finite* if for any $X \in \mathcal{L}$, there exists its open neighbourhood $U \subset \mathcal{L}$ such that $\mathcal{M} \cap U$ is the intersection with U of a finite set of half-spaces in $\mathcal{L}$. Here $P(\mathcal{M}) \subset \Phi$ is a finite or countable subset of elements with negative square. We assume that no two of these elements are proportional and every half-space $\mathcal{H}_\delta^+$, $\delta \in P(\mathcal{M})$, defines a face of $\mathcal{M}$ of the highest dimension $\dim \mathcal{L} - 1$ (it is clear what this means, since $\mathcal{M}$ is locally finite). Then, the polyhedron $\mathcal{M}$ defines the subset $P(\mathcal{M}) \subset \Phi$ uniquely up to multiplication by $\mathbb{R}_{++}$ elements of $P(\mathcal{M})$. The set $P(\mathcal{M})$ is called *the set of vectors orthogonal to $\mathcal{M}$ (or to faces of highest dimension of $\mathcal{M}$)*. Below, we only consider locally finite and convex polyhedra.

A polyhedron $\mathcal{M}$ is called *elliptic* (or it has *geometrically finite volume*) if $\mathcal{M}$ is a convex envelope of a finite set of points in $\mathcal{L}$, some of them at infinity of $\mathcal{L}$.

1.2. Reflection groups of hyperbolic lattices, and hyperbolic root systems. Let S be a hyperbolic (that is, of signature $(1,n)$) integral symmetric bilinear form over $\mathbb{Z}$. This means that S is a free $\mathbb{Z}$-module of finite rank equipped with an integral valued symmetric $\mathbb{Z}$-bilinear form and the corresponding real form $\Phi = S \otimes \mathbb{R}$ is hyperbolic (it has signature $(1,n)$ like in Sect. 1.1). For brevity, S will be referred to as the *hyperbolic lattice*. Like in Sect. 1.1, we correspond to a hyperbolic lattice S the hyperbolic space $\mathcal{L} = \mathcal{L}(S) = \mathcal{L}(S \otimes \mathbb{R})$. From the theory of integral quadratic forms (more generally, from the theory of arithmetic discrete groups), it is known that the automorphism group $O^+(S)$ is discrete in $\mathcal{L}$; if rk $S \geq 3$, the group $O^+(S)$ has a fundamental domain of finite volume which is an elliptic convex polyhedron (e. g. see [C], [R], [VSh]).

An element $\alpha \in S$ is called *root* if $\alpha^2 < 0$ and $\alpha^2 | 2(S, \alpha)$. If α is a root, then $-\alpha$ is also a root. A non-zero element $x \in S$ is called *primitive* if $x/m \notin S$ for any natural $m > 1$. Obviously, any root α is multiple to a primitive root which is called *the primitive root of α*. If α_0 is a primitive root, then $\lambda\alpha_0$ is a root only for a finite number of $\lambda \in \mathbb{N}$. Really, $\frac{\alpha_0}{(\lambda/2)} \in S^* = Hom(S, \mathbb{Z})$, and $\lambda \leq 2a(S)$ where $a(S)$ is the exponent (the maximal order of elements) of the discriminant group $A_S = S^*/S$ of S. In particular, $\lambda \leq 2|\det(S)|$ where the *determinant of S* is equal to $\det(S) = \det((e_i, e_j))$ for a bases $e_1, \dots, e_n$ of S. Thus, to find roots, it is sufficient to find primitive roots and then multiply them on restricted multiplicities.

Any root $\alpha \in S$ defines the *reflection* $s_\alpha \in O^+(S)$ which is given by the formula

$$x \mapsto x - \frac{2(x, \alpha)}{\alpha^2}\alpha, \quad x \in S. \tag{1.2.1}$$

The reflection depends only from $\pm\alpha_0$ where α_0 is the primitive root of α. The reflection s_α acts in $\mathcal{L} = \mathcal{L}(S)$ as the reflection in the hyperplane $\mathcal{H}_\alpha$ orthogonal to the root α (i.e. s_α is identical on $\mathcal{H}_\alpha$ and changes two half-spaces bounded by $\mathcal{H}_\alpha$). It is easy to see that an automorphism $\phi \in O^+(S)$ gives a reflection in a hyperplane of $\mathcal{L}$ if and only if ϕ is a reflection in some root of the lattice S.

All reflections s_α in all roots of S generate the *reflection group* $W(S) \subset O^+(S)$ of the lattice S. We shall consider subgroups $W \subset W(S)$ generated by some set of reflections of S. We shall call W by *reflection subgroup of* S.

Let W be a reflection subgroup of S. From the theory of groups generated by reflections (e.g. see [V1], [V4], [VSh]), it follows that W has a fundamental polyhedron $\mathcal{M}$ in $\mathcal{L}$ which is the closure of a connected component of $\mathcal{L}$ without hyperplanes of all reflections from W. The polyhedron $\mathcal{M}$ is a convex locally finite polyhedron. We always assume that the set $P(\mathcal{M})$ of orthogonal vectors to $\mathcal{M}$ is a set of roots of S. It is also called the *set of simple roots*. The group W is generated by reflections s_α, $\alpha \in P(\mathcal{M})$. The set $\{s_\alpha \mid \alpha \in W(P(\mathcal{M}))\}$ gives then all reflections of the reflection subgroup W. The set $\Delta = W(P(\mathcal{M}))$ is called a *(hyperbolic) root system* of the lattice S. One can then look at the lattice S as a *root lattice*. Hyperbolic root systems are very important for some theories, for example, for the theory of Lorentzian (or hyperbolic) Kac–Moody algebras (see [Kac]). It is clear that to find all possible root systems, it is sufficient to restrict by *primitive root systems* containing only primitive roots of S. All other root systems are *twisted* to primitive root systems: there roots are multiple (by bounded multiplicities) to roots of a primitive root system. To find a root system Δ it is sufficient to find a system of its simple roots $P(\mathcal{M})$ since $\Delta = W(P(\mathcal{M}))$ where W is generated by reflections in $P(\mathcal{M})$. To find a system of simple roots $P(\mathcal{M})$, it is sufficient to find a system of simple primitive roots $P(\mathcal{M})_{\text{pr}}$ which is equivalent to the reflection subgroup $W \subset W(S)$. Arbitrary system of simple roots $P(\mathcal{M})$ is twisted to $P(\mathcal{M})_{\text{pr}}$: one can get it multiplying elements of $P(\mathcal{M})_{\text{pr}}$ by some bounded natural numbers (*twisting coefficients*).

1.3. Restricted arithmetic type and a generalized lattice Weyl vector. We denote by

$$A(P(\mathcal{M})) = \{g \in O^+(S) \mid g(P(\mathcal{M})) = P(\mathcal{M})\} \tag{1.3.1}$$

the *group of symmetries of the fundamental polyhedron (together with the set* $P(\mathcal{M})$ *of its orthogonal roots)*. The group W with the set $P(\mathcal{M})$ of simple roots (equivalently, the root system $\Delta = W(P(\mathcal{M}))$) have *restricted arithmetic type* (see [N11], [N10]), if the semi-direct product $\mathrm{Aut}(\Delta) = W \rtimes A(P(\mathcal{M}))$ has finite index in $O^+(S)$. Obviously, $A(P(\mathcal{M})) \subset A(P(\mathcal{M})_{\text{pr}})$, and $P(\mathcal{M})_{\text{pr}}$ has restricted arithmetic type if $P(\mathcal{M})$ does. If W and $P(\mathcal{M})_{\text{pr}}$ have restricted arithmetic type, we say that the reflection subgroup W *has restricted arithmetic type*. A non-zero element $\rho \in S$ is called a *generalized lattice Weyl vector* if $A(\rho) = \rho$ for a subgroup $A \subset A(P(\mathcal{M}))$ of finite index (equivalently, the orbit $A(P(\mathcal{M}))(\rho)$ is finite). Reflection subgroups W with $P(\mathcal{M})$ (and corresponding root systems $\Delta = W(P(\mathcal{M}))$) of restricted arithmetic type and with a generalized lattice Weyl vector are important for the theory of K3 and other surfaces (see [P-ŠŠ], [N1]—[N9], [N12], [N13], [AN1], [AN2]), so called Borcherds type automorphic products and theory of automorphic Lorentzian Kac–Moody algebras (see [B2]—[B6], [GN1]—[GN7], [N10], [N11]) and other theories (e. g. see [HM1], [HM2], [M], [Kaw1], [Kaw2], [CCL] on applications in Physics). It seems, hyperbolic root systems satisfying these conditions are of the

It is an interesting but difficult problem to find all hyperbolic root systems Δ (or corresponding systems of simple roots $P(\mathcal{M})$) of restricted arithmetic type and with a generalized lattice Weyl vector.

Below we shall make some general remarks about this problem.

First, root systems, simple root systems and reflection subgroups W of restricted arithmetic type with a generalized lattice Weyl vector are divided on three types:

Elliptic type: There exists a generalized lattice Weyl vector ρ with positive square $\rho^2 > 0$.

Parabolic type: There exists a generalized lattice Weyl vector ρ with zero square $\rho^2 = 0$ and there does not exist a generalized lattice Weyl vector with positive square.

Hyperbolic type: There exists a generalized lattice Weyl vector ρ with negative square $\rho^2 < 0$ and there does not exist a generalized lattice Weyl vector with positive or zero square.

Obviously, W and $P(\mathcal{M})$ of restricted arithmetic type have a generalized lattice Weyl vector ρ if and only if W and $P(\mathcal{M})_{\rm pr}$ have restricted arithmetic type and the same generalized lattice Weyl vector ρ. Thus, to find all W and $P(\mathcal{M})$ of restricted arithmetic type and with a generalized lattice Weyl vector, we can restrict by primitive sets $P(\mathcal{M})_{\rm pr}$ which are equivalent to reflection subgroups $W \subset W(S)$. One should find all reflection subgroups $W \subset W(S)$ of restricted arithmetic type and with a generalized lattice Weyl vector for $P(\mathcal{M})_{\rm pr}$ where $\mathcal{M}$ is a fundamental polyhedron for W. Here the set $P(\mathcal{M})_{\rm pr}$ is defined by the reflection subgroup $W \subset W(S)$ (up to choosing the fundamental polyhedron $\mathcal{M}$).

1.4. Reflective hyperbolic lattices. Assume that a reflection subgroup $W \subset W(S)$ has restricted arithmetic type and a generalized lattice Weyl vector ρ (for $P(\mathcal{M})_{\rm pr}$ where $\mathcal{M}$ is a fundamental polyhedron of W). Suppose that $W \subset W' \subset W(S)$ where W' is a reflection subgroup of restricted arithmetic type. We can choose a fundamental polyhedron $\mathcal{M}'$ for W' such that $\mathcal{M}' \subset \mathcal{M}$. If ρ is a generalized lattice Weyl vector for $P(\mathcal{M})_{\rm pr}$, then ρ is a generalized lattice Weyl vector for $P(\mathcal{M}')_{\rm pr}$ (one should use that $A(P(\mathcal{M}')_{\rm pr}) \cap A(P(\mathcal{M})_{\rm pr})$ has finite index in $A(P(\mathcal{M}')_{\rm pr})$ since W has restricted arithmetic type). Thus, W' also has a generalized lattice Weyl vector. If W has elliptic type, then W' also has elliptic type. If W has parabolic type, then W' has parabolic or elliptic type. If W has hyperbolic type, then W' has either hyperbolic, or parabolic, or elliptic type. The full reflection group $W(S)$ of the lattice S obviously has restricted arithmetic type: it is normal in $O^+(S)$. Thus, $W(S)$ itself has restricted arithmetic type and a generalized lattice Weyl vector if $W(S)$ has a reflection subgroup $W \subset W(S)$ of restricted arithmetic type and with a generalized lattice Weyl vector. Hyperbolic lattices S with this property are called *reflective.* Thus, (equivalently) a hyperbolic lattice S is *reflective* if it has a generalized lattice Weyl vector for its reflection group $W(S)$. Depending on the type (elliptic, parabolic or hyperbolic) of $W(S)$ the reflective lattice S is called *reflective of elliptic, parabolic or hyperbolic type* or *elliptically, parabolically or hyperbolically reflective.* It seems that these maximal reflection groups $W(S)$ having a generalized lattice Weyl vector are especially interesting. Moreover, for reflective lattices S, one can try to find out all reflection subgroups $W \subset W(S)$ of restricted arithmetic type and with a generalized lattice Weyl vector. If the lattice S is not reflective, any reflection subgroup $W \subset W(S)$

Multiplication of the form of a lattice S does not change anything. Thus, we can always suppose that the lattice S is *primitive*, i.e. $S(1/k)$ is not a lattice for any natural $k > 1$. Here $K(r)$ denote a lattice which is obtained by multiplication of the form of a lattice K on $r \in \mathbb{Q}$.

We have the following general result:

Theorem 1.4.1 **(**[N4]**,** [N5]**,** [N11]**,** [N13]**).** *For the fixed rank rk* $S \geq 3$ *the set of primitive reflective hyperbolic lattices* S *is finite.*

Cases rk $S = 1$ or 2 are trivial. Any hyperbolic lattice S of rk $S = 1$ is reflective since $O^+(S)$ is trivial. If rk $S = 2$, the lattice S is reflective if and only if either S has a non-zero element with square 0 (then $O^+(S)$ is finite and S is reflective of elliptic type) or S has at least one root (then S is also reflective of elliptic type).

The main subject of these series of papers is to describe hyperbolic reflective lattices of rank 3. We apply the same method (of narrow parts of polyhedra) which was applied to prove Theorem 1. But to find all possibilities, we need to improve this method and add some additional arithmetic arguments. Certainly, classification is more delicate problem than proving finiteness.

2. Classification of reflective hyperbolic lattices of the rank 3 and of elliptic or parabolic type: formulations

2.1. The principle of classification. Let S_1 be a hyperbolic lattice and $S_1 \subset S_2$ its overlattice. Here and in what follows we consider only embeddings of lattices of the same rank. If the embedding $S_1 \subset S_2$ induces an embedding of the automorphism groups $O(S_1) \subset O(S_2)$ (in general, these groups are commensurable), we say that the embedding $S_1 \subset S_2$ is an *equivariant embedding.* We remark that index $[O(S_2) : O(S_1)]$ is always finite because both groups $O^+(S_2)$ and $O^+(S_1)$ have a fundamental domain of finite volume in naturally identified hyperbolic spaces $\mathcal{L}(S_1 \otimes \mathbb{R}) = \mathcal{L}(S_2 \otimes \mathbb{R})$. It follows that for the equivariant embedding, $W(S_1) \subset W(S_2)$ and both groups $W(S_1)$ and $W(S_2)$ have restricted arithmetic type. It follows that the lattice S_2 is reflective if the lattice S_1 is reflective. Obviously, S_2 is primitive if S_1 does. A lattice S is called *maximal* if it does not have equivariant embeddings to other lattices of the same rank except the lattice S itself.

Our principle of classification of reflective hyperbolic lattices of the rank 3 is as follows: We define *elementary lattices* such that any lattice has an equivariant embedding into an elementary one. We give the list of *reflective elementary hyperbolic lattices of the rank* 3. Thus, any reflective hyperbolic lattice of the rank 3 has an equivariant embedding into a lattice of this list. For any reflective elementary hyperbolic lattice S of rank 3 we calculate the set of simple roots $P(\mathcal{M})_{\text{pr}}$ of $W(S)$ and the Gram matrix $G(P(\mathcal{M})_{\text{pr}}) = ((\alpha, \beta))$, $\alpha, \beta \in P(\mathcal{M})_{\text{pr}}$. Moreover, we estimate indexes $[S : S_1]$ of its primitive reflective sublattices $S_1 \subset S$, and one can find all of them if one needs (their number is obviously finite). It seems, reflective elementary hyperbolic lattices are especially interesting (e. g. they contain maximal reflective hyperbolic lattices), and finding all of them is especially important. On the other hand, the mere fact that a lattice S_1 has an equivariant embedding $S_1 \subset S$ into a known lattice S contains a lot of information about the lattice S_1 itself. For example, $\det(S_1) = det(S)[S : S_1]^2$, a primitive root α_1 of S_1 is equal to

2.2. Elementary hyperbolic lattices of the rank 3. We recall some elements of the *discriminant form technique* (see [N1]).

Let L be an arbitrary lattice (equivalently, a non-degenerate integral symmetric bilinear form). The lattice L is called *odd* if there exists $x \in L$ with odd square x^2. Otherwise, L is called *even*.

The group $A_L = L^*/L$ is called the *discriminant group of* L. Its order $\sharp A_L = |\det(L)|$. We extend the form of L to the dual lattice $L \subset L^* = Hom(L, \mathbb{Z})$. It then takes values in $\mathbb{Q}$ and defines (considering $\mod L$) a non-degenerated finite symmetric bilinear form

$$b_L : A_L \times A_L \to \mathbb{Q}/\mathbb{Z}. \tag{2.2.1}$$

If the lattice L is even, one similarly defines a finite quadratic form

$$q_L : A_L \to \mathbb{Q}/2\mathbb{Z} \tag{2.2.2}$$

with the symmetric bilinear form b_L. These forms are called the *discriminant bilinear and the discriminant quadratic form* of the lattice L.

An overlattice $L \subset \widetilde{L}$ is defined by an isotropic (for b_L) subgroup $H_{\widetilde{L}} = \widetilde{L}/L \subset A_L$. The discriminant bilinear form of $\widetilde{L}$ is then equal to

$$b_{\widetilde{L}} = b_L|(H_{\widetilde{L}}^{\perp}/H_{\widetilde{L}}). \tag{2.2.3}$$

If the lattice L is even and the subgroup $H_{\widetilde{L}}$ is also isotropic for the discriminant quadratic form q_L, then $\widetilde{L}$ is even and

$$q_{\widetilde{L}} = q_L|(H_{\widetilde{L}}^{\perp}/H_{\widetilde{L}}). \tag{2.2.4}$$

For a prime p, we denote as A_p the p-component of A_L, and b_p and q_p restrictions of b_L and q_L on the subgroup. Consider the p-adic lattice $L_p = L \otimes \mathbb{Z}_p$ where $\mathbb{Z}_p$ is the ring of p-adic integers and $\mathbb{Q}_p$ the field of p-adic numbers. One can similarly define the discriminant group and the discriminant forms A_{L_p}, b_{L_p}, q_{L_p} of L_p. We have natural identifications: $A_p = A_{L_p}$, $b_p = b_{L_p}$ and $q_p = q_{L_p}$.

Definition 2.2.1. A lattice L is called *elementary* if for any prime $p \mid det(L)$ the p-component A_{L_p} is a p-elementary Abelian group: $A_{L_p} \cong (\mathbb{Z}/p\mathbb{Z})^{r_p}$. Here $\{r_p = r_p(L) \mid p \mid \det(L)\}$ are invariants of the elementary lattice L. We have $|\det(L)| = \prod_p p^{r_p}$. In particular, the invariants $r_p(L)$ are defined by $\det(L)$.

We have the following simple and well-known

Proposition 2.2.2. *Any lattice L has an equivariant embedding into an elementary lattice.*

Proof. Let p^{t_p} be the exponent of the group $A_p = A_{L_p}$. It means that $p^{t_p} A_p = 0$ and $p^{t_p - 1} A_p \neq 0$. If L is elementary, L has an equivariant embedding into itself. If L is not elementary, one of exponents $t_p > 1$. Obviously, $b_{L_p} : A_p \times A_p \to \frac{1}{p^{t_p}}\mathbb{Z}/\mathbb{Z}$. It follows that subgroup $H_p = p^{t_p - 1} A_p \subset A_p$ is isotropic. It is not zero and is invariant with respect to $O(L)$. It follows that H_p defines an equivariant embedding $L \subset \widetilde{L}$ with $\widetilde{L}/L = H_p$ and index $\sharp H_p$. If the lattice $\widetilde{L}$ is not elementary, we repeat the overlattice $L \subset L_1$ of finite index $[L_1 : L]$ where $\det(L)$ and $\det(L_1)$ are integers. It proves Proposition.

Let L be an elementary lattice, $m \in \mathbb{N}$ and m is square-free. The lattice

$$L^{*,m}(m) = (L^* \cap \frac{1}{m} L)(m) \tag{2.2.5}$$

is called *m-dual to the lattice L*. This lattice is also elementary and

$$r_p(L^{*,m}(m)) = \begin{cases} r_p(L), & \text{if } p \nmid m \\ \text{rk } L - r_p(L) & \text{if } p \mid m \end{cases}. \tag{2.2.6}$$

One can also see that $L^{*,m}(m) \otimes \mathbb{Z}_p = L \otimes \mathbb{Z}_p$ if $p \nmid m$, and $L^{*,m}(m) \otimes \mathbb{Z}_p = (L \otimes \mathbb{Z}_p)^*(p)$ if $p \mid m$. Moreover,

$$(L^{*,m}(m))^{*,m}(m) = L \tag{2.2.7}$$

which shows that it really is a duality. More generally, for two square-free numbers m_1, m_2 one has

$$(L^{*,m_1}(m_1))^{*,m_2}(m_2) = L^{*,m}(m) \tag{2.2.7'}$$

where $m = \text{l.c.m.}(m_1, m_2)/\text{g.c.d}(m_1, m_2)$. It follows that one has a natural identification

$$O(L) = O(L^{*,m}(m)). \tag{2.2.8}$$

If L is a hyperbolic lattice, one can look at this equality as follows: *Hyperbolic spaces and actions of automorphism groups in these spaces of L and $L^{*,m}(m)$ are naturally identified.*

Now we consider only primitive elementary hyperbolic lattices of rank 3. Let F be a primitive elementary hyperbolic lattice of the rank 3 and $\det(F) = \prod_p p^{r_p}$. Since F is primitive, $0 \le r_p \le 2$. Let m be the product of all prime p such that $p \mid \det(F)$ and $r_p = 2$. Equivalently, $\det(F) = (\det(F)/m)m$ where both natural numbers $\det(F)/m$ and m are square-free. By (2.2.6), the m-dual lattice

$$S = F^{*,m}(m) \tag{2.2.9}$$

has then a square-free determinant $\det(S) = \det(F)/m$. Thus we have

Proposition 2.2.3. *Any primitive elementary hyperbolic lattice F of the rank three is m-dual to a hyperbolic lattice S with a square-free determinant $d = \det(S)$ where $m \mid d$. Then $\det(F) = dm$. A lattice with a square-free determinant is (obviously) elementary and primitive.*

By Proposition 2.2.3, it is sufficient to describe hyperbolic lattices of the rank three with a square-free determinant. Let S be a hyperbolic lattice with a square-free determinant $d = \det(S)$. If d is odd, then S is also odd (otherwise, the 2-adic lattice $S \otimes \mathbb{Z}_2$ is even unimodular of odd rank, which is impossible). If d is even, then the lattice S may be even or odd. If S is odd (respectively even) we say that S has *odd type* (respectively *even type*). For odd prime $p \mid d$ the discriminant bilinear form $b_{S_p} \cong b_{\theta_p}(p)$ where $b_{\theta_p}(p)$ is the discriminant bilinear form of the p-adic 1-dimensional lattice $\langle \theta_p p \rangle$ where $\theta_p \in \mathbb{Z}_p^*/(\mathbb{Z}_p^*)^2 \cong \{\pm 1\}$ by isomorphism

$\theta_p \to \left(\frac{\theta_p}{p}\right) = (-1)^{\eta_p}$ where $\left(\frac{\cdot}{p}\right)$ is the Legendre symbol and $\eta_p \in \{0, 1\}$. (Here and in what follows $\langle A\rangle$ denote a lattice with the matrix A.) Thus, the lattice S with a square-free determinant d has the invariant

$$\eta = \{\eta_p \mid \text{odd } p \mid d\} \text{ where } \eta_p \in \{0,\ 1\} \text{ and } (-1)^{\eta_p} = \left(\frac{\theta_p}{p}\right). \qquad (2.2.10)$$

Below we code this invariant by a non-negative integer η having a binary decomposition

$$\eta = \eta_{p_t}....\eta_{p_1} \qquad (2.2.10')$$

where $p_1, \dots, p_t$ are all odd prime divisors of d in increasing order. For example, for $d = 30 = 2 \cdot 3 \cdot 5$ the invariant $\eta = 2$ means that $\left(\frac{\theta_3}{3}\right) = 1$, $\left(\frac{\theta_5}{5}\right) = -1$

We have

Proposition 2.2.4. *A hyperbolic lattice S of rank three and with a square-free determinant is defined up to isomorphism by the invariants $(d$, type, $\eta)$.*

Proof. Invariants (d, *type*, η) define the discriminant bilinear form of S. By [N1], the signature, type and discriminant bilinear form of S define the genus of S. By general results of Eichler and Kneser on spinor genus of indefinite lattices of rank ≥ 3 (see [E1], [Kn] and also [C]), elementary lattices of rank ≥ 3 have only one class in a genus. It proves the statement.

Definition 2.2.5. A hyperbolic lattice S of the rank three and with a square-free determinant d is called *main* if *type* $\equiv d \mod 2$. In other words, the lattice S should be even if the determinant d is even. If the determinant d is odd, then the lattice S will be necessarily odd. In particular, main hyperbolic lattices of rank three and with a square-free determinant are defined by the invariants (d, η).

Main hyperbolic lattices of the rank three and with a square-free determinant are the most important. Really, suppose that $\widetilde{S}$ has rank three and square-free determinant, but it is not main. Then the determinant $d(\widetilde{S}) = 2d$ is even but the lattice $\widetilde{S}$ is odd. Let $\widetilde{S}^{ev} \subset \widetilde{S}$ be the maximal even sublattice of $\widetilde{S}$. It has index two. Considering $\widetilde{S} \otimes \mathbb{Z}_2$, one finds that $\widetilde{S}^{ev} = S(2)$ where S has the determinant d and is then main odd hyperbolic lattice. By the construction, $O(\widetilde{S}) \subset O(S)$. Thus, *main hyperbolic lattices of the rank three and with a square-free determinant have maximal automorphism groups.* In particular, if $\widetilde{S}$ is reflective, then S is also reflective. Moreover, we get that any non-main hyperbolic lattice $\widetilde{S}$ is the index two odd overlattice

$$S(2) \subset \widetilde{S} \qquad (2.2.11)$$

where S is a main odd hyperbolic lattice. If S has invariants (d, odd, η) (where d is square-free and odd), then $\widetilde{S}$ has invariants $(2d, \text{odd}, \eta + \omega(d))$ where $\omega(d) = \{\omega(d)_p = (p^2-1)/8 \mod 2 \mid \text{odd prime } p \mid d\}$. We use that $\left(\frac{2}{p}\right) = (-1)^{(p^2-1)/8}$.

For the fixed S, all index 2 odd lattices $\widetilde{S}$ in (2.2.11) are isomorphic by Proposition 2.2.3. Thus, (2.2.11) defines the one-to-one correspondence $S \leftrightarrow \widetilde{S}$ between odd hyperbolic lattices of rank three and with a square-free determinant where S has odd determinant d and $\widetilde{S}$ has the even determinant $2d$.

We have mentioned that (2.2.11) defines embedding

$$O(\widetilde{S}) \subset O(S)$$

since the lattice $S(2)$ is the maximal even sublattice of $\widetilde{S}$. Further we can consider two cases.

Case when lattices S and $\widetilde{S}$ are equivariantly equivalent: By definition, it means that the odd overlattice $S(2) \subset \widetilde{S}$ is unique. Then (2.2.11) gives $O(\widetilde{S}) = O(S)$, and lattices S, $\widetilde{S}$ have the same reflective type. By the discriminant form technique, this means that the 2-component $A_{S(2)_2} \cong (\mathbb{Z}/2\mathbb{Z})^3$ of the discriminant group of $S(2)$ has an unique element $w \in A_{S(2)_2}$ with $q_{S(2)}(w) = 1 \mod 2$. Then $\widetilde{S}/S(2) = (\mathbb{Z}/2\mathbb{Z})w$, and index two odd overlattice in (2.2.11) is unique. The discriminant quadratic form $q_{S(2)_2}$ is defined by its signature sign $q_{S(2)_2} \mod 8$ (see [N1] where all finite quadratic forms on 2-elementary groups were classified). One can easily check that the element w is unique if and only if sign $q_{S(2)_2} \equiv \pm 1 \mod 8$. We have (e.g. see [N1])

$$\sum_p \text{sign } q_{S(2)_p} \equiv \sum_{p|d} (1 - p + 4\eta_p + 4\omega(d)_p) + \text{sign } q_{S(2)_2} \equiv 1 - 2 \equiv -1 \mod 8.$$

It follows that S and $\widetilde{S}$ are equivariantly equivalent if and only if

$$\sum_{p|d} (1 - p + 4\eta_p + 4\omega(d)_p) \equiv \pm 1 - 1 \equiv 0 \text{ or } 6 \mod 8.$$

Case when S and $\widetilde{S}$ are not equivariantly equivalent: by definition it means that the odd index two overlattice $\widetilde{S}$ in (2.2.11) is not unique. By consideration above, it is equivalent to

$$\sum_{p|d} (1 - p + 4\eta_p + 4\omega(d)_p) \mod 8 \notin \{0 \mod 8,\ 6 \mod 8\}.$$

One can check that then there are three different possibilities for the element $w \in A_{S(2)_2}$ with $q_{S(2)}(w) = 1 \mod 2$. Thus, there are three different overlattices $\widetilde{S}$ in (2.2.11). All of them give isomorphic lattices $\widetilde{S}$ but one cannon expect that automorphism groups S and $\widetilde{S}$ are the same (and it is never the case). The (2.1.11) defines only embedding $O(\widetilde{S}) \subset O(S)$, and we only have that *the reflective type of $\widetilde{S}$ is dominated by the reflective type of S.* To find all reflective lattices $\widetilde{S}$, one should first find all reflective lattices S, and then check if the lattice $\widetilde{S}$ is also reflective. We summarize these considerations below.

Proposition 2.2.6. *All non-main hyperbolic lattices $\widetilde{S}$ of rank three and with a square-free determinant (remind that non-main means that $\widetilde{S}$ is odd but* $\det(\widetilde{S}) = 2d$ *is even) are in one-to-one correspondence $S \leftrightarrow \widetilde{S}$ with main odd hyperbolic lattices S of rank three and with a square-free determinant $d =$* $\det(S) = \det(\widetilde{S})/2$*. The correspondence is defined by the embedding of lattices*

$$S(2) \subset \widetilde{S} \qquad (2.2.12)$$

where $S(2)$ *is the maximal even sublattice of* $\widetilde{S}$ *(it has index two).*

If S *has invariants* $(d$, *odd*, $\eta)$, *where* d *is odd square-free, then* $\widetilde{S}$ *has invariants* $(2d$, *odd*, $\eta+\omega(d))$ *where*

$$\omega(d)=\{\omega(d)_p=(p^2-1)/8 \mod 2 \ \mid\ \textit{odd prime } p\mid d\}. \tag{2.2.13}$$

If

$$\sum_{p\mid d}(1-p+4\eta_p+4\omega(d)_p)\equiv \pm1-1\equiv 0 \textit{ or } 6 \mod 8, \tag{2.2.14}$$

the overlattice $\widetilde{S}$ *in* (2.2.12) *is unique,* (2.2.12) *defines isomorphism* $O(\widetilde{S})=O(S)$ *and lattices* S *and* $\widetilde{S}$ *have the same reflective type. We then say that lattices* S *and* $\widetilde{S}$ *are equivariantly equivalent.*

If

$$\sum_{p\mid d}(1-p+4\eta_p+4\omega(d)_p) \mod 8\notin\{0 \mod 8,\ 6 \mod 8\}, \tag{2.2.15}$$

(2.2.12) *only defines the embedding* $O(\widetilde{S})\subset O(S)$, *and reflective type of* $\widetilde{S}$ *is dominated by reflective type of* S. *For this case we say that lattices* S *and* $\widetilde{S}$ *are not equivariantly equivalent.*

2.3. The classification of elliptically or parabolically reflective elementary hyperbolic lattices of the rank 3.

2.3.1. Notation. According to Sect. 2.2, classification of reflective (of any type) primitive elementary hyperbolic lattices is divided in three parts:

1) Classification of main of them with square-free determinant.

2) Classification of non-main lattices $\widetilde{S}$ of them with square-free determinant where S belongs to 1) and is odd (see Proposition 2.2.6).

3) Taking of m-dual lattices to lattices L from 1) and 2) where $m\mid \det(L)$ (all of them will be reflective of the same type as L).

For a hyperbolic lattice S, we denote by $\mathcal{M}$ a fundamental polyhedron of $W(S)$ and by $P(\mathcal{M})_{\mathrm{pr}}$ the set of orthogonal to $\mathcal{M}$ primitive roots from S. We denote by $A(P(\mathcal{M})_{\mathrm{pr}})$ the group of symmetries of $P(\mathcal{M})_{\mathrm{pr}}$ (see (1.3.1)).

Definition 2.3.1.1. An automorphism $\phi\in A(P(\mathcal{M})_{\mathrm{pr}})$ is called a *central symmetry* if it acts as a central symmetry in the hyperbolic space $\mathcal{L}(S)$. Two central symmetries ϕ_1, $\phi_2\in A(P(\mathcal{M})_{\mathrm{pr}})$ are equivalent if they are conjugate in $A(P(\mathcal{M})_{\mathrm{pr}})$ (i.e. $\phi_2=\xi\phi_1\xi^{-1}$ where $\xi\in A(P(\mathcal{M})_{\mathrm{pr}})$. We denote by $h=h(S)$ the *number of classes* of central symmetries in $A(P(\mathcal{M})_{\mathrm{pr}})$.

This invariant is important because we have the following trivial

Lemma 2.3.1.2. *If a hyperbolic lattice* S *is reflective of elliptic type, then* $h=h(S)\le 1$. *If* S *is reflective of parabolic type, then* $h=h(S)=0$. *If* S *is reflective of hyperbolic type and rk* $S=3$, *then* $h=h(S)=0$ *or* 2.

For all reflective elementary hyperbolic lattices S, we give the invariant $h=h(S)$, the set $P(\mathcal{M})_{\mathrm{pr}}$ and the Gram matrix $G(P(\mathcal{M})_{\mathrm{pr}})=((\alpha_i,\alpha_j))$, α_i, $\alpha_j\in P(\mathcal{M})_{\mathrm{pr}}$.

We denote by $\langle A\rangle$ a lattice with the matrix A. Thus, one has $((e_i,e_j))=A$ for a bases $\{e_i\}$ of the lattice. This bases is called *standard*. We denote by $\oplus$ the orthogonal sum of lattices. Thus, $\langle A\rangle \oplus \langle B\rangle$ denote a lattice with the matrix $A\oplus B$. Let A be a matrix of size $n\times n$ defining a lattice $\langle A\rangle$ with the standard bases $\{e_i\}$. We denote by $\langle A\rangle(c_{11},\dots,c_{1n};\dots;c_{m1},\dots,c_{mn})$ the overlattice of $\langle A\rangle$ generated by $\{e_i\}$ and by elements $c_{11}e_1+\cdots+c_{1n}e_n$, ... , $c_{m1}e_1+\cdots+c_{mn}e_n$ of the dual lattice $\langle A\rangle^* \subset \langle A\rangle\otimes\mathbb{Q}$ where $c_{ij}\in\mathbb{Q}$.

We denote by U the lattice

$$U=\left\langle\begin{matrix}0 & 1\\ 1 & 0\end{matrix}\right\rangle. \tag{2.3.1.1}$$

It is unimodular even of signature $(1,1)$.

2.3.2. Classification of elliptically or parabolically reflective main hyperbolic lattices of rank 3 *and with square-free determinant.* We remind that a hyperbolic lattice S of rank three and with square-free determinant $d=\det(S)$ is called *main* if it is even for even $d=\det(S)$. If d is odd, then S will be necessarily odd. By Proposition 2.2.4, a main hyperbolic lattice S of rank three and with square-free determinant is defined by invariants (d,η). We have the following basic result:

Basic Theorem 2.3.2.1. *Table 1 below gives the complete list (containing 122 cases numerated by N) of main (i.e. even for even determinant) hyperbolic lattices S of rank* 3 *and with square-free determinant which are reflective of elliptic or parabolic type. In Table 1, for each lattice S we give invariants (d,η) defining S up to isomorphism, number h of classes of central symmetries, matrix of S for some standard bases, the set $P(\mathcal{M})_{\rm pr}$ in the standard bases and the Gram matrix $G(P(\mathcal{M})_{\rm pr})$. All these 122 cases have elliptic type.*

If the lattice S represents 0 *(i.e. there exists a non-zero $x\in S$ with $x^2=0$), we give S in the form $S=U\oplus\langle -d\rangle$. Then the fundamental polygon $\mathcal{M}$ is not compact (i.e. $\mathcal{M}$ contains an infinite vertex). In particular, Table 1 contains the complete list of reflective hyperbolic lattices of elliptic or parabolic type of the form $S=U\oplus\langle -d\rangle$ where d is square-free. There are* 23 *these cases corresponding to*

$$d = 1,\ 2,\ 3,\ 5,\ 6,\ 7,\ 10,\ 11,\ 13,\ 14,\ 15,\ 17,\ 21,\ 22,\ 26,$$
$$30,\ 33,\ 34,\ 38,\ 42,\ 66,\ 78,\ 110.$$

If S is given in different form, the lattice S does not represent 0 *and $\mathcal{M}$ is compact. There are* 99 *these cases.*

Idea of the Proof. Here we give a rough scheme of the proof, details will be given in Part II. First, we prove a formula for the number h of classes of central symmetries of main hyperbolic lattices S of rank 3 with a square-free determinant. This formula uses class-numbers of imaginary quadratic fields and Legendre symbol (we shall give the formula in Part II). By Lemma 2.3.1.2, elliptically or parabolically reflective S have $h\le 1$. Using the formula for h, we find all main hyperbolic lattices S of rank 3 with square-free determinant $d\le 100000$ and $h\le 1$. Their list is given in Table 3, it contains 206 lattices S. (In Table 3, we give invariants (d,η), h and a lattice S with these invariants.) Conjectually, Table 3 gives the complete (without the condition $d\le 100000$) list with the invariant $h\le 1$ of main hyperbolic lattices S of the rank 3 and with square-free determinant. To avoid this conjecture, we use the same method (studying of narrow parts of fundamental polyhedra $\mathcal{M}$) we used to prove finiteness Theorem 1.4.1 (see [N4], [N5], [N11] and also [N8]). This method gives a finite list of all possible invariants (d,η) for the reflective lattices S. Calculating their invariant h (or estimating the invariant d), we find that all of them having $h\le 1$ belong to Table 3. Using Vinberg's algorithm [V2], we check reflective type of all 206 lattices S of Table 3 and calculate their fundamental polygon $\mathcal{M}$ for $W(S)$ if they are reflective. For elliptic and parabolic type, the result is given in Table 1. Actually, the method of narrow parts of polyhedra permits to find out a big part of non-reflective lattices of Table 3. In Table 3 we mark by *er*, *pr*, *hr* and *nr* elliptically, parabolically, hyperbolically reflective type and non-reflective type respectively (there are no lattices of parabolic type). It finishes the proof.

We mention an important

Corollary 2.3.2.2. *The reflection groups $W(S)$ of lattices S of Table 1 contain all maximal arithmetic reflection groups W over $\mathbb{Q}$ in hyperbolic plane.*

Proof. By É.B. Vinberg [V1], W is a reflection subgroup of finite index $W\subset O(S_1)$ of a hyperbolic lattice S_1 of rank 3. It follows that the fundamental polygon $\mathcal{M}$ of W is elliptic, the group $A(P(\mathcal{M})_{\mathrm{pr}})$ is finite and has a generalized lattice Weyl vector ρ with $(\rho,\rho)>0$. By considerations in Sect. 2.2 and Theorem 2.3.2.1, the group W is a reflection subgroup $W\subset W(S)$ of one of lattices S of Table 1. Since W is maximal, $W=W(S)$. It proves the statement.

Remark 2.3.2.3. Reflective type of lattices $U\oplus\langle -2k\rangle$ for all $k\le 60$ was found in [N13]. For $k=2k_1$ where k_1 is odd, the lattice $U\oplus\langle -2k\rangle$ is equivariantly equivalent to the lattice $U\oplus\langle -k_1\rangle\cong\langle 1\rangle\oplus\langle -1\rangle\oplus\langle -k_1\rangle$. Thus, between lattices $S=U\oplus\langle -d\rangle$ of Theorem 2.3.2.1, only the lattice $S=U\oplus\langle -33\rangle$ was not considered in [N13].

2.3.3. Classification of elliptically or parabolically reflective non-main hyperbolic lattices of rank three and with square-free determinant.

We remind that a lattice S of rank three and with square-free determinant is called *non-main* if S is odd but its determinant is even. Using Basic Theorem 2.3.2.1, Proposition 2.2.6 and additional considerations and calculations, we get

Theorem 2.3.3.1. *Table 2 below gives the complete list (containing* 38 *cases numerated by N') of non-main (i. e. odd with even determinant) hyperbolic lattices $\widetilde{S}$ with square-free determinant and of rank three which are reflective of elliptic or parabolic type. In Table 2, for each lattice $\widetilde{S}$ we give its invariants (d, odd,η), the number h of classes of central symmetries, matrix of $\widetilde{S}$ in a standard bases, invariants $(d,\eta+\omega(d))$ of the main odd lattice S of $\widetilde{S}$ (see Proposition 2.2.6). All these* 38 *cases have elliptic type.*

If S and $\widetilde{S}$ are equivariantly equivalent (in Table 2 there are 21 *these cases), we only give the lattice S. For this case, calculation of $P(\mathcal{M})_{\mathrm{pr}}$ and $G(P(\mathcal{M})_{\mathrm{pr}})$ for $\widetilde{S}$ follows from calculation of similar sets for S in Table 1 (see Remark 2.3.3.2 below). In particular, all $\widetilde{S}$ representing* 0 *(non-compact case) have this type, then $\widetilde{S}=\langle 1\rangle\oplus\langle -1\rangle\oplus\langle -d\rangle$ where*

$$d=2,\ 6,\ 10,\ 14,\ 22,\ 26,\ 30,\ 34,\ 42,\ 66.$$

If S and $\widetilde{S}$ are not equivariantly equivalent (there are 17 these cases), we (like for Table 1) give $P(\mathcal{M})_{\mathrm{pr}}$ and $G(P(\mathcal{M})_{\mathrm{pr}})$ for $\widetilde{S}$ in the standard bases.

Remark 2.3.3.2. Suppose that $\widetilde{S}$ is equivariantly equivalent to S. Then $S(2)\subset\widetilde{S}$ is the unique odd overlattice of $S(2)$. Let $P(\mathcal{M})_{\mathrm{pr}}$ be the set of orthogonal to $\mathcal{M}$

primitive roots of S with the Gram matrix $((\alpha,\beta))$, $\alpha,\ \beta\in P(\mathcal{M})_{\rm pr}$. We denote by $\widetilde{P}(\mathcal{M})_{\rm pr}$ the set of orthogonal to $\mathcal{M}$ primitive roots of the overlattice $S(2)\subset\widetilde{S}$. It is

$$\widetilde{P}(\mathcal{M})_{\rm pr}=\{\widetilde{\alpha}=\alpha\ \mid\ \alpha\in P(\mathcal{M})_{\rm pr}\quad\&\quad\alpha^2\equiv 1\mod 2\}\cup \\ \cup\{\widetilde{\alpha}=\alpha/2\ \mid\ \alpha\in P(\mathcal{M})_{\rm pr}\quad\&\quad\alpha^2\equiv 2\mod 4\}. \tag{2.3.3.1}$$

It follows that for $\widetilde{\alpha},\ \widetilde{\beta}\in\widetilde{P}(\mathcal{M})_{\rm pr}$ of the lattice $\widetilde{S}$, one has

$$(\widetilde{\alpha},\widetilde{\beta})=\begin{cases}2(\alpha,\beta), & \text{if } \alpha^2\beta^2\equiv 1\mod 2\\ (\alpha,\beta), & \text{if } \alpha^2\beta^2\equiv 2\mod 4\\ (\alpha,\beta)/2, & \text{if } \alpha^2\equiv\beta^2\equiv 2\mod 4\end{cases} \tag{2.3.3.2}$$

which describes the Gram matrix of $\widetilde{P}(\mathcal{M})_{\rm pr}$ for the lattice $\widetilde{S}$ using the Gram matrix of $P(\mathcal{M})_{\rm pr}$ for the lattice S. Here on the left hand side of (2.3.3.2) we use the form of the lattice $\widetilde{S}$, and on the right hand side of (2.3.3.2) we use the form of the lattice S.

2.3.4. Classification of elementary hyperbolic lattices of rank three which are reflective of elliptic or parabolic type.

We remind that a lattice L is called *elementary* if its discriminant group $A_L=L^*/L$ is elementary: any its p-component is a p-elementary Abelian group: $A_{L_p}\cong(\mathbb{Z}/p\mathbb{Z})^{r_p}$.

By Sect. 2.2, we get

Theorem 2.3.4.1. *A primitive elementary hyperbolic lattice F is reflective of elliptic or parabolic type if and only if*

$$F\cong S^{*,m}(m),\ m\mid d \tag{2.3.4.1}$$

(see (2.2.5)) where S is a lattice of the determinant $d=\det(S)$ (it is square-free) of Tables 1 or 2. Then $\det(F)=dm$. In particular, for the fixed lattice S the number of lattices F is equal to 2^t where t is the number of prime divisors of d.

Let $P(\mathcal{M})_{\rm pr}$ be the set of orthogonal to $\mathcal{M}$ primitive roots of S. Then the set $\widetilde{P}(\mathcal{M})_{\rm pr}$ of orthogonal to $\mathcal{M}$ primitive roots of F is equal to

$$\widetilde{P}(\mathcal{M})_{\rm pr}=\{\widetilde{\alpha}=\alpha/k_{\alpha,m}\ \mid\ \alpha\in P(\mathcal{M})_{\rm pr}\} \tag{2.3.4.2}$$

where $k_{\alpha,m}$ is the greatest divisor of m such that $\alpha/k_{\alpha,m}\in S^*$ (equivalently, if $(\alpha,S)=t\mathbb{Z}$, then $k_{\alpha,m}=g.c.d(t,m)$). The Gram matrix of $\widetilde{P}(\mathcal{M})_{\rm pr}$ for the lattice F is equal to

$$\Big((\widetilde{\alpha},\widetilde{\beta})\Big)=\left(\frac{(\alpha,\beta)m}{k_{\alpha,m}k_{\beta,m}}\right),\quad\widetilde{\alpha},\ \widetilde{\beta}\in\widetilde{P}(\mathcal{M})_{\rm pr}. \tag{2.3.4.3}$$

Here, on the left hand side of (2.3.4.3) we use the form of the lattice F, and on the right hand side of (2.3.4.3) we use the form of the lattice S.

Table 1.

The list of main hyperbolic lattices
of rank three and with square-free determinant
which are reflective of elliptic or parabolic type.

$N=1$ $d=1$, $\eta=0$, $h=0$: $U\oplus\langle -1\rangle$

$$\begin{pmatrix} 1 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 1 & 1\\ 1 & -1 & 0\\ 1 & 0 & -2 \end{pmatrix}.$$

$N=2$ $d=2$, $\eta=0$, $h=0$: $U\oplus\langle -2\rangle$

$$\begin{pmatrix} 1 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 2 & 1\\ 2 & -2 & 0\\ 1 & 0 & -2 \end{pmatrix}.$$

$N=3$ $d=3$, $\eta=0$, $h=0$: $\langle 3\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & -1 & 1\\ 0 & 1 & 0\\ 1 & 0 & -3 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 3\\ 1 & -1 & 0\\ 3 & 0 & -6 \end{pmatrix}.$$

$N=4$ $d=3$, $\eta=1$, $h=0$: $U\oplus\langle -3\rangle$

$$\begin{pmatrix} 3 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 1 & 1 & -1 \end{pmatrix} \qquad \begin{pmatrix} -3 & 3 & 3 & 0\\ 3 & -3 & 0 & 3\\ 3 & 0 & -2 & 0\\ 0 & 3 & 0 & -1 \end{pmatrix}.$$

$N=5$ $d=5$, $\eta=0$, $h=0$: $U\oplus\langle -5\rangle$

$$\begin{pmatrix} 5 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 2 & 1 & -1 \end{pmatrix} \qquad \begin{pmatrix} -5 & 5 & 5 & 0\\ 5 & -5 & 0 & 5\\ 5 & 0 & -2 & 1\\ 0 & 5 & 1 & -1 \end{pmatrix}.$$

$N=6$ $d=5$, $\eta=1$, $h=0$: $\langle 1\rangle\oplus\langle -10\rangle\oplus\langle -2\rangle(0,1/2,1/2)$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -1\\ 1 & \frac{-1}{2} & \frac{-1}{2} \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 2 & 1\\ 0 & -10 & 0 & 5\\ 2 & 0 & -1 & 0\\ 1 & 5 & 0 & -2 \end{pmatrix}.$$

$N=7$ $d=6=2\cdot 3$, $\eta=0, h=0$: $U\oplus\langle -6\rangle$

$$\begin{pmatrix} 3 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -6 & 6 & 3\\ 6 & -6 & 0\\ 3 & 0 & -2 \end{pmatrix}.$$

$N=8$ $d=7$, $\eta=0$, $h=1$: $\langle 7\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & -1 & 1\\ 0 & 1 & 0\\ 1 & 0 & -3\\ 1 & -2 & -2 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 3 & 0\\ 1 & -1 & 0 & 2\\ 3 & 0 & -2 & 1\\ 0 & 2 & 1 & -1 \end{pmatrix}.$$

$N=9$ $d=7$, $\eta=1$, $h=0$: $U\oplus\langle -7\rangle$

$$\begin{pmatrix} 7 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 7 & 7 & -4\\ 3 & 1 & -1 \end{pmatrix} \qquad \begin{pmatrix} -7 & 7 & 7 & 21 & 0\\ 7 & -7 & 0 & 28 & 7\\ 7 & 0 & -2 & 0 & 2\\ 21 & 28 & 0 & -14 & 0\\ 0 & 7 & 2 & 0 & -1 \end{pmatrix}.$$

$N = 10 \quad d = 10 = 2 \cdot 5,\ \eta = 1, h = 0$: $U \oplus \langle -10 \rangle$

$$\begin{pmatrix} 5 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 2 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -10 & 10 & 5 & 0 \\ 10 & -10 & 0 & 10 \\ 5 & 0 & -2 & 0 \\ 0 & 10 & 0 & -2 \end{pmatrix}.$$

$N = 11 \quad d = 11,\ \eta = 0,\ h = 0$: $\langle 11 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -11 \\ 1 & -2 & -3 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 11 & 1 \\ 1 & -1 & 0 & 2 \\ 11 & 0 & -22 & 0 \\ 1 & 2 & 0 & -2 \end{pmatrix}.$$

$N = 12 \quad d = 11,\ \eta = 1,\ h = 1$: $U \oplus \langle -11 \rangle$

$$\begin{pmatrix} 11 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 7 & 7 & -3 \\ 55 & 44 & -21 \\ 66 & 44 & -23 \\ 7 & 3 & -2 \\ 5 & 1 & -1 \end{pmatrix} \qquad \begin{pmatrix} -11 & 11 & 11 & 44 & 253 & 231 & 11 & 0 \\ 11 & -11 & 0 & 33 & 231 & 253 & 22 & 11 \\ 11 & 0 & -2 & 0 & 11 & 22 & 4 & 4 \\ 44 & 33 & 0 & -1 & 0 & 11 & 4 & 9 \\ 253 & 231 & 11 & 0 & -11 & 11 & 11 & 44 \\ 231 & 253 & 22 & 11 & 11 & -11 & 0 & 33 \\ 11 & 22 & 4 & 4 & 11 & 0 & -2 & 0 \\ 0 & 11 & 4 & 9 & 44 & 33 & 0 & -1 \end{pmatrix}.$$

$N = 13 \quad d = 13,\ \eta = 0,\ h = 1$: $U \oplus \langle -13 \rangle$

$$\begin{pmatrix} 13 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 3 & 2 & -1 \\ 104 & 39 & -25 \\ 234 & 78 & -53 \\ 55 & 17 & -12 \\ 6 & 1 & -1 \end{pmatrix} \qquad \begin{pmatrix} -13 & 13 & 13 & 13 & 182 & 325 & 65 & 0 \\ 13 & -13 & 0 & 13 & 325 & 689 & 156 & 13 \\ 13 & 0 & -2 & 1 & 65 & 156 & 38 & 5 \\ 13 & 13 & 1 & -1 & 0 & 13 & 5 & 2 \\ 182 & 325 & 65 & 0 & -13 & 13 & 13 & 13 \\ 325 & 689 & 156 & 13 & 13 & -13 & 0 & 13 \\ 65 & 156 & 38 & 5 & 13 & 0 & -2 & 1 \\ 0 & 13 & 5 & 2 & 13 & 13 & 1 & -1 \end{pmatrix}.$$

$N = 14 \quad d = 13,\ \eta = 1,\ h = 1$: $\langle 26 \rangle \oplus \langle -2 \rangle \oplus \langle -1 \rangle (1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 5 & 0 & -26 \\ 1 & -1 & -5 \\ \frac{1}{2} & \frac{-3}{2} & -2 \\ \frac{3}{2} & \frac{-13}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 26 & 5 & 2 & 0 \\ 0 & -2 & 0 & 2 & 3 & 13 \\ 26 & 0 & -26 & 0 & 13 & 195 \\ 5 & 2 & 0 & -1 & 0 & 26 \\ 2 & 3 & 13 & 0 & -2 & 0 \\ 0 & 13 & 195 & 26 & 0 & -26 \end{pmatrix}.$$

$N = 15 \quad d = 14 = 2 \cdot 7,\ \eta = 1,\ h = 0$: $U \oplus \langle -14 \rangle$

$$\begin{pmatrix} 7 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 3 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -14 & 14 & 7 & 0 \\ 14 & -14 & 0 & 14 \\ 7 & 0 & -2 & 1 \\ 0 & 14 & 1 & -2 \end{pmatrix}.$$

$N = 16 \quad d = 15 = 3 \cdot 5,\ \eta = 0,\ h = 0$: $\langle 3 \rangle \oplus \langle -5 \rangle \oplus \langle -1 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 1 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 3 & 0 \\ 0 & -5 & 0 & 5 \\ 3 & 0 & -6 & 3 \\ 0 & 5 & 3 & -2 \end{pmatrix}.$$

$N=17\quad d=15=3\cdot 5$, $\eta=1$, $h=0$: $\langle 5\rangle\oplus\langle -3\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 2 & 0 & -5\\ 1 & -1 & -2\\ 3 & -5 & 0 \end{pmatrix}\qquad \begin{pmatrix} -1 & 0 & 5 & 2 & 0\\ 0 & -3 & 0 & 3 & 15\\ 5 & 0 & -5 & 0 & 30\\ 2 & 3 & 0 & -2 & 0\\ 0 & 15 & 30 & 0 & -30 \end{pmatrix}.$$

$N=18\quad d=15=3\cdot 5$, $\eta=2$, $h=0$: $U\oplus\langle -15\rangle$

$$\begin{pmatrix} 15 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 5 & 5 & -2\\ 9 & 3 & -2\\ 7 & 1 & -1 \end{pmatrix}\qquad \begin{pmatrix} -15 & 15 & 15 & 45 & 15 & 0\\ 15 & -15 & 0 & 30 & 30 & 15\\ 15 & 0 & -2 & 0 & 6 & 6\\ 45 & 30 & 0 & -10 & 0 & 10\\ 15 & 30 & 6 & 0 & -6 & 0\\ 0 & 15 & 6 & 10 & 0 & -1 \end{pmatrix}.$$

$N=19\quad d=15=3\cdot 5$, $\eta=3$, $h=0$: $\langle 15\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & -1 & 1\\ 0 & 1 & 0\\ 1 & 0 & -5\\ 1 & -3 & -3 \end{pmatrix}\qquad \begin{pmatrix} -2 & 1 & 5 & 0\\ 1 & -1 & 0 & 3\\ 5 & 0 & -10 & 0\\ 0 & 3 & 0 & -3 \end{pmatrix}.$$

$N=20\quad d=17$, $\eta=0$, $h=0$: $U\oplus\langle -17\rangle$

$$\begin{pmatrix} 17 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 17 & 17 & -6\\ 4 & 2 & -1\\ 11 & 3 & -2\\ 8 & 1 & -1 \end{pmatrix}\qquad \begin{pmatrix} -17 & 17 & 17 & 187 & 17 & 17 & 0\\ 17 & -17 & 0 & 102 & 17 & 34 & 17\\ 17 & 0 & -2 & 0 & 2 & 8 & 7\\ 187 & 102 & 0 & -34 & 0 & 34 & 51\\ 17 & 17 & 2 & 0 & -1 & 0 & 3\\ 17 & 34 & 8 & 34 & 0 & -2 & 1\\ 0 & 17 & 7 & 51 & 3 & 1 & -1 \end{pmatrix}.$$

$N=21\quad d=19$, $\eta=0$, $h=1$: $\langle 19\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & -1 & 1\\ 0 & 1 & 0\\ 13 & 0 & -57\\ 3 & -2 & -13\\ 1 & -2 & -4\\ 6 & -19 & -19 \end{pmatrix}\qquad \begin{pmatrix} -2 & 1 & 57 & 11 & 2 & 0\\ 1 & -1 & 0 & 2 & 2 & 19\\ 57 & 0 & -38 & 0 & 19 & 399\\ 11 & 2 & 0 & -2 & 1 & 57\\ 2 & 2 & 19 & 1 & -1 & 0\\ 0 & 19 & 399 & 57 & 0 & -38 \end{pmatrix}.$$

$N=22\quad d=21=3\cdot 7$, $\eta=0$, $h=0$: $\langle 14\rangle\oplus\langle -6\rangle\oplus\langle -1\rangle(1/2,1/2,0)$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ \frac{1}{2} & \frac{-1}{2} & -2\\ \frac{3}{2} & \frac{-7}{2} & 0 \end{pmatrix}\qquad \begin{pmatrix} -1 & 0 & 2 & 0\\ 0 & -6 & 3 & 21\\ 2 & 3 & -2 & 0\\ 0 & 21 & 0 & -42 \end{pmatrix}.$$

$N=23\quad d=21=3\cdot 7$, $\eta=1$, $h=1$: $U\oplus\langle -21\rangle$

$$\begin{pmatrix} 21 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 3 & 3 & -1\\ 5 & 2 & -1\\ 84 & 21 & -13\\ 210 & 42 & -29\\ 61 & 11 & -8\\ 57 & 9 & -7\\ 10 & 1 & -1 \end{pmatrix}\qquad \begin{pmatrix} -21 & 21 & 21 & 42 & 21 & 168 & 273 & 63 & 42 & 0\\ 21 & -21 & 0 & 21 & 21 & 273 & 609 & 168 & 147 & 21\\ 21 & 0 & -2 & 0 & 3 & 63 & 168 & 50 & 48 & 9\\ 42 & 21 & 0 & -3 & 0 & 42 & 147 & 48 & 51 & 12\\ 21 & 21 & 3 & 0 & -1 & 0 & 21 & 9 & 12 & 4\\ 168 & 273 & 63 & 42 & 0 & -21 & 21 & 21 & 42 & 21\\ 273 & 609 & 168 & 147 & 21 & 21 & -21 & 0 & 21 & 21\\ 63 & 168 & 50 & 48 & 9 & 21 & 0 & -2 & 0 & 3\\ 42 & 147 & 48 & 51 & 12 & 42 & 21 & 0 & -3 & 0\\ 0 & 21 & 9 & 12 & 4 & 21 & 21 & 3 & 0 & -1 \end{pmatrix}.$$

$N=24$ $d=21=3\cdot 7$, $\eta=2$, $h=0$: $\langle 3\rangle\oplus\langle -7\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix}0&0&1\\0&1&0\\1&0&-3\\7&-4&-7\\3&-2&-1\end{pmatrix}\qquad\begin{pmatrix}-1&0&3&7&1\\0&-7&0&28&14\\3&0&-6&0&6\\7&28&0&-14&0\\1&14&6&0&-2\end{pmatrix}.$$

$N=25$ $d=21=3\cdot 7$, $\eta=3$, $h=0$: $\langle 1\rangle\oplus\langle -7\rangle\oplus\langle -3\rangle$

$$\begin{pmatrix}0&0&1\\0&1&0\\1&0&-1\\3&-1&-1\\7&-3&0\end{pmatrix}\qquad\begin{pmatrix}-3&0&3&3&0\\0&-7&0&7&21\\3&0&-2&0&7\\3&7&0&-1&0\\0&21&7&0&-14\end{pmatrix}.$$

$N=26$ $d=22=2\cdot 11$, $\eta=0$, $h=1$: $U\oplus\langle -22\rangle$

$$\begin{pmatrix}11&0&-1\\0&0&1\\-1&1&0\\33&33&-10\\88&66&-23\\5&2&-1\end{pmatrix}\qquad\begin{pmatrix}-22&22&11&143&220&0\\22&-22&0&220&506&22\\11&0&-2&0&22&3\\143&220&0&-22&22&11\\220&506&22&22&-22&0\\0&22&3&11&0&-2\end{pmatrix}.$$

$N=27$ $d=23$, $\eta=0$, $h=1$: $\langle 23\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix}0&-1&1\\0&1&0\\1&0&-5\\12&-17&-55\\6&-10&-27\\1&-3&-4\end{pmatrix}\qquad\begin{pmatrix}-2&1&5&38&17&1\\1&-1&0&17&10&3\\5&0&-2&1&3&3\\38&17&1&-2&1&5\\17&10&3&1&-1&0\\1&3&3&5&0&-2\end{pmatrix}.$$

$N=28$ $d=26=2\cdot 13$, $\eta=1$, $h=0$: $U\oplus\langle -26\rangle$

$$\begin{pmatrix}13&0&-1\\0&0&1\\-1&1&0\\4&3&-1\\6&2&-1\end{pmatrix}\qquad\begin{pmatrix}-26&26&13&13&0\\26&-26&0&26&26\\13&0&-2&1&4\\13&26&1&-2&0\\0&26&4&0&-2\end{pmatrix}.$$

$N=29$ $d=29$, $\eta=1$, $h=1$: $\langle 1\rangle\oplus\langle -58\rangle\oplus\langle -2\rangle(0,1/2,1/2)$

$$\begin{pmatrix}0&0&1\\0&1&0\\1&0&-1\\5&\frac{-1}{2}&\frac{-5}{2}\\8&-1&-2\\232&-30&-29\\23&-3&-2\\19&\frac{-5}{2}&\frac{-1}{2}\end{pmatrix}\qquad\begin{pmatrix}-2&0&2&5&4&58&4&1\\0&-58&0&29&58&1740&174&145\\2&0&-1&0&4&174&19&18\\5&29&0&-2&1&145&18&20\\4&58&4&1&-2&0&2&5\\58&1740&174&145&0&-58&0&29\\4&174&19&18&2&0&-1&0\\1&145&18&20&5&29&0&-2\end{pmatrix}.$$

$N=30$ $d=30=2\cdot 3\cdot 5$, $\eta=1$, $h=1$: $U\oplus\langle -30\rangle$

$$\begin{pmatrix}15&0&-1\\0&0&1\\-1&1&0\\15&15&-4\\60&30&-11\\7&2&-1\end{pmatrix}\qquad\begin{pmatrix}-30&30&15&105&120&0\\30&-30&0&120&330&30\\15&0&-2&0&30&5\\105&120&0&-30&30&15\\120&330&30&30&-30&0\\0&30&5&15&0&-2\end{pmatrix}.$$

$N = 31$ $d = 30 = 2 \cdot 3 \cdot 5$, $\eta = 2$, $h = 0$: $\langle 10\rangle \oplus \langle -6\rangle \oplus \langle -2\rangle(0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & \frac{-1}{2} & \frac{1}{2} \\ 0 & 1 & 0 \\ 2 & 0 & -5 \\ 3 & -2 & -6 \end{pmatrix} \qquad \begin{pmatrix} -2 & 3 & 5 & 0 \\ 3 & -6 & 0 & 12 \\ 5 & 0 & -10 & 0 \\ 0 & 12 & 0 & -6 \end{pmatrix}.$$

$N = 32$ $d = 33 = 3 \cdot 11$, $\eta = 0$, $h = 1$: $\langle 3\rangle \oplus \langle -22\rangle \oplus \langle -2\rangle(0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 2 & 0 & -3 \\ 6 & \frac{-3}{2} & \frac{-11}{2} \\ 22 & \frac{-13}{2} & \frac{-33}{2} \\ 4 & \frac{-3}{2} & \frac{-3}{2} \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 6 & 11 & 33 & 3 \\ 0 & -22 & 0 & 33 & 143 & 33 \\ 6 & 0 & -6 & 3 & 33 & 15 \\ 11 & 33 & 3 & -2 & 0 & 6 \\ 33 & 143 & 33 & 0 & -22 & 0 \\ 3 & 33 & 15 & 6 & 0 & -6 \end{pmatrix}.$$

$N = 33$ $d = 33 = 3 \cdot 11$, $\eta = 1$, $h = 0$: $\langle 11\rangle \oplus \langle -3\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -11 \\ 1 & -1 & -3 \\ 15 & -22 & -33 \\ 1 & -2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 11 & 3 & 33 & 1 \\ 0 & -3 & 0 & 3 & 66 & 6 \\ 11 & 0 & -22 & 0 & 132 & 22 \\ 3 & 3 & 0 & -1 & 0 & 2 \\ 33 & 66 & 132 & 0 & -66 & 0 \\ 1 & 6 & 22 & 2 & 0 & -2 \end{pmatrix}.$$

$N = 34$ $d = 33 = 3 \cdot 11$, $\eta = 2$, $h = 1$: $U \oplus \langle -33\rangle$

$$\begin{pmatrix} 33 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 4 & 4 & -1 \\ 39 & 27 & -8 \\ 407 & 253 & -79 \\ 68 & 41 & -13 \\ 231 & 132 & -43 \\ 132 & 66 & -23 \\ 13 & 5 & -2 \\ 8 & 2 & -1 \\ 21 & 3 & -2 \\ 121 & 11 & -9 \\ 16 & 1 & -1 \end{pmatrix} \begin{pmatrix} -33 & 33 & 33 & 99 & 627 & 5742 & 924 & 2937 & 1419 & 99 & 33 & 33 & 66 & 0 \\ 33 & -33 & 0 & 33 & 264 & 2607 & 429 & 1419 & 759 & 66 & 33 & 66 & 297 & 33 \\ 33 & 0 & -2 & 0 & 12 & 154 & 27 & 99 & 66 & 8 & 6 & 18 & 110 & 15 \\ 99 & 33 & 0 & -1 & 0 & 33 & 7 & 33 & 33 & 6 & 7 & 30 & 231 & 35 \\ 627 & 264 & 12 & 0 & -6 & 0 & 3 & 33 & 66 & 18 & 30 & 156 & 1320 & 207 \\ 5742 & 2607 & 154 & 33 & 0 & -11 & 0 & 66 & 297 & 110 & 231 & 1320 & 11627 & 1848 \\ 924 & 429 & 27 & 7 & 3 & 0 & -1 & 0 & 33 & 15 & 35 & 207 & 1848 & 295 \\ 2937 & 1419 & 99 & 33 & 33 & 66 & 0 & -33 & 33 & 33 & 99 & 627 & 5742 & 924 \\ 1419 & 759 & 66 & 33 & 66 & 297 & 33 & 33 & -33 & 0 & 33 & 264 & 2607 & 429 \\ 99 & 66 & 8 & 6 & 18 & 110 & 15 & 33 & 0 & -2 & 0 & 12 & 154 & 27 \\ 33 & 33 & 6 & 7 & 30 & 231 & 35 & 99 & 33 & 0 & -1 & 0 & 33 & 7 \\ 33 & 66 & 18 & 30 & 156 & 1320 & 207 & 627 & 264 & 12 & 0 & -6 & 0 & 3 \\ 66 & 297 & 110 & 231 & 1320 & 11627 & 1848 & 5742 & 2607 & 154 & 33 & 0 & -11 & 0 \\ 0 & 33 & 15 & 35 & 207 & 1848 & 295 & 924 & 429 & 27 & 7 & 3 & 0 & -1 \end{pmatrix}.$$

$N = 35$ $d = 33 = 3 \cdot 11$, $\eta = 3$, $h = 1$: $\langle 1\rangle \oplus \langle -11\rangle \oplus \langle -3\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 12 & -3 & -4 \\ 44 & -12 & -11 \\ 3 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 3 & 12 & 33 & 0 \\ 0 & -11 & 0 & 33 & 132 & 11 \\ 3 & 0 & -2 & 0 & 11 & 3 \\ 12 & 33 & 0 & -3 & 0 & 3 \\ 33 & 132 & 11 & 0 & -11 & 0 \\ 0 & 11 & 3 & 3 & 0 & -2 \end{pmatrix}.$$

$N = 36$ $d = 34 = 2 \cdot 17$, $\eta = 0$, $h = 1$: $U \oplus \langle -34\rangle$

$$\begin{pmatrix} 17 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 4 & 4 & -1 \\ 85 & 51 & -16 \\ 204 & 102 & -35 \\ 19 & 8 & -3 \\ 8 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -34 & 34 & 17 & 34 & 323 & 544 & 34 & 0 \\ 34 & -34 & 0 & 34 & 544 & 1190 & 102 & 34 \\ 17 & 0 & -2 & 0 & 34 & 102 & 11 & 6 \\ 34 & 34 & 0 & -2 & 0 & 34 & 6 & 6 \\ 323 & 544 & 34 & 0 & -34 & 34 & 17 & 34 \\ 544 & 1190 & 102 & 34 & 34 & -34 & 0 & 34 \\ 34 & 102 & 11 & 6 & 17 & 0 & -2 & 0 \\ 0 & 34 & 6 & 6 & 34 & 34 & 0 & -2 \end{pmatrix}.$$

$N = 37$ $d = 35 = 5 \cdot 7$, $\eta = 0$, $h = 0$: $\langle 7\rangle \oplus \langle -5\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 1 & -1 & -2 \\ 5 & -7 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 3 & 2 & 0 \\ 0 & -5 & 0 & 5 & 35 \\ 3 & 0 & -2 & 1 & 35 \\ 2 & 5 & 1 & -2 & 0 \\ 0 & 35 & 35 & 0 & -70 \end{pmatrix}.$$

$N = 38$ $d = 35 = 5 \cdot 7$, $\eta = 2$, $h = 1$: $\langle 1\rangle \oplus \langle -7\rangle \oplus \langle -5\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 2 & 0 & -1 \\ 5 & -1 & -2 \\ 91 & -25 & -28 \\ 140 & -40 & -41 \\ 196 & -57 & -56 \\ 54 & -16 & -15 \\ 9 & -3 & -2 \\ 7 & -3 & 0 \end{pmatrix} \begin{pmatrix} -5 & 0 & 5 & 10 & 140 & 205 & 280 & 75 & 10 & 0 \\ 0 & -7 & 0 & 7 & 175 & 280 & 399 & 112 & 21 & 21 \\ 5 & 0 & -1 & 0 & 42 & 75 & 112 & 33 & 8 & 14 \\ 10 & 7 & 0 & -2 & 0 & 10 & 21 & 8 & 4 & 14 \\ 140 & 175 & 42 & 0 & -14 & 0 & 21 & 14 & 14 & 112 \\ 205 & 280 & 75 & 10 & 0 & -5 & 0 & 5 & 10 & 140 \\ 280 & 399 & 112 & 21 & 21 & 0 & -7 & 0 & 7 & 175 \\ 75 & 112 & 33 & 8 & 14 & 5 & 0 & -1 & 0 & 42 \\ 10 & 21 & 8 & 4 & 14 & 10 & 7 & 0 & -2 & 0 \\ 0 & 21 & 14 & 14 & 112 & 140 & 175 & 42 & 0 & -14 \end{pmatrix}.$$

$N = 39$ $d = 35 = 5 \cdot 7$, $\eta = 3$, $h = 0$: $\langle 35\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -7 \\ 3 & -10 & -15 \\ 5 & -21 & -21 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 7 & 5 & 0 \\ 1 & -1 & 0 & 10 & 21 \\ 7 & 0 & -14 & 0 & 28 \\ 5 & 10 & 0 & -10 & 0 \\ 0 & 21 & 28 & 0 & -7 \end{pmatrix}.$$

$N = 40$ $d = 38 = 2 \cdot 19$, $\eta = 0$, $h = 1$: $U \oplus \langle -38\rangle$

$$\begin{pmatrix} 19 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 31 & 30 & -7 \\ 171 & 152 & -37 \\ 190 & 152 & -39 \\ 6 & 3 & -1 \\ 9 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -38 & 38 & 19 & 304 & 1482 & 1406 & 19 & 0 \\ 38 & -38 & 0 & 266 & 1406 & 1482 & 38 & 38 \\ 19 & 0 & -2 & 1 & 19 & 38 & 3 & 7 \\ 304 & 266 & 1 & -2 & 0 & 38 & 7 & 66 \\ 1482 & 1406 & 19 & 0 & -38 & 38 & 19 & 304 \\ 1406 & 1482 & 38 & 38 & 38 & -38 & 0 & 266 \\ 19 & 38 & 3 & 7 & 19 & 0 & -2 & 1 \\ 0 & 38 & 7 & 66 & 304 & 266 & 1 & -2 \end{pmatrix}.$$

$N = 41$ $d = 39 = 3 \cdot 13$, $\eta = 0$, $h = 0$: $\langle 3\rangle \oplus \langle -13\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 2 & -1 & -1 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 3 & 1 \\ 0 & -13 & 0 & 13 \\ 3 & 0 & -6 & 3 \\ 1 & 13 & 3 & -2 \end{pmatrix}.$$

$N = 42$ $d = 39 = 3 \cdot 13$, $\eta = 2$, $h = 1$: $\langle 3\rangle \oplus \langle -26\rangle \oplus \langle -2\rangle(0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 2 & 0 & -3 \\ 5 & -1 & -5 \\ 130 & -30 & -117 \\ 12 & -3 & -10 \\ 52 & -14 & -39 \\ 10 & -3 & -6 \\ 3 & -1 & -1 \\ 26 & -9 & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 6 & 10 & 234 & 20 & 78 & 12 & 2 & 0 \\ 0 & -26 & 0 & 26 & 780 & 78 & 364 & 78 & 26 & 234 \\ 6 & 0 & -6 & 0 & 78 & 12 & 78 & 24 & 12 & 156 \\ 10 & 26 & 0 & -1 & 0 & 2 & 26 & 12 & 9 & 156 \\ 234 & 780 & 78 & 0 & -78 & 0 & 234 & 156 & 156 & 3120 \\ 20 & 78 & 12 & 2 & 0 & -2 & 0 & 6 & 10 & 234 \\ 78 & 364 & 78 & 26 & 234 & 0 & -26 & 0 & 26 & 780 \\ 12 & 78 & 24 & 12 & 156 & 6 & 0 & -6 & 0 & 78 \\ 2 & 26 & 12 & 9 & 156 & 10 & 26 & 0 & -1 & 0 \\ 0 & 234 & 156 & 156 & 3120 & 234 & 780 & 78 & 0 & -78 \end{pmatrix}.$$

$N = 43 \quad d = 39 = 3 \cdot 13,\ \eta = 3,\ h = 1\colon\ \langle 2 \rangle \oplus \langle -26 \rangle \oplus \langle -3 \rangle (1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 6 & -1 & -4 \\ 30 & -6 & -17 \\ \frac{195}{2} & \frac{-41}{2} & -52 \\ \frac{13}{2} & \frac{-3}{2} & -3 \\ \frac{3}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 3 & 12 & 51 & 156 & 9 & 0 \\ 0 & -26 & 0 & 26 & 156 & 533 & 39 & 13 \\ 3 & 0 & -1 & 0 & 9 & 39 & 4 & 3 \\ 12 & 26 & 0 & -2 & 0 & 13 & 3 & 5 \\ 51 & 156 & 9 & 0 & -3 & 0 & 3 & 12 \\ 156 & 533 & 39 & 13 & 0 & -26 & 0 & 26 \\ 9 & 39 & 4 & 3 & 3 & 0 & -1 & 0 \\ 0 & 13 & 3 & 5 & 12 & 26 & 0 & -2 \end{pmatrix}.$$

$N = 44 \quad d = 42 = 2 \cdot 3 \cdot 7,\ \eta = 0,\ h = 0\colon\ U \oplus \langle -42 \rangle$

$$\begin{pmatrix} 21 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 6 & 3 & -1 \\ 10 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -42 & 42 & 21 & 21 & 0 \\ 42 & -42 & 0 & 42 & 42 \\ 21 & 0 & -2 & 3 & 8 \\ 21 & 42 & 3 & -6 & 0 \\ 0 & 42 & 8 & 0 & -2 \end{pmatrix}.$$

$N = 45 \quad d = 42 = 2 \cdot 3 \cdot 7,\ \eta = 3,\ h = 1\colon\ \langle 6 \rangle \oplus \langle -14 \rangle \oplus \langle -2 \rangle (1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -2 \\ 6 & -2 & -9 \\ \frac{21}{2} & \frac{-9}{2} & -14 \\ \frac{1}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 4 & 18 & 28 & 0 \\ 0 & -14 & 0 & 28 & 63 & 7 \\ 4 & 0 & -2 & 0 & 7 & 3 \\ 18 & 28 & 0 & -2 & 0 & 4 \\ 28 & 63 & 7 & 0 & -14 & 0 \\ 0 & 7 & 3 & 4 & 0 & -2 \end{pmatrix}.$$

$N = 46 \quad d = 51 = 3 \cdot 17,\ \eta = 0,\ h = 0\colon\ \langle 3 \rangle \oplus \langle -17 \rangle \oplus \langle -1 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 17 & -6 & -17 \\ 5 & -2 & -3 \\ 7 & -3 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 3 & 17 & 3 & 0 \\ 0 & -17 & 0 & 102 & 34 & 51 \\ 3 & 0 & -6 & 0 & 6 & 21 \\ 17 & 102 & 0 & -34 & 0 & 51 \\ 3 & 34 & 6 & 0 & -2 & 3 \\ 0 & 51 & 21 & 51 & 3 & -6 \end{pmatrix}.$$

$N = 47 \quad d = 51 = 3 \cdot 17,\ \eta = 1,\ h = 1\colon\ \langle 17 \rangle \oplus \langle -3 \rangle \oplus \langle -1 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 4 & 0 & -17 \\ 1 & -1 & -4 \\ 3 & -5 & -9 \\ 27 & -51 & -68 \\ 4 & -8 & -9 \\ 12 & -25 & -24 \\ 64 & -136 & -119 \\ 5 & -11 & -8 \\ 3 & -7 & -3 \\ 7 & -17 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 17 & 4 & 9 & 68 & 9 & 24 & 119 & 8 & 3 & 0 \\ 0 & -3 & 0 & 3 & 15 & 153 & 24 & 75 & 408 & 33 & 21 & 51 \\ 17 & 0 & -17 & 0 & 51 & 680 & 119 & 408 & 2329 & 204 & 153 & 476 \\ 4 & 3 & 0 & -2 & 0 & 34 & 8 & 33 & 204 & 20 & 18 & 68 \\ 9 & 15 & 51 & 0 & -3 & 0 & 3 & 21 & 153 & 18 & 21 & 102 \\ 68 & 153 & 680 & 34 & 0 & -34 & 0 & 51 & 476 & 68 & 102 & 612 \\ 9 & 24 & 119 & 8 & 3 & 0 & -1 & 0 & 17 & 4 & 9 & 68 \\ 24 & 75 & 408 & 33 & 21 & 51 & 0 & -3 & 0 & 3 & 15 & 153 \\ 119 & 408 & 2329 & 204 & 153 & 476 & 17 & 0 & -17 & 0 & 51 & 680 \\ 8 & 33 & 204 & 20 & 18 & 68 & 4 & 3 & 0 & -2 & 0 & 34 \\ 3 & 21 & 153 & 18 & 21 & 102 & 9 & 15 & 51 & 0 & -3 & 0 \\ 0 & 51 & 476 & 68 & 102 & 612 & 68 & 153 & 680 & 34 & 0 & -34 \end{pmatrix}.$$

$N = 48 \quad d = 51 = 3 \cdot 17,\ \eta = 3,\ h = 1\colon\ \langle 51 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 7 & 0 & -51 \\ 1 & -2 & -7 \\ 1 & -4 & -6 \\ 10 & -51 & -51 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 51 & 5 & 2 & 0 \\ 1 & -1 & 0 & 2 & 4 & 51 \\ 51 & 0 & -102 & 0 & 51 & 969 \\ 5 & 2 & 0 & -2 & 1 & 51 \\ 2 & 4 & 51 & 1 & -1 & 0 \\ 0 & 51 & 969 & 51 & 0 & -102 \end{pmatrix}.$$

$N=49\ \ d=55=5\cdot 11,\ \eta=0,\ h=1\colon\ \langle 11\rangle\oplus\langle -5\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix}0&0&1\\0&1&0\\3&0&-11\\3&-2&-9\\2&-2&-5\\5&-6&-10\\8&-11&-11\\2&-3&-1\end{pmatrix}\qquad\begin{pmatrix}-1&0&11&9&5&10&11&1\\0&-5&0&10&10&30&55&15\\11&0&-22&0&11&55&143&55\\9&10&0&-2&1&15&55&27\\5&10&11&1&-1&0&11&9\\10&30&55&15&0&-5&0&10\\11&55&143&55&11&0&-22&0\\1&15&55&27&9&10&0&-2\end{pmatrix}.$$

$N=50\ \ d=55=5\cdot 11,\ \eta=3,\ h=1\colon\ \langle 2\rangle\oplus\langle -11\rangle\oplus\langle -10\rangle(1/2,0,1/2)$

$$\begin{pmatrix}66&-28&-3\\7&-3&0\\0&0&1\\0&1&0\\\frac{1}{2}&0&\frac{-1}{2}\\\frac{5}{2}&-1&\frac{-1}{2}\\\frac{95}{2}&-20&\frac{-7}{2}\\418&-177&-22\end{pmatrix}\qquad\begin{pmatrix}-2&0&30&308&51&7&5&0\\0&-1&0&33&7&2&5&11\\30&0&-10&0&5&5&35&220\\308&33&0&-11&0&11&220&1947\\51&7&5&0&-2&0&30&308\\7&2&5&11&0&-1&0&33\\5&5&35&220&30&0&-10&0\\0&11&220&1947&308&33&0&-11\end{pmatrix}.$$

$N=51\ \ d=57=3\cdot 19,\ \eta=0,\ h=1\colon\ \langle 1\rangle\oplus\langle -38\rangle\oplus\langle -6\rangle(0,1/2,1/2)$

$$\begin{pmatrix}0&0&1\\0&1&0\\2&0&-1\\45&\frac{-9}{2}&\frac{-29}{2}\\95&\frac{-21}{2}&\frac{-57}{2}\\3&\frac{-1}{2}&\frac{-1}{2}\end{pmatrix}\qquad\begin{pmatrix}-6&0&6&87&171&3\\0&-38&0&171&399&19\\6&0&-2&3&19&3\\87&171&3&-6&0&6\\171&399&19&0&-38&0\\3&19&3&6&0&-2\end{pmatrix}.$$

$N=52\ \ d=57=3\cdot 19,\ \eta=2,\ h=1\colon\ \langle 3\rangle\oplus\langle -19\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix}223&-84&-123\\29&-11&-15\\361&-138&-171\\5&-2&-1\\0&0&1\\0&1&0\\1&0&-3\\3&-1&-3\\247&-90&-171\\27&-10&-17\\96&-36&-55\\1216&-457&-684\end{pmatrix}\qquad\begin{pmatrix}-6&0&228&30&123&1596&300&42&570&12&3&0\\0&-1&0&2&15&209&42&7&114&4&3&19\\228&0&-114&0&171&2622&570&114&2280&114&171&1710\\30&2&0&-2&1&38&12&4&114&8&17&190\\123&15&171&1&-1&0&3&3&171&17&55&684\\1596&209&2622&38&0&-19&0&19&1710&190&684&8683\\300&42&570&12&3&0&-6&0&228&30&123&1596\\42&7&114&4&3&19&0&-1&0&2&15&209\\570&114&2280&114&171&1710&228&0&-114&0&171&2622\\12&4&114&8&17&190&30&2&0&-2&1&38\\3&3&171&17&55&684&123&15&171&1&-1&0\\0&19&1710&190&684&8683&1596&209&2622&38&0&-19\end{pmatrix}.$$

$N=53\ \ d=65=5\cdot 13,\ \eta=2,\ h=1\colon\ \langle 5\rangle\oplus\langle -26\rangle\oplus\langle -2\rangle(0,1/2,1/2)$

$$\begin{pmatrix}0&0&1\\0&1&0\\3&0&-5\\3&\frac{-1}{2}&\frac{-9}{2}\\20&-5&-26\\52&-14&-65\\17&-5&-20\\1&\frac{-1}{2}&\frac{-1}{2}\end{pmatrix}\qquad\begin{pmatrix}-2&0&10&9&52&130&40&1\\0&-26&0&13&130&364&130&13\\10&0&-5&0&40&130&55&10\\9&13&0&-2&1&13&10&4\\52&130&40&1&-2&0&10&9\\130&364&130&13&0&-26&0&13\\40&130&55&10&10&0&-5&0\\1&13&10&4&9&13&0&-2\end{pmatrix}.$$

$N = 54 \;\; d = 66 = 2 \cdot 3 \cdot 11,\ \eta = 1,\ h = 1$: $U \oplus \langle -66 \rangle$

$$\begin{pmatrix} 33 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 11 & 11 & -2 \\ 8 & 4 & -1 \\ 99 & 33 & -10 \\ 264 & 66 & -23 \\ 37 & 8 & -3 \\ 121 & 22 & -9 \\ 16 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -66 & 66 & 33 & 231 & 66 & 429 & 660 & 66 & 132 & 0 \\ 66 & -66 & 0 & 132 & 66 & 660 & 1518 & 198 & 594 & 66 \\ 33 & 0 & -2 & 0 & 4 & 66 & 198 & 29 & 99 & 14 \\ 231 & 132 & 0 & -22 & 0 & 132 & 594 & 99 & 385 & 66 \\ 66 & 66 & 4 & 0 & -2 & 0 & 66 & 14 & 66 & 14 \\ 429 & 660 & 66 & 132 & 0 & -66 & 66 & 33 & 231 & 66 \\ 660 & 1518 & 198 & 594 & 66 & 66 & -66 & 0 & 132 & 66 \\ 66 & 198 & 29 & 99 & 14 & 33 & 0 & -2 & 0 & 4 \\ 132 & 594 & 99 & 385 & 66 & 231 & 132 & 0 & -22 & 0 \\ 0 & 66 & 14 & 66 & 14 & 66 & 66 & 4 & 0 & -2 \end{pmatrix}.$$

$N = 55 \;\; d = 66 = 2 \cdot 3 \cdot 11,\ \eta = 2,\ h = 1$: $\langle 22 \rangle \oplus \langle -6 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & \frac{-1}{2} & \frac{1}{2} \\ 0 & 1 & 0 \\ 3 & 0 & -10 \\ 10 & -2 & -33 \\ 6 & \frac{-5}{2} & \frac{-39}{2} \\ 1 & -1 & -3 \end{pmatrix} \qquad \begin{pmatrix} -2 & 3 & 10 & 27 & 12 & 0 \\ 3 & -6 & 0 & 12 & 15 & 6 \\ 10 & 0 & -2 & 0 & 6 & 6 \\ 27 & 12 & 0 & -2 & 3 & 10 \\ 12 & 15 & 6 & 3 & -6 & 0 \\ 0 & 6 & 6 & 10 & 0 & -2 \end{pmatrix}.$$

$N = 56 \;\; d = 69 = 3 \cdot 23,\ \eta = 3,\ h = 0$: $\langle 1 \rangle \oplus \langle -23 \rangle \oplus \langle -3 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 69 & -12 & -23 \\ 5 & -1 & -1 \\ 23 & -5 & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 3 & 69 & 3 & 0 \\ 0 & -23 & 0 & 276 & 23 & 115 \\ 3 & 0 & -2 & 0 & 2 & 23 \\ 69 & 276 & 0 & -138 & 0 & 207 \\ 3 & 23 & 2 & 0 & -1 & 0 \\ 0 & 115 & 23 & 207 & 0 & -46 \end{pmatrix}.$$

$N = 57 \;\; d = 70 = 2 \cdot 5 \cdot 7,\ \eta = 3,\ h = 1$: $\langle 2 \rangle \oplus \langle -14 \rangle \oplus \langle -10 \rangle (0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 2 & 0 & -1 \\ 35 & -6 & -14 \\ 10 & \frac{-5}{2} & \frac{-7}{2} \\ 14 & \frac{-9}{2} & \frac{-7}{2} \\ 4 & \frac{-3}{2} & \frac{-1}{2} \\ 21 & -8 & 0 \end{pmatrix} \qquad \begin{pmatrix} -10 & 0 & 10 & 140 & 35 & 35 & 5 & 0 \\ 0 & -14 & 0 & 84 & 35 & 63 & 21 & 112 \\ 10 & 0 & -2 & 0 & 5 & 21 & 11 & 84 \\ 140 & 84 & 0 & -14 & 0 & 112 & 84 & 798 \\ 35 & 35 & 5 & 0 & -10 & 0 & 10 & 140 \\ 35 & 63 & 21 & 112 & 0 & -14 & 0 & 84 \\ 5 & 21 & 11 & 84 & 10 & 0 & -2 & 0 \\ 0 & 112 & 84 & 798 & 140 & 84 & 0 & -14 \end{pmatrix}.$$

$N = 58 \;\; d = 77 = 7 \cdot 11,\ \eta = 3,\ h = 0$: $\langle 1 \rangle \oplus \langle -11 \rangle \oplus \langle -7 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 7 & 0 & -3 \\ 21 & -3 & -7 \\ 308 & -49 & -99 \\ 4 & -1 & -1 \\ 3 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -7 & 0 & 21 & 49 & 693 & 7 & 0 \\ 0 & -11 & 0 & 33 & 539 & 11 & 11 \\ 21 & 0 & -14 & 0 & 77 & 7 & 21 \\ 49 & 33 & 0 & -1 & 0 & 2 & 30 \\ 693 & 539 & 77 & 0 & -154 & 0 & 385 \\ 7 & 11 & 7 & 2 & 0 & -2 & 1 \\ 0 & 11 & 21 & 30 & 385 & 1 & -2 \end{pmatrix}.$$

$N = 59 \;\; d = 78 = 2 \cdot 3 \cdot 13,\ \eta = 2, h = 0$: $U \oplus \langle -78 \rangle$

$$\begin{pmatrix} 39 & 0 & -1 \\ 0 & 0 & 1 \\ -1 & 1 & 0 \\ 6 & 6 & -1 \\ 26 & 13 & -3 \\ 12 & 3 & -1 \\ 19 & 2 & -1 \end{pmatrix} \qquad \begin{pmatrix} -78 & 78 & 39 & 156 & 273 & 39 & 0 \\ 78 & -78 & 0 & 78 & 234 & 78 & 78 \\ 39 & 0 & -2 & 0 & 13 & 9 & 17 \\ 156 & 78 & 0 & -6 & 0 & 12 & 48 \\ 273 & 234 & 13 & 0 & -26 & 0 & 65 \\ 39 & 78 & 9 & 12 & 0 & -6 & 3 \\ 0 & 78 & 17 & 48 & 65 & 3 & -2 \end{pmatrix}.$$

$N=60\ \ d=85=5\cdot 17,\ \eta=1,\ h=1$: $\langle 1\rangle\oplus\langle -34\rangle\oplus\langle -10\rangle(0,1/2,1/2)$

$$\begin{pmatrix}
476 & -35 & -136\\
25 & -2 & -7\\
25 & \frac{-5}{2} & \frac{-13}{2}\\
3 & \frac{-1}{2} & \frac{-1}{2}\\
17 & -3 & 0\\
0 & 0 & 1\\
0 & 1 & 0\\
3 & 0 & -1\\
45 & \frac{-5}{2} & \frac{-27}{2}\\
67 & \frac{-9}{2} & \frac{-39}{2}\\
1887 & -133 & -544\\
560 & -40 & -161
\end{pmatrix}
\qquad
\begin{pmatrix}
-34 & 0 & 85 & 153 & 4522 & 1360 & 1190 & 68 & 85 & 17 & 102 & 0\\
0 & -1 & 0 & 6 & 221 & 70 & 68 & 5 & 10 & 4 & 51 & 10\\
85 & 0 & -10 & 0 & 170 & 65 & 85 & 10 & 35 & 25 & 510 & 135\\
153 & 6 & 0 & -2 & 0 & 5 & 17 & 4 & 25 & 27 & 680 & 195\\
4522 & 221 & 170 & 0 & -17 & 0 & 102 & 51 & 510 & 680 & 18513 & 5440\\
1360 & 70 & 65 & 5 & 0 & -10 & 0 & 10 & 135 & 195 & 5440 & 1610\\
1190 & 68 & 85 & 17 & 102 & 0 & -34 & 0 & 85 & 153 & 4522 & 1360\\
68 & 5 & 10 & 4 & 51 & 10 & 0 & -1 & 0 & 6 & 221 & 70\\
85 & 10 & 35 & 25 & 510 & 135 & 85 & 0 & -10 & 0 & 170 & 65\\
17 & 4 & 25 & 27 & 680 & 195 & 153 & 6 & 0 & -2 & 0 & 5\\
102 & 51 & 510 & 680 & 18513 & 5440 & 4522 & 221 & 170 & 0 & -17 & 0\\
0 & 10 & 135 & 195 & 5440 & 1610 & 1360 & 70 & 65 & 5 & 0 & -10
\end{pmatrix}.$$

$N=61\ \ d=87=3\cdot 29,\ \eta=3,\ h=1$: $\langle 2\rangle\oplus\langle -58\rangle\oplus\langle -3\rangle(1/2,1/2,0)$

$$\begin{pmatrix}
0 & 0 & 1\\
0 & 1 & 0\\
1 & 0 & -1\\
\frac{7}{2} & \frac{-1}{2} & -2\\
36 & -6 & -13\\
348 & -59 & -116\\
35 & -6 & -11\\
\frac{5}{2} & \frac{-1}{2} & 0
\end{pmatrix}
\qquad
\begin{pmatrix}
-3 & 0 & 3 & 6 & 39 & 348 & 33 & 0\\
0 & -58 & 0 & 29 & 348 & 3422 & 348 & 29\\
3 & 0 & -1 & 1 & 33 & 348 & 37 & 5\\
6 & 29 & 1 & -2 & 0 & 29 & 5 & 3\\
39 & 348 & 33 & 0 & -3 & 0 & 3 & 6\\
348 & 3422 & 348 & 29 & 0 & -58 & 0 & 29\\
33 & 348 & 37 & 5 & 3 & 0 & -1 & 1\\
0 & 29 & 5 & 3 & 6 & 29 & 1 & -2
\end{pmatrix}.$$

$N=62\ \ d=91=7\cdot 13,\ \eta=3,\ h=1$: $\langle 1\rangle\oplus\langle -26\rangle\oplus\langle -14\rangle(0,1/2,1/2)$

$$\begin{pmatrix}
138 & \frac{-53}{2} & \frac{-15}{2}\\
5 & -1 & 0\\
0 & 0 & 1\\
0 & 1 & 0\\
7 & 0 & -2\\
6 & \frac{-1}{2} & \frac{-3}{2}\\
3 & \frac{-1}{2} & \frac{-1}{2}\\
56 & \frac{-21}{2} & \frac{-9}{2}\\
312 & \frac{-119}{2} & \frac{-39}{2}\\
329 & -63 & -19
\end{pmatrix}
\qquad
\begin{pmatrix}
-2 & 1 & 105 & 689 & 756 & 326 & 17 & 21 & 13 & 0\\
1 & -1 & 0 & 26 & 35 & 17 & 2 & 7 & 13 & 7\\
105 & 0 & -14 & 0 & 28 & 21 & 7 & 63 & 273 & 266\\
689 & 26 & 0 & -26 & 0 & 13 & 13 & 273 & 1547 & 1638\\
756 & 35 & 28 & 0 & -7 & 0 & 7 & 266 & 1638 & 1771\\
326 & 17 & 21 & 13 & 0 & -2 & 1 & 105 & 689 & 756\\
17 & 2 & 7 & 13 & 7 & 1 & -1 & 0 & 26 & 35\\
21 & 7 & 63 & 273 & 266 & 105 & 0 & -14 & 0 & 28\\
13 & 13 & 273 & 1547 & 1638 & 689 & 26 & 0 & -26 & 0\\
0 & 7 & 266 & 1638 & 1771 & 756 & 35 & 28 & 0 & -7
\end{pmatrix}.$$

$N=63\ \ d=93=3\cdot 31,\ \eta=0,\ h=1$: $\langle 31\rangle\oplus\langle -6\rangle\oplus\langle -2\rangle(0,1/2,1/2)$

$$\begin{pmatrix}
0 & \frac{-1}{2} & \frac{1}{2}\\
0 & 1 & 0\\
1 & 0 & -4\\
36 & \frac{-31}{2} & \frac{-279}{2}\\
2 & \frac{-3}{2} & \frac{-15}{2}\\
24 & -25 & -84\\
11 & -12 & -38\\
150 & \frac{-341}{2} & \frac{-1023}{2}
\end{pmatrix}
\qquad
\begin{pmatrix}
-2 & 3 & 4 & 93 & 3 & 9 & 2 & 0\\
3 & -6 & 0 & 93 & 9 & 150 & 72 & 1023\\
4 & 0 & -1 & 0 & 2 & 72 & 37 & 558\\
93 & 93 & 0 & -186 & 0 & 1023 & 558 & 8835\\
3 & 9 & 2 & 0 & -2 & 3 & 4 & 93\\
9 & 150 & 72 & 1023 & 3 & -6 & 0 & 93\\
2 & 72 & 37 & 558 & 4 & 0 & -1 & 0\\
0 & 1023 & 558 & 8835 & 93 & 93 & 0 & -186
\end{pmatrix}.$$

$N=64\ \ d=95=5\cdot 19,\ \eta=3,\ h=1$: $\langle 2\rangle\oplus\langle -19\rangle\oplus\langle -10\rangle(1/2,0,1/2)$

$$\begin{pmatrix}
\frac{129}{2} & -20 & \frac{-17}{2}\\
19 & -6 & -2\\
3 & -1 & 0\\
0 & 0 & 1\\
0 & 1 & 0\\
\frac{1}{2} & 0 & \frac{-1}{2}\\
\frac{27}{2} & -4 & \frac{-5}{2}\\
\frac{59}{2} & -9 & \frac{-9}{2}\\
\frac{585}{2} & -90 & \frac{-83}{2}\\
1235 & -381 & -171
\end{pmatrix}
\qquad
\begin{pmatrix}
-2 & 1 & 7 & 85 & 380 & 22 & 9 & 3 & 5 & 0\\
1 & -2 & 0 & 20 & 114 & 9 & 7 & 5 & 25 & 76\\
7 & 0 & -1 & 0 & 19 & 3 & 5 & 6 & 45 & 171\\
85 & 20 & 0 & -10 & 0 & 5 & 25 & 45 & 415 & 1710\\
380 & 114 & 19 & 0 & -19 & 0 & 76 & 171 & 1710 & 7239\\
22 & 9 & 3 & 5 & 0 & -2 & 1 & 7 & 85 & 380\\
9 & 7 & 5 & 25 & 76 & 1 & -2 & 0 & 20 & 114\\
3 & 5 & 6 & 45 & 171 & 7 & 0 & -1 & 0 & 19\\
5 & 25 & 45 & 415 & 1710 & 85 & 20 & 0 & -10 & 0\\
0 & 76 & 171 & 1710 & 7239 & 380 & 114 & 19 & 0 & -19
\end{pmatrix}.$$

$N = 65$ $d = 102 = 2 \cdot 3 \cdot 17$, $\eta = 0$, $h = 1$: $\langle 2\rangle \oplus \langle -34\rangle \oplus \langle -6\rangle(0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -2 \\ 8 & -1 & -4 \\ 270 & \frac{-81}{2} & \frac{-245}{2} \\ 510 & \frac{-155}{2} & \frac{-459}{2} \\ 57 & -9 & -25 \\ 2 & \frac{-1}{2} & \frac{-1}{2} \end{pmatrix} \qquad \begin{pmatrix} -6 & 0 & 12 & 24 & 735 & 1377 & 150 & 3 \\ 0 & -34 & 0 & 34 & 1377 & 2635 & 306 & 17 \\ 12 & 0 & -6 & 0 & 150 & 306 & 42 & 6 \\ 24 & 34 & 0 & -2 & 3 & 17 & 6 & 3 \\ 735 & 1377 & 150 & 3 & -6 & 0 & 12 & 24 \\ 1377 & 2635 & 306 & 17 & 0 & -34 & 0 & 34 \\ 150 & 306 & 42 & 6 & 12 & 0 & -6 & 0 \\ 3 & 17 & 6 & 3 & 24 & 34 & 0 & -2 \end{pmatrix}.$$

$N = 66$ $d = 105 = 3 \cdot 5 \cdot 7$, $\eta = 0, h = 1$: $\langle 2\rangle \oplus \langle -42\rangle \oplus \langle -5\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -2 \\ 70 & -5 & -42 \\ 21 & -2 & -12 \\ 90 & -10 & -49 \\ \frac{315}{2} & \frac{-37}{2} & -84 \\ \frac{39}{2} & \frac{-5}{2} & -10 \\ \frac{175}{2} & \frac{-25}{2} & -42 \\ \frac{3}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -5 & 0 & 10 & 210 & 60 & 245 & 420 & 50 & 210 & 0 \\ 0 & -42 & 0 & 210 & 84 & 420 & 777 & 105 & 525 & 21 \\ 10 & 0 & -2 & 0 & 6 & 50 & 105 & 17 & 105 & 9 \\ 210 & 210 & 0 & -70 & 0 & 210 & 525 & 105 & 805 & 105 \\ 60 & 84 & 6 & 0 & -6 & 0 & 21 & 9 & 105 & 21 \\ 245 & 420 & 50 & 210 & 0 & -5 & 0 & 10 & 210 & 60 \\ 420 & 777 & 105 & 525 & 21 & 0 & -42 & 0 & 210 & 84 \\ 50 & 105 & 17 & 105 & 9 & 10 & 0 & -2 & 0 & 6 \\ 210 & 525 & 105 & 805 & 105 & 210 & 210 & 0 & -70 & 0 \\ 0 & 21 & 9 & 105 & 21 & 60 & 84 & 6 & 0 & -6 \end{pmatrix}.$$

$N = 67$ $d = 105 = 3 \cdot 5 \cdot 7$, $\eta = 1$, $h = 0$: $\langle 1\rangle \oplus \langle -21\rangle \oplus \langle -5\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 2 & 0 & -1 \\ 8 & -1 & -3 \\ 30 & -5 & -9 \\ 5 & -1 & -1 \\ 70 & -15 & -7 \\ 9 & -2 & 0 \end{pmatrix} \qquad \begin{pmatrix} -5 & 0 & 5 & 15 & 45 & 5 & 35 & 0 \\ 0 & -21 & 0 & 21 & 105 & 21 & 315 & 42 \\ 5 & 0 & -1 & 1 & 15 & 5 & 105 & 18 \\ 15 & 21 & 1 & -2 & 0 & 4 & 140 & 30 \\ 45 & 105 & 15 & 0 & -30 & 0 & 210 & 60 \\ 5 & 21 & 5 & 4 & 0 & -1 & 0 & 3 \\ 35 & 315 & 105 & 140 & 210 & 0 & -70 & 0 \\ 0 & 42 & 18 & 30 & 60 & 3 & 0 & -3 \end{pmatrix}.$$

$N = 68$ $d = 105 = 3 \cdot 5 \cdot 7$, $\eta = 2$, $h = 1$: $\langle 7\rangle \oplus \langle -15\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 108 & 360 & 53 & 15 & 57 & 15 & 3 & 10 & 0 & 0 & 1 & 3 & 69 & 75 & 87 & 1250 \\ -48 & -161 & -24 & -7 & -28 & -8 & -2 & -7 & 0 & 1 & 0 & -1 & -28 & -32 & -38 & -553 \\ -217 & -720 & -105 & -29 & -105 & -25 & -3 & 0 & 1 & 0 & -3 & -7 & -147 & -155 & -177 & -2520 \end{pmatrix}$$

$$\begin{pmatrix} -1 & 0 & 3 & 7 & 147 & 155 & 177 & 2520 & 217 & 720 & 105 & 29 & 105 & 25 & 3 & 0 \\ 0 & -15 & 0 & 15 & 420 & 480 & 570 & 8295 & 720 & 2415 & 360 & 105 & 420 & 120 & 30 & 105 \\ 3 & 0 & -2 & 0 & 42 & 60 & 78 & 1190 & 105 & 360 & 56 & 18 & 84 & 30 & 12 & 70 \\ 7 & 15 & 0 & -1 & 0 & 10 & 18 & 315 & 29 & 105 & 18 & 7 & 42 & 20 & 12 & 105 \\ 147 & 420 & 42 & 0 & -42 & 0 & 42 & 1050 & 105 & 420 & 84 & 42 & 336 & 210 & 168 & 1890 \\ 155 & 480 & 60 & 10 & 0 & -10 & 0 & 210 & 25 & 120 & 30 & 20 & 210 & 160 & 150 & 1890 \\ 177 & 570 & 78 & 18 & 42 & 0 & -6 & 0 & 3 & 30 & 12 & 12 & 168 & 150 & 156 & 2100 \\ 2520 & 8295 & 1190 & 315 & 1050 & 210 & 0 & -35 & 0 & 105 & 70 & 105 & 1890 & 1890 & 2100 & 29435 \\ 217 & 720 & 105 & 29 & 105 & 25 & 3 & 0 & -1 & 0 & 3 & 7 & 147 & 155 & 177 & 2520 \\ 720 & 2415 & 360 & 105 & 420 & 120 & 30 & 105 & 0 & -15 & 0 & 15 & 420 & 480 & 570 & 8295 \\ 105 & 360 & 56 & 18 & 84 & 30 & 12 & 70 & 3 & 0 & -2 & 0 & 42 & 60 & 78 & 1190 \\ 29 & 105 & 18 & 7 & 42 & 20 & 12 & 105 & 7 & 15 & 0 & -1 & 0 & 10 & 18 & 315 \\ 105 & 420 & 84 & 42 & 336 & 210 & 168 & 1890 & 147 & 420 & 42 & 0 & -42 & 0 & 42 & 1050 \\ 25 & 120 & 30 & 20 & 210 & 160 & 150 & 1890 & 155 & 480 & 60 & 10 & 0 & -10 & 0 & 210 \\ 3 & 30 & 12 & 12 & 168 & 150 & 156 & 2100 & 177 & 570 & 78 & 18 & 42 & 0 & -6 & 0 \\ 0 & 105 & 70 & 105 & 1890 & 1890 & 2100 & 29435 & 2520 & 8295 & 1190 & 315 & 1050 & 210 & 0 & -35 \end{pmatrix}.$$

$N = 69$ $d = 105 = 3 \cdot 5 \cdot 7$, $\eta = 3$, $h = 0$: $\langle 14\rangle \oplus \langle -10\rangle \oplus \langle -3\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -7 \\ \frac{1}{2} & \frac{-1}{2} & -1 \\ \frac{5}{2} & \frac{-7}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 21 & 3 & 0 \\ 0 & -10 & 0 & 5 & 35 \\ 21 & 0 & -21 & 0 & 105 \\ 3 & 5 & 0 & -2 & 0 \\ 0 & 35 & 105 & 0 & -35 \end{pmatrix}.$$

$N=70\quad d=105=3\cdot 5\cdot 7,\ \eta=5,\ h=0$: $\langle 5\rangle\oplus\langle -7\rangle\oplus\langle -3\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 3 & 0 & -5\\ 7 & -4 & -7\\ 7 & -5 & -5\\ 1 & -1 & 0 \end{pmatrix}\qquad \begin{pmatrix} -3 & 0 & 15 & 21 & 15 & 0\\ 0 & -7 & 0 & 28 & 35 & 7\\ 15 & 0 & -30 & 0 & 30 & 15\\ 21 & 28 & 0 & -14 & 0 & 7\\ 15 & 35 & 30 & 0 & -5 & 0\\ 0 & 7 & 15 & 7 & 0 & -2 \end{pmatrix}.$$

$N=71\quad d=105=3\cdot 5\cdot 7,\ \eta=6,\ h=0$: $\langle 1\rangle\oplus\langle -15\rangle\oplus\langle -7\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 7 & 0 & -3\\ 15 & -2 & -5\\ 11 & -2 & -3\\ 3 & -1 & 0 \end{pmatrix}\qquad \begin{pmatrix} -7 & 0 & 21 & 35 & 21 & 0\\ 0 & -15 & 0 & 30 & 30 & 15\\ 21 & 0 & -14 & 0 & 14 & 21\\ 35 & 30 & 0 & -10 & 0 & 15\\ 21 & 30 & 14 & 0 & -2 & 3\\ 0 & 15 & 21 & 15 & 3 & -6 \end{pmatrix}.$$

$N=72\quad d=105=3\cdot 5\cdot 7,\ \eta=7,\ h=0$: $\langle 10\rangle\oplus\langle -14\rangle\oplus\langle -3\rangle(1/2,1/2,0)$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -2\\ 42 & -15 & -70\\ 2 & -1 & -3\\ 8 & -5 & -10\\ 7 & -5 & -7\\ \frac{1}{2} & \frac{-1}{2} & 0 \end{pmatrix}\qquad \begin{pmatrix} -3 & 0 & 6 & 210 & 9 & 30 & 21 & 0\\ 0 & -14 & 0 & 210 & 14 & 70 & 70 & 7\\ 6 & 0 & -2 & 0 & 2 & 20 & 28 & 5\\ 210 & 210 & 0 & -210 & 0 & 210 & 420 & 105\\ 9 & 14 & 2 & 0 & -1 & 0 & 7 & 3\\ 30 & 70 & 20 & 210 & 0 & -10 & 0 & 5\\ 21 & 70 & 28 & 420 & 7 & 0 & -7 & 0\\ 0 & 7 & 5 & 105 & 3 & 5 & 0 & -1 \end{pmatrix}.$$

$N=73\quad d=110=2\cdot 5\cdot 11,\ \eta=1,\ h=1$: $U\oplus\langle -110\rangle$

$$\begin{pmatrix} 55 & 0 & -1\\ 0 & 0 & 1\\ -1 & 1 & 0\\ 22 & 22 & -3\\ 10 & 5 & -1\\ 44 & 11 & -3\\ 18 & 3 & -1\\ 440 & 55 & -21\\ 1980 & 220 & -89\\ 361 & 39 & -16\\ 3938 & 418 & -173\\ 485 & 50 & -21\\ 451 & 44 & -19\\ 27 & 2 & -1 \end{pmatrix}\qquad \begin{pmatrix} -110 & 110 & 55 & 880 & 165 & 275 & 55 & 715 & 2310 & 385 & 3960 & 440 & 330 & 0\\ 110 & -110 & 0 & 330 & 110 & 330 & 110 & 2310 & 9790 & 1760 & 19030 & 2310 & 2090 & 110\\ 55 & 0 & -2 & 0 & 5 & 33 & 15 & 385 & 1760 & 322 & 3520 & 435 & 407 & 25\\ 880 & 330 & 0 & -22 & 0 & 220 & 132 & 3960 & 19030 & 3520 & 38742 & 4840 & 4620 & 308\\ 165 & 110 & 5 & 0 & -10 & 0 & 10 & 440 & 2310 & 435 & 4840 & 615 & 605 & 45\\ 275 & 330 & 33 & 220 & 0 & -22 & 0 & 330 & 2090 & 407 & 4620 & 605 & 627 & 55\\ 55 & 110 & 15 & 132 & 10 & 0 & -2 & 0 & 110 & 25 & 308 & 45 & 55 & 7\\ 715 & 2310 & 385 & 3960 & 440 & 330 & 0 & -110 & 110 & 55 & 880 & 165 & 275 & 55\\ 2310 & 9790 & 1760 & 19030 & 2310 & 2090 & 110 & 110 & -110 & 0 & 330 & 110 & 330 & 110\\ 385 & 1760 & 322 & 3520 & 435 & 407 & 25 & 55 & 0 & -2 & 0 & 5 & 33 & 15\\ 3960 & 19030 & 3520 & 38742 & 4840 & 4620 & 308 & 880 & 330 & 0 & -22 & 0 & 220 & 132\\ 440 & 2310 & 435 & 4840 & 615 & 605 & 45 & 165 & 110 & 5 & 0 & -10 & 0 & 10\\ 330 & 2090 & 407 & 4620 & 605 & 627 & 55 & 275 & 330 & 33 & 220 & 0 & -22 & 0\\ 0 & 110 & 25 & 308 & 45 & 55 & 7 & 55 & 110 & 15 & 132 & 10 & 0 & -2 \end{pmatrix}.$$

$N=74\quad d=111=3\cdot 37,\ \eta=0,\ h=1$: $\langle 3\rangle\oplus\langle -37\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -3\\ 21 & -5 & -20\\ 12 & -3 & -10\\ 148 & -38 & -111\\ 11 & -3 & -6\\ 7 & -2 & -1 \end{pmatrix}\qquad \begin{pmatrix} -1 & 0 & 3 & 20 & 10 & 111 & 6 & 1\\ 0 & -37 & 0 & 185 & 111 & 1406 & 111 & 74\\ 3 & 0 & -6 & 3 & 6 & 111 & 15 & 18\\ 20 & 185 & 3 & -2 & 1 & 74 & 18 & 51\\ 10 & 111 & 6 & 1 & -1 & 0 & 3 & 20\\ 111 & 1406 & 111 & 74 & 0 & -37 & 0 & 185\\ 6 & 111 & 15 & 18 & 3 & 0 & -6 & 3\\ 1 & 74 & 18 & 51 & 20 & 185 & 3 & -2 \end{pmatrix}.$$

$N = 75 \quad d = 130 = 2 \cdot 5 \cdot 13,\ \eta = 3,\ h = 1\colon\ \langle 10 \rangle \oplus \langle -26 \rangle \oplus \langle -2 \rangle (1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 2 & 0 & -5 \\ \frac{3}{2} & \frac{-1}{2} & -3 \\ 26 & -12 & -39 \\ \frac{9}{2} & \frac{-5}{2} & -5 \\ 5 & -3 & -3 \\ \frac{195}{2} & \frac{-119}{2} & -39 \\ 98 & -60 & -35 \\ \frac{57}{2} & \frac{-35}{2} & -9 \\ 234 & -144 & -65 \\ 8 & -5 & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 10 & 6 & 78 & 10 & 6 & 78 & 70 & 18 & 130 & 0 \\ 0 & -26 & 0 & 13 & 312 & 65 & 78 & 1547 & 1560 & 455 & 3744 & 130 \\ 10 & 0 & -10 & 0 & 130 & 40 & 70 & 1560 & 1610 & 480 & 4030 & 160 \\ 6 & 13 & 0 & -2 & 0 & 5 & 18 & 455 & 480 & 146 & 1248 & 55 \\ 78 & 312 & 130 & 0 & -26 & 0 & 130 & 3744 & 4030 & 1248 & 10842 & 520 \\ 10 & 65 & 40 & 5 & 0 & -10 & 0 & 130 & 160 & 55 & 520 & 35 \\ 6 & 78 & 70 & 18 & 130 & 0 & -2 & 0 & 10 & 6 & 78 & 10 \\ 78 & 1547 & 1560 & 455 & 3744 & 130 & 0 & -26 & 0 & 13 & 312 & 65 \\ 70 & 1560 & 1610 & 480 & 4030 & 160 & 10 & 0 & -10 & 0 & 130 & 40 \\ 18 & 455 & 480 & 146 & 1248 & 55 & 6 & 13 & 0 & -2 & 0 & 5 \\ 130 & 3744 & 4030 & 1248 & 10842 & 520 & 78 & 312 & 130 & 0 & -26 & 0 \\ 0 & 130 & 160 & 55 & 520 & 35 & 10 & 65 & 40 & 5 & 0 & -10 \end{pmatrix}.$$

$N = 76 \quad d = 141 = 3 \cdot 47,\ \eta = 3,\ h = 1\colon\ \langle 1 \rangle \oplus \langle -47 \rangle \oplus \langle -3 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 705 & -84 & -235 \\ 41 & -5 & -13 \\ 1081 & -134 & -329 \\ 168 & -21 & -50 \\ 1128 & -142 & -329 \\ 23 & -3 & -6 \\ 423 & -57 & -94 \\ 7 & -1 & -1 \\ 47 & -7 & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 3 & 705 & 39 & 987 & 150 & 987 & 18 & 282 & 3 & 0 \\ 0 & -47 & 0 & 3948 & 235 & 6298 & 987 & 6674 & 141 & 2679 & 47 & 329 \\ 3 & 0 & -2 & 0 & 2 & 94 & 18 & 141 & 5 & 141 & 4 & 47 \\ 705 & 3948 & 0 & -282 & 0 & 1128 & 282 & 2679 & 141 & 6909 & 282 & 5499 \\ 39 & 235 & 2 & 0 & -1 & 0 & 3 & 47 & 4 & 282 & 13 & 282 \\ 987 & 6298 & 94 & 1128 & 0 & -94 & 0 & 329 & 47 & 5499 & 282 & 6721 \\ 150 & 987 & 18 & 282 & 3 & 0 & -3 & 0 & 3 & 705 & 39 & 987 \\ 987 & 6674 & 141 & 2679 & 47 & 329 & 0 & -47 & 0 & 3948 & 235 & 6298 \\ 18 & 141 & 5 & 141 & 4 & 47 & 3 & 0 & -2 & 0 & 2 & 94 \\ 282 & 2679 & 141 & 6909 & 282 & 5499 & 705 & 3948 & 0 & -282 & 0 & 1128 \\ 3 & 47 & 4 & 282 & 13 & 282 & 39 & 235 & 2 & 0 & -1 & 0 \\ 0 & 329 & 47 & 5499 & 282 & 6721 & 987 & 6298 & 94 & 1128 & 0 & -94 \end{pmatrix}.$$

$N = 77 \quad d = 155 = 5 \cdot 31,\ \eta = 3,\ h = 1\colon\ \langle 2 \rangle \oplus \langle -31 \rangle \oplus \langle -10 \rangle (1/2, 0, 1/2)$

$$\begin{pmatrix} 114 & 1705 & 12 & 31 & 0 & 0 & \frac{1}{2} & \frac{17}{2} & \frac{4185}{2} & \frac{221}{2} & \frac{7533}{2} & \frac{7105}{2} & 22785 & \frac{2449}{2} \\ -28 & -420 & -3 & -8 & 0 & 1 & 0 & -2 & -510 & -27 & -922 & -870 & -5581 & -300 \\ -13 & -186 & -1 & 0 & 1 & 0 & \frac{-1}{2} & \frac{-3}{2} & \frac{-527}{2} & \frac{-27}{2} & \frac{-899}{2} & \frac{-843}{2} & -2697 & \frac{-289}{2} \end{pmatrix}$$

$$\begin{pmatrix} -2 & 0 & 2 & 124 & 130 & 868 & 49 & 7 & 155 & 3 & 31 & 15 & 62 & 1 \\ 0 & -310 & 0 & 1550 & 1860 & 13020 & 775 & 155 & 5115 & 155 & 3255 & 2635 & 15810 & 775 \\ 2 & 0 & -1 & 0 & 10 & 93 & 7 & 3 & 155 & 6 & 155 & 135 & 837 & 43 \\ 124 & 1550 & 0 & -62 & 0 & 248 & 31 & 31 & 3255 & 155 & 4867 & 4495 & 28582 & 1519 \\ 130 & 1860 & 10 & 0 & -10 & 0 & 5 & 15 & 2635 & 135 & 4495 & 4215 & 26970 & 1445 \\ 868 & 13020 & 93 & 248 & 0 & -31 & 0 & 62 & 15810 & 837 & 28582 & 26970 & 173011 & 9300 \\ 49 & 775 & 7 & 31 & 5 & 0 & -2 & 1 & 775 & 43 & 1519 & 1445 & 9300 & 502 \\ 7 & 155 & 3 & 31 & 15 & 62 & 1 & -2 & 0 & 2 & 124 & 130 & 868 & 49 \\ 155 & 5115 & 155 & 3255 & 2635 & 15810 & 775 & 0 & -310 & 0 & 1550 & 1860 & 13020 & 775 \\ 3 & 155 & 6 & 155 & 135 & 837 & 43 & 2 & 0 & -1 & 0 & 10 & 93 & 7 \\ 31 & 3255 & 155 & 4867 & 4495 & 28582 & 1519 & 124 & 1550 & 0 & -62 & 0 & 248 & 31 \\ 15 & 2635 & 135 & 4495 & 4215 & 26970 & 1445 & 130 & 1860 & 10 & 0 & -10 & 0 & 5 \\ 62 & 15810 & 837 & 28582 & 26970 & 173011 & 9300 & 868 & 13020 & 93 & 248 & 0 & -31 & 0 \\ 1 & 775 & 43 & 1519 & 1445 & 9300 & 502 & 49 & 775 & 7 & 31 & 5 & 0 & -2 \end{pmatrix}.$$

$N = 78 \quad d = 165 = 3 \cdot 5 \cdot 11,\ \eta = 0,\ h = 0\colon\ \langle 5 \rangle \oplus \langle -6 \rangle \oplus \langle -22 \rangle (0, 1/2, 1/2)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & \frac{-1}{2} & \frac{-1}{2} \\ 33 & \frac{-55}{2} & \frac{-15}{2} \\ 1 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -22 & 0 & 11 & 165 & 0 \\ 0 & -6 & 3 & 165 & 6 \\ 11 & 3 & -2 & 0 & 2 \\ 165 & 165 & 0 & -330 & 0 \\ 0 & 6 & 2 & 0 & -1 \end{pmatrix}.$$

$N=79\ \ d=165=3\cdot 5\cdot 11,\ \eta=3, h=1\colon\ \langle 15\rangle\oplus\langle -22\rangle\oplus\langle -2\rangle(0,1/2,1/2)$

$$\begin{pmatrix}
0 & 0 & 1\\
0 & 1 & 0\\
1 & 0 & -3\\
44 & -15 & -110\\
5 & -2 & -12\\
22 & \frac{-21}{2} & \frac{-99}{2}\\
4 & \frac{-5}{2} & \frac{-15}{2}\\
2 & \frac{-3}{2} & \frac{-5}{2}\\
22 & \frac{-35}{2} & \frac{-33}{2}\\
13 & \frac{-21}{2} & \frac{-15}{2}\\
286 & \frac{-465}{2} & \frac{-275}{2}\\
27 & -22 & -12\\
88 & -72 & -33\\
6 & -5 & 0
\end{pmatrix}
\begin{pmatrix}
-2 & 0 & 6 & 220 & 24 & 99 & 15 & 5 & 33 & 15 & 275 & 24 & 66 & 0\\
0 & -22 & 0 & 330 & 44 & 231 & 55 & 33 & 385 & 231 & 5115 & 484 & 1584 & 110\\
6 & 0 & -3 & 0 & 3 & 33 & 15 & 15 & 231 & 150 & 3465 & 333 & 1122 & 90\\
220 & 330 & 0 & -110 & 0 & 165 & 165 & 275 & 5115 & 3465 & 81785 & 7920 & 27060 & 2310\\
24 & 44 & 3 & 0 & -1 & 0 & 10 & 24 & 484 & 333 & 7920 & 769 & 2640 & 230\\
99 & 231 & 33 & 165 & 0 & -66 & 0 & 66 & 1584 & 1122 & 27060 & 2640 & 9141 & 825\\
15 & 55 & 15 & 165 & 10 & 0 & -10 & 0 & 110 & 90 & 2310 & 230 & 825 & 85\\
5 & 33 & 15 & 275 & 24 & 66 & 0 & -2 & 0 & 6 & 220 & 24 & 99 & 15\\
33 & 385 & 231 & 5115 & 484 & 1584 & 110 & 0 & -22 & 0 & 330 & 44 & 231 & 55\\
15 & 231 & 150 & 3465 & 333 & 1122 & 90 & 6 & 0 & -3 & 0 & 3 & 33 & 15\\
275 & 5115 & 3465 & 81785 & 7920 & 27060 & 2310 & 220 & 330 & 0 & -110 & 0 & 165 & 165\\
24 & 484 & 333 & 7920 & 769 & 2640 & 230 & 24 & 44 & 3 & 0 & -1 & 0 & 10\\
66 & 1584 & 1122 & 27060 & 2640 & 9141 & 825 & 99 & 231 & 33 & 165 & 0 & -66 & 0\\
0 & 110 & 90 & 2310 & 230 & 825 & 85 & 15 & 55 & 15 & 165 & 10 & 0 & -10
\end{pmatrix}.$$

$N=80\ \ d=165=3\cdot 5\cdot 11,\ \eta=4,\ h=1\colon\ \langle 3\rangle\oplus\langle -5\rangle\oplus\langle -11\rangle$

$$\begin{pmatrix}
0 & 0 & 1\\
0 & 1 & 0\\
11 & 0 & -6\\
4 & -1 & -2\\
440 & -154 & -205\\
91 & -33 & -42\\
55 & -21 & -25\\
27 & -11 & -12\\
154 & -66 & -67\\
70 & -31 & -30\\
143 & -66 & -60\\
10 & -5 & -4\\
330 & -176 & -125\\
49 & -27 & -18\\
15 & -9 & -5\\
1 & -1 & 0
\end{pmatrix}
\begin{pmatrix}
-11 & 0 & 66 & 22 & 2255 & 462 & 275 & 132 & 737 & 330 & 660 & 44 & 1375 & 198 & 55 & 0\\
0 & -5 & 0 & 5 & 770 & 165 & 105 & 55 & 330 & 155 & 330 & 25 & 880 & 135 & 45 & 5\\
66 & 0 & -33 & 0 & 990 & 231 & 165 & 99 & 660 & 330 & 759 & 66 & 2640 & 429 & 165 & 33\\
22 & 5 & 0 & -1 & 0 & 3 & 5 & 5 & 44 & 25 & 66 & 7 & 330 & 57 & 25 & 7\\
2255 & 770 & 990 & 0 & -55 & 0 & 55 & 110 & 1375 & 880 & 2640 & 330 & 18205 & 3300 & 1595 & 550\\
462 & 165 & 231 & 3 & 0 & -6 & 0 & 12 & 198 & 135 & 429 & 57 & 3300 & 606 & 300 & 108\\
275 & 105 & 165 & 5 & 55 & 0 & -5 & 0 & 55 & 45 & 165 & 25 & 1595 & 300 & 155 & 60\\
132 & 55 & 99 & 5 & 110 & 12 & 0 & -2 & 0 & 5 & 33 & 7 & 550 & 108 & 60 & 26\\
737 & 330 & 660 & 44 & 1375 & 198 & 55 & 0 & -11 & 0 & 66 & 22 & 2255 & 462 & 275 & 132\\
330 & 155 & 330 & 25 & 880 & 135 & 45 & 5 & 0 & -5 & 0 & 5 & 770 & 165 & 105 & 55\\
660 & 330 & 759 & 66 & 2640 & 429 & 165 & 33 & 66 & 0 & -33 & 0 & 990 & 231 & 165 & 99\\
44 & 25 & 66 & 7 & 330 & 57 & 25 & 7 & 22 & 5 & 0 & -1 & 0 & 3 & 5 & 5\\
1375 & 880 & 2640 & 330 & 18205 & 3300 & 1595 & 550 & 2255 & 770 & 990 & 0 & -55 & 0 & 55 & 110\\
198 & 135 & 429 & 57 & 3300 & 606 & 300 & 108 & 462 & 165 & 231 & 3 & 0 & -6 & 0 & 12\\
55 & 45 & 165 & 25 & 1595 & 300 & 155 & 60 & 275 & 105 & 165 & 5 & 55 & 0 & -5 & 0\\
0 & 5 & 33 & 7 & 550 & 108 & 60 & 26 & 132 & 55 & 99 & 5 & 110 & 12 & 0 & -2
\end{pmatrix}.$$

$N=81\ \ d=165=3\cdot 5\cdot 11,\ \eta=5,\ h=1\colon\ \langle 1\rangle\oplus\langle -55\rangle\oplus\langle -3\rangle$

$$\begin{pmatrix}
0 & 0 & 1\\
0 & 1 & 0\\
1 & 0 & -1\\
9 & -1 & -3\\
75 & -9 & -20\\
242 & -30 & -55\\
120 & -15 & -26\\
1320 & -166 & -275\\
71 & -9 & -14\\
39 & -5 & -7\\
45 & -6 & -5\\
22 & -3 & 0
\end{pmatrix}
\qquad
\begin{pmatrix}
-3 & 0 & 3 & 9 & 60 & 165 & 78 & 825 & 42 & 21 & 15 & 0\\
0 & -55 & 0 & 55 & 495 & 1650 & 825 & 9130 & 495 & 275 & 330 & 165\\
3 & 0 & -2 & 0 & 15 & 77 & 42 & 495 & 29 & 18 & 30 & 22\\
9 & 55 & 0 & -1 & 0 & 33 & 21 & 275 & 18 & 13 & 30 & 33\\
60 & 495 & 15 & 0 & -30 & 0 & 15 & 330 & 30 & 30 & 105 & 165\\
165 & 1650 & 77 & 33 & 0 & -11 & 0 & 165 & 22 & 33 & 165 & 374\\
78 & 825 & 42 & 21 & 15 & 0 & -3 & 0 & 3 & 9 & 60 & 165\\
825 & 9130 & 495 & 275 & 330 & 165 & 0 & -55 & 0 & 55 & 495 & 1650\\
42 & 495 & 29 & 18 & 30 & 22 & 3 & 0 & -2 & 0 & 15 & 77\\
21 & 275 & 18 & 13 & 30 & 33 & 9 & 55 & 0 & -1 & 0 & 33\\
15 & 330 & 30 & 30 & 105 & 165 & 60 & 495 & 15 & 0 & -30 & 0\\
0 & 165 & 22 & 33 & 165 & 374 & 165 & 1650 & 77 & 33 & 0 & -11
\end{pmatrix}.$$

$N=82\ \ d=165=3\cdot 5\cdot 11,\ \eta=6,\ h=0\ \langle 1\rangle\oplus\langle -15\rangle\oplus\langle -11\rangle$

$$\begin{pmatrix}
0 & 0 & 1\\
0 & 1 & 0\\
3 & 0 & -1\\
99 & -11 & -27\\
20 & -3 & -5\\
5 & -1 & -1\\
3 & -1 & 0
\end{pmatrix}
\qquad
\begin{pmatrix}
-11 & 0 & 11 & 297 & 55 & 11 & 0\\
0 & -15 & 0 & 165 & 45 & 15 & 15\\
11 & 0 & -2 & 0 & 5 & 4 & 9\\
297 & 165 & 0 & -33 & 0 & 33 & 132\\
55 & 45 & 5 & 0 & -10 & 0 & 15\\
11 & 15 & 4 & 33 & 0 & -1 & 0\\
0 & 15 & 9 & 132 & 15 & 0 & -6
\end{pmatrix}.$$

$N = 83 \quad d = 170 = 2 \cdot 5 \cdot 17,\ \eta = 1,\ h = 1\colon\ \langle 2\rangle \oplus \langle -10\rangle \oplus \langle -34\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix} 205 & \frac{147}{2} & \frac{1}{2} & 0 & 0 & 4 & \frac{153}{2} & 65 & \frac{123}{2} & \frac{89}{2} & 3060 & 720 & 176 & \frac{1377}{2} \\ -39 & \frac{-29}{2} & \frac{-1}{2} & 0 & 1 & 0 & \frac{-17}{2} & -9 & \frac{-19}{2} & \frac{-15}{2} & -544 & -129 & -32 & \frac{-255}{2} \\ -45 & -16 & 0 & 1 & 0 & -1 & -18 & -15 & -14 & -10 & -681 & -160 & -39 & -152 \end{pmatrix}$$

$$\begin{pmatrix} -10 & 0 & 10 & 1530 & 390 & 110 & 510 & 190 & 90 & 20 & 510 & 90 & 10 & 0 \\ 0 & -2 & 1 & 544 & 145 & 44 & 221 & 90 & 47 & 14 & 476 & 95 & 16 & 34 \\ 10 & 1 & -2 & 0 & 5 & 4 & 34 & 20 & 14 & 7 & 340 & 75 & 16 & 51 \\ 1530 & 544 & 0 & -34 & 0 & 34 & 612 & 510 & 476 & 340 & 23154 & 5440 & 1326 & 5168 \\ 390 & 145 & 5 & 0 & -10 & 0 & 85 & 90 & 95 & 75 & 5440 & 1290 & 320 & 1275 \\ 110 & 44 & 4 & 34 & 0 & -2 & 0 & 10 & 16 & 16 & 1326 & 320 & 82 & 340 \\ 510 & 221 & 34 & 612 & 85 & 0 & -34 & 0 & 34 & 51 & 5168 & 1275 & 340 & 1479 \\ 190 & 90 & 20 & 510 & 90 & 10 & 0 & -10 & 0 & 10 & 1530 & 390 & 110 & 510 \\ 90 & 47 & 14 & 476 & 95 & 16 & 34 & 0 & -2 & 1 & 544 & 145 & 44 & 221 \\ 20 & 14 & 7 & 340 & 75 & 16 & 51 & 10 & 1 & -2 & 0 & 5 & 4 & 34 \\ 510 & 476 & 340 & 23154 & 5440 & 1326 & 5168 & 1530 & 544 & 0 & -34 & 0 & 34 & 612 \\ 90 & 95 & 75 & 5440 & 1290 & 320 & 1275 & 390 & 145 & 5 & 0 & -10 & 0 & 85 \\ 10 & 16 & 16 & 1326 & 320 & 82 & 340 & 110 & 44 & 4 & 34 & 0 & -2 & 0 \\ 0 & 34 & 51 & 5168 & 1275 & 340 & 1479 & 510 & 221 & 34 & 612 & 85 & 0 & -34 \end{pmatrix}.$$

$N = 84 \quad d = 195 = 3 \cdot 5 \cdot 13,\ \eta = 3,\ h = 0\colon\ \langle 15\rangle \oplus \langle -13\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -5 \\ 13 & -9 & -39 \\ 1 & -1 & -2 \\ 13 & -15 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 5 & 39 & 2 & 0 \\ 0 & -13 & 0 & 117 & 13 & 195 \\ 5 & 0 & -10 & 0 & 5 & 195 \\ 39 & 117 & 0 & -39 & 0 & 780 \\ 2 & 13 & 5 & 0 & -2 & 0 \\ 0 & 195 & 195 & 780 & 0 & -390 \end{pmatrix}.$$

$N = 85 \quad d = 195 = 3 \cdot 5 \cdot 13,\ \eta = 5, h = 1\colon\ \langle 6\rangle \oplus \langle -26\rangle \oplus \langle -5\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 5 & 0 & -6 \\ 5 & -1 & -5 \\ \frac{11}{2} & \frac{-3}{2} & -5 \\ \frac{15}{2} & \frac{-5}{2} & -6 \\ \frac{39}{2} & \frac{-15}{2} & -13 \\ \frac{35}{2} & \frac{-15}{2} & -9 \\ \frac{11}{2} & \frac{-5}{2} & -2 \\ 2 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -5 & 0 & 30 & 25 & 25 & 30 & 65 & 45 & 10 & 0 \\ 0 & -26 & 0 & 26 & 39 & 65 & 195 & 195 & 65 & 26 \\ 30 & 0 & -30 & 0 & 15 & 45 & 195 & 255 & 105 & 60 \\ 25 & 26 & 0 & -1 & 1 & 10 & 65 & 105 & 50 & 34 \\ 25 & 39 & 15 & 1 & -2 & 0 & 26 & 60 & 34 & 27 \\ 30 & 65 & 45 & 10 & 0 & -5 & 0 & 30 & 25 & 25 \\ 65 & 195 & 195 & 65 & 26 & 0 & -26 & 0 & 26 & 39 \\ 45 & 195 & 255 & 105 & 60 & 30 & 0 & -30 & 0 & 15 \\ 10 & 65 & 105 & 50 & 34 & 25 & 26 & 0 & -1 & 1 \\ 0 & 26 & 60 & 34 & 27 & 25 & 39 & 15 & 1 & -2 \end{pmatrix}.$$

$N = 86 \quad d = 195 = 3 \cdot 5 \cdot 13,\ \eta = 6,\ h = 0\colon\ \langle 3\rangle \oplus \langle -65\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 28 & -5 & -27 \\ 115 & -21 & -105 \\ 91 & -17 & -78 \\ 15 & -3 & -10 \\ 13 & -3 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 3 & 27 & 105 & 78 & 10 & 0 \\ 0 & -65 & 0 & 325 & 1365 & 1105 & 195 & 195 \\ 3 & 0 & -6 & 3 & 30 & 39 & 15 & 39 \\ 27 & 325 & 3 & -2 & 0 & 13 & 15 & 117 \\ 105 & 1365 & 30 & 0 & -15 & 0 & 30 & 390 \\ 78 & 1105 & 39 & 13 & 0 & -26 & 0 & 234 \\ 10 & 195 & 15 & 15 & 30 & 0 & -10 & 0 \\ 0 & 195 & 39 & 117 & 390 & 234 & 0 & -78 \end{pmatrix}.$$

$N=87\ \ d=205=5\cdot 41,\ \eta=1,\ h=1{:}\ \langle 2\rangle\oplus\langle -41\rangle\oplus\langle -10\rangle(1/2,0,1/2)$

$$\begin{pmatrix} 107 & \frac{185}{2} & \frac{533}{2} & 32 & 820 & 9 & 0 & 0 & \frac{1}{2} & 5 & \frac{95}{2} & \frac{1763}{2} & 248 & 10660 & 327 & 840 & 6888 & \frac{727}{2} \\ -23 & -20 & -58 & -7 & -180 & -2 & 0 & 1 & 0 & -1 & -10 & -188 & -53 & -2280 & -70 & -180 & -1477 & -78 \\ -11 & \frac{-17}{2} & \frac{-41}{2} & -2 & -41 & 0 & 1 & 0 & \frac{-1}{2} & -1 & \frac{-13}{2} & \frac{-205}{2} & -28 & -1189 & -36 & -91 & -738 & \frac{-77}{2} \end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -1 & 0 & 82 & 27 & 1230 & 40 & 110 & 943 & 52 \\ 0 & -10 & 0 & 10 & 615 & 25 & 85 & 820 & 50 \\ 82 & 0 & -82 & 0 & 615 & 41 & 205 & 2378 & 164 \\ 27 & 10 & 0 & -1 & 0 & 2 & 20 & 287 & 22 \\ 1230 & 615 & 615 & 0 & -410 & 0 & 410 & 7380 & 615 \\ 40 & 25 & 41 & 2 & 0 & -2 & 0 & 82 & 9 \\ 110 & 85 & 205 & 20 & 410 & 0 & -10 & 0 & 5 \\ 943 & 820 & 2378 & 287 & 7380 & 82 & 0 & -41 & 0 \\ 52 & 50 & 164 & 22 & 615 & 9 & 5 & 0 & -2 \\ 17 & 20 & 82 & 13 & 410 & 8 & 10 & 41 & 0 \\ 20 & 35 & 205 & 40 & 1435 & 35 & 65 & 410 & 15 \\ 82 & 205 & 1763 & 410 & 16195 & 451 & 1025 & 7708 & 369 \\ 13 & 40 & 410 & 101 & 4100 & 118 & 280 & 2173 & 108 \\ 410 & 1435 & 16195 & 4100 & 168510 & 4920 & 11890 & 93480 & 4715 \\ 8 & 35 & 451 & 118 & 4920 & 146 & 360 & 2870 & 147 \\ 10 & 65 & 1025 & 280 & 11890 & 360 & 910 & 7380 & 385 \\ 41 & 410 & 7708 & 2173 & 93480 & 2870 & 7380 & 60557 & 3198 \\ 0 & 15 & 369 & 108 & 4715 & 147 & 385 & 3198 & 171 \end{pmatrix}.$$

$N=88\ \ d=210=2\cdot 3\cdot 5\cdot 7,\ \eta=2,\ h=0{:}\ \langle 2\rangle\oplus\langle -10\rangle\oplus\langle -42\rangle(1/2,1/2,0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 9 & 0 & -2 \\ 70 & -6 & -15 \\ \frac{189}{2} & \frac{-21}{2} & -20 \\ 5 & -1 & -1 \\ \frac{1}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -42 & 0 & 84 & 630 & 840 & 42 & 0 \\ 0 & -10 & 0 & 60 & 105 & 10 & 5 \\ 84 & 0 & -6 & 0 & 21 & 6 & 9 \\ 630 & 60 & 0 & -10 & 0 & 10 & 40 \\ 840 & 105 & 21 & 0 & -42 & 0 & 42 \\ 42 & 10 & 6 & 10 & 0 & -2 & 0 \\ 0 & 5 & 9 & 40 & 42 & 0 & -2 \end{pmatrix}.$$

$N=89\ \ d=210=2\cdot 3\cdot 5\cdot 7,\ \eta=4,\ h=1{:}\ \langle 30\rangle\oplus\langle -14\rangle\oplus\langle -2\rangle(0,1/2,1/2)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -4 \\ 8 & -3 & -30 \\ 7 & \frac{-7}{2} & \frac{-51}{2} \\ 7 & \frac{-9}{2} & \frac{-49}{2} \\ 1 & -1 & -3 \\ 1 & \frac{-3}{2} & \frac{-3}{2} \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 8 & 60 & 51 & 49 & 6 & 3 \\ 0 & -14 & 0 & 42 & 49 & 63 & 14 & 21 \\ 8 & 0 & -2 & 0 & 6 & 14 & 6 & 18 \\ 60 & 42 & 0 & -6 & 3 & 21 & 18 & 87 \\ 51 & 49 & 6 & 3 & -2 & 0 & 8 & 60 \\ 49 & 63 & 14 & 21 & 0 & -14 & 0 & 42 \\ 6 & 14 & 6 & 18 & 8 & 0 & -2 & 0 \\ 3 & 21 & 18 & 87 & 60 & 42 & 0 & -6 \end{pmatrix}.$$

$N=90\ \ d=219=3\cdot 73,\ \eta=0,\ h=0{:}\ \langle 3\rangle\oplus\langle -73\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 6 & -1 & -6 \\ 28 & -5 & -23 \\ 49 & -9 & -36 \\ 219 & -41 & -146 \\ 5 & -1 & -2 \\ 73 & -15 & 0 \end{pmatrix} \begin{pmatrix} -1 & 0 & 3 & 6 & 23 & 36 & 146 & 2 & 0 \\ 0 & -73 & 0 & 73 & 365 & 657 & 2993 & 73 & 1095 \\ 3 & 0 & -6 & 0 & 15 & 39 & 219 & 9 & 219 \\ 6 & 73 & 0 & -1 & 1 & 9 & 73 & 5 & 219 \\ 23 & 365 & 15 & 1 & -2 & 3 & 73 & 9 & 657 \\ 36 & 657 & 39 & 9 & 3 & -6 & 0 & 6 & 876 \\ 146 & 2993 & 219 & 73 & 73 & 0 & -146 & 0 & 3066 \\ 2 & 73 & 9 & 5 & 9 & 6 & 0 & -2 & 0 \\ 0 & 1095 & 219 & 219 & 657 & 876 & 3066 & 0 & -438 \end{pmatrix}.$$

$N=91\quad d=231=3\cdot7\cdot11,\ \eta=1,\ h=1\colon\ \langle 14\rangle\oplus\langle -22\rangle\oplus\langle -3\rangle(1/2,1/2,0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -7 \\ \frac{3}{2} & \frac{-1}{2} & -3 \\ \frac{99}{2} & \frac{-45}{2} & -88 \\ \frac{35}{2} & \frac{-17}{2} & -30 \\ 60 & -30 & -101 \\ 132 & -67 & -220 \\ 81 & -42 & -133 \\ \frac{9}{2} & \frac{-5}{2} & -7 \\ \frac{33}{2} & \frac{-21}{2} & -22 \\ \frac{1}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 21 & 9 & 264 & 90 & 303 & 660 & 399 & 21 & 66 & 0 \\ 0 & -22 & 0 & 11 & 495 & 187 & 660 & 1474 & 924 & 55 & 231 & 11 \\ 21 & 0 & -21 & 0 & 231 & 105 & 399 & 924 & 609 & 42 & 231 & 21 \\ 9 & 11 & 0 & -1 & 0 & 4 & 21 & 55 & 42 & 4 & 33 & 5 \\ 264 & 495 & 231 & 0 & -66 & 0 & 66 & 231 & 231 & 33 & 429 & 99 \\ 90 & 187 & 105 & 4 & 0 & -2 & 0 & 11 & 21 & 5 & 99 & 29 \\ 303 & 660 & 399 & 21 & 66 & 0 & -3 & 0 & 21 & 9 & 264 & 90 \\ 660 & 1474 & 924 & 55 & 231 & 11 & 0 & -22 & 0 & 11 & 495 & 187 \\ 399 & 924 & 609 & 42 & 231 & 21 & 21 & 0 & -21 & 0 & 231 & 105 \\ 21 & 55 & 42 & 4 & 33 & 5 & 9 & 11 & 0 & -1 & 0 & 4 \\ 66 & 231 & 231 & 33 & 429 & 99 & 264 & 495 & 231 & 0 & -66 & 0 \\ 0 & 11 & 21 & 5 & 99 & 29 & 90 & 187 & 105 & 4 & 0 & -2 \end{pmatrix}.$$

$N=92\quad d=231=3\cdot7\cdot11,\ \eta=7,\ h=0\colon\ \langle 6\rangle\oplus\langle -14\rangle\oplus\langle -11\rangle(1/2,1/2,0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 4 & 0 & -3 \\ \frac{77}{2} & \frac{-11}{2} & -28 \\ \frac{3}{2} & \frac{-1}{2} & -1 \\ \frac{1}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -11 & 0 & 33 & 308 & 11 & 0 \\ 0 & -14 & 0 & 77 & 7 & 7 \\ 33 & 0 & -3 & 0 & 3 & 12 \\ 308 & 77 & 0 & -154 & 0 & 77 \\ 11 & 7 & 3 & 0 & -1 & 1 \\ 0 & 7 & 12 & 77 & 1 & -2 \end{pmatrix}.$$

$N=93\quad d=255=3\cdot5\cdot17,\ \eta=0,\ h=1\colon\ \langle 3\rangle\oplus\langle -17\rangle\oplus\langle -5\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 7 & -2 & -4 \\ 34 & -11 & -17 \\ 8 & -3 & -3 \\ 25 & -10 & -6 \\ 170 & -69 & -34 \\ 49 & -20 & -9 \\ 78 & -32 & -13 \\ 221 & -91 & -34 \\ 7 & -3 & 0 \end{pmatrix} \qquad \begin{pmatrix} -5 & 0 & 5 & 20 & 85 & 15 & 30 & 170 & 45 & 65 & 170 & 0 \\ 0 & -17 & 0 & 34 & 187 & 51 & 170 & 1173 & 340 & 544 & 1547 & 51 \\ 5 & 0 & -2 & 1 & 17 & 9 & 45 & 340 & 102 & 169 & 493 & 21 \\ 20 & 34 & 1 & -1 & 0 & 6 & 65 & 544 & 169 & 290 & 867 & 45 \\ 85 & 187 & 17 & 0 & -34 & 0 & 170 & 1547 & 493 & 867 & 2635 & 153 \\ 15 & 51 & 9 & 6 & 0 & -6 & 0 & 51 & 21 & 45 & 153 & 15 \\ 30 & 170 & 45 & 65 & 170 & 0 & -5 & 0 & 5 & 20 & 85 & 15 \\ 170 & 1173 & 340 & 544 & 1547 & 51 & 0 & -17 & 0 & 34 & 187 & 51 \\ 45 & 340 & 102 & 169 & 493 & 21 & 5 & 0 & -2 & 1 & 17 & 9 \\ 65 & 544 & 169 & 290 & 867 & 45 & 20 & 34 & 1 & -1 & 0 & 6 \\ 170 & 1547 & 493 & 867 & 2635 & 153 & 85 & 187 & 17 & 0 & -34 & 0 \\ 0 & 51 & 21 & 45 & 153 & 15 & 15 & 51 & 9 & 6 & 0 & -6 \end{pmatrix}.$$

$N=94\quad d=255=3\cdot5\cdot17,\ \eta=6, h=0\colon\ \langle 3\rangle\oplus\langle -85\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 6 & -1 & -5 \\ 85 & -15 & -51 \\ 5 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 3 & 5 & 51 & 0 \\ 0 & -85 & 0 & 85 & 1275 & 85 \\ 3 & 0 & -6 & 3 & 102 & 15 \\ 5 & 85 & 3 & -2 & 0 & 5 \\ 51 & 1275 & 102 & 0 & -51 & 0 \\ 0 & 85 & 15 & 5 & 0 & -10 \end{pmatrix}.$$

$N=95\quad d=273=3\cdot7\cdot13,\ \eta=0,\ h=1\colon\ \langle 14\rangle\oplus\langle -13\rangle\oplus\langle -6\rangle(1/2,0,1/2)$

$$\begin{pmatrix} 93 & -84 & -70 \\ 2 & -2 & -1 \\ 13 & -14 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \\ \frac{3}{2} & 0 & \frac{-7}{2} \\ \frac{5}{2} & -2 & \frac{-5}{2} \\ \frac{793}{2} & -350 & \frac{-637}{2} \\ \frac{189}{2} & -84 & \frac{-149}{2} \\ 234 & -209 & -182 \end{pmatrix} \qquad \begin{pmatrix} -42 & 0 & 1638 & 420 & 1092 & 483 & 21 & 273 & 21 & 0 \\ 0 & -2 & 0 & 6 & 26 & 21 & 3 & 91 & 15 & 26 \\ 1638 & 0 & -182 & 0 & 182 & 273 & 91 & 8463 & 1911 & 4550 \\ 420 & 6 & 0 & -6 & 0 & 21 & 15 & 1911 & 447 & 1092 \\ 1092 & 26 & 182 & 0 & -13 & 0 & 26 & 4550 & 1092 & 2717 \\ 483 & 21 & 273 & 21 & 0 & -42 & 0 & 1638 & 420 & 1092 \\ 21 & 3 & 91 & 15 & 26 & 0 & -2 & 0 & 6 & 26 \\ 273 & 91 & 8463 & 1911 & 4550 & 1638 & 0 & -182 & 0 & 182 \\ 21 & 15 & 1911 & 447 & 1092 & 420 & 6 & 0 & -6 & 0 \\ 0 & 26 & 4550 & 1092 & 2717 & 1092 & 26 & 182 & 0 & -13 \end{pmatrix}.$$

$N=96\ \ d=273=3\cdot 7\cdot 13,\ \eta=6,\ h=1$: $\langle 26\rangle\oplus\langle -7\rangle\oplus\langle -6\rangle(1/2,0,1/2)$

$$\begin{pmatrix} \frac{147}{2} & \frac{261}{2} & \frac{35}{2} & \frac{23}{2} & \frac{1}{2} & 0 & 0 & 6 & 7 & 34 & 17 & \frac{273}{2}\\ -64 & -117 & -17 & -13 & -1 & 0 & 1 & 0 & -4 & -26 & -14 & -117\\ \frac{-273}{2} & \frac{-481}{2} & \frac{-63}{2} & \frac{-39}{2} & \frac{-1}{2} & 1 & 0 & -13 & -14 & -65 & -32 & \frac{-509}{2} \end{pmatrix}$$

$$\begin{pmatrix} -7 & 0 & 28 & 182 & 98 & 819 & 448 & 819 & 119 & 91 & 7 & 0\\ 0 & -78 & 0 & 234 & 156 & 1443 & 819 & 1599 & 273 & 273 & 39 & 78\\ 28 & 0 & -14 & 0 & 14 & 189 & 119 & 273 & 63 & 91 & 21 & 84\\ 182 & 234 & 0 & -26 & 0 & 117 & 91 & 273 & 91 & 195 & 65 & 390\\ 98 & 156 & 14 & 0 & -2 & 3 & 7 & 39 & 21 & 65 & 27 & 192\\ 819 & 1443 & 189 & 117 & 3 & -6 & 0 & 78 & 84 & 390 & 192 & 1527\\ 448 & 819 & 119 & 91 & 7 & 0 & -7 & 0 & 28 & 182 & 98 & 819\\ 819 & 1599 & 273 & 273 & 39 & 78 & 0 & -78 & 0 & 234 & 156 & 1443\\ 119 & 273 & 63 & 91 & 21 & 84 & 28 & 0 & -14 & 0 & 14 & 189\\ 91 & 273 & 91 & 195 & 65 & 390 & 182 & 234 & 0 & -26 & 0 & 117\\ 7 & 39 & 21 & 65 & 27 & 192 & 98 & 156 & 14 & 0 & -2 & 3\\ 0 & 78 & 84 & 390 & 192 & 1527 & 819 & 1443 & 189 & 117 & 3 & -6 \end{pmatrix}.$$

$N=97\ \ d=285=3\cdot 5\cdot 19,\ \eta=3,\ h=1$: $\langle 10\rangle\oplus\langle -38\rangle\oplus\langle -3\rangle(1/2,1/2,0)$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -2\\ 57 & -12 & -95\\ \frac{19}{2} & \frac{-5}{2} & -15\\ 13 & -4 & -19\\ 266 & -85 & -380\\ 18 & -6 & -25\\ 57 & -20 & -76\\ 8 & -3 & -10\\ 114 & -45 & -133\\ \frac{11}{2} & \frac{-5}{2} & -5\\ 2 & -1 & -1\\ 19 & -10 & 0 \end{pmatrix} \begin{pmatrix} -3 & 0 & 6 & 285 & 45 & 57 & 1140 & 75 & 228 & 30 & 399 & 15 & 3 & 0\\ 0 & -38 & 0 & 456 & 95 & 152 & 3230 & 228 & 760 & 114 & 1710 & 95 & 38 & 380\\ 6 & 0 & -2 & 0 & 5 & 16 & 380 & 30 & 114 & 20 & 342 & 25 & 14 & 190\\ 285 & 456 & 0 & -57 & 0 & 171 & 4560 & 399 & 1710 & 342 & 6555 & 570 & 399 & 6270\\ 45 & 95 & 5 & 0 & -10 & 0 & 95 & 15 & 95 & 25 & 570 & 60 & 50 & 855\\ 57 & 152 & 16 & 171 & 0 & -1 & 0 & 3 & 38 & 14 & 399 & 50 & 51 & 950\\ 1140 & 3230 & 380 & 4560 & 95 & 0 & -190 & 0 & 380 & 190 & 6270 & 855 & 950 & 18240\\ 75 & 228 & 30 & 399 & 15 & 3 & 0 & -3 & 0 & 6 & 285 & 45 & 57 & 1140\\ 228 & 760 & 114 & 1710 & 95 & 38 & 380 & 0 & -38 & 0 & 456 & 95 & 152 & 3230\\ 30 & 114 & 20 & 342 & 25 & 14 & 190 & 6 & 0 & -2 & 0 & 5 & 16 & 380\\ 399 & 1710 & 342 & 6555 & 570 & 399 & 6270 & 285 & 456 & 0 & -57 & 0 & 171 & 4560\\ 15 & 95 & 25 & 570 & 60 & 50 & 855 & 45 & 95 & 5 & 0 & -10 & 0 & 95\\ 3 & 38 & 14 & 399 & 50 & 51 & 950 & 57 & 152 & 16 & 171 & 0 & -1 & 0\\ 0 & 380 & 190 & 6270 & 855 & 950 & 18240 & 1140 & 3230 & 380 & 4560 & 95 & 0 & -190 \end{pmatrix}.$$

$N=98\ \ d=285=3\cdot 5\cdot 19,\ \eta=5,\ h=0$: $\langle 1\rangle\oplus\langle -95\rangle\oplus\langle -3\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -1\\ 285 & -24 & -95\\ 11 & -1 & -3\\ 30 & -3 & -5\\ 19 & -2 & 0 \end{pmatrix} \qquad \begin{pmatrix} -3 & 0 & 3 & 285 & 9 & 15 & 0\\ 0 & -95 & 0 & 2280 & 95 & 285 & 190\\ 3 & 0 & -2 & 0 & 2 & 15 & 19\\ 285 & 2280 & 0 & -570 & 0 & 285 & 855\\ 9 & 95 & 2 & 0 & -1 & 0 & 19\\ 15 & 285 & 15 & 285 & 0 & -30 & 0\\ 0 & 190 & 19 & 855 & 19 & 0 & -19 \end{pmatrix}.$$

$N=99\ \ d=291=3\cdot 97,\ \eta=0,\ h=1$: $\langle 3\rangle\oplus\langle -97\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix} 0 & 0 & 1 & 97 & 13 & 25 & 2134 & 80 & 73 & 18 & 582 & 53 & 485 & 29 & 23 & 1358 & 40 & 17\\ 0 & 1 & 0 & -14 & -2 & -4 & -345 & -13 & -12 & -3 & -98 & -9 & -83 & -5 & -4 & -237 & -7 & -3\\ 1 & 0 & -3 & -97 & -11 & -18 & -1455 & -53 & -45 & -10 & -291 & -24 & -194 & -10 & -6 & -291 & -7 & 0 \end{pmatrix}$$

$$\begin{pmatrix} A & B\\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A\\ B \end{pmatrix} = \begin{pmatrix} -1 & 0 & 3 & 97 & 11 & 18 & 1455 & 53 & 45\\ 0 & -97 & 0 & 1358 & 194 & 388 & 33465 & 1261 & 1164\\ 3 & 0 & -6 & 0 & 6 & 21 & 2037 & 81 & 84\\ 97 & 1358 & 0 & -194 & 0 & 97 & 11349 & 485 & 582\\ 11 & 194 & 6 & 0 & -2 & 1 & 291 & 15 & 24\\ 18 & 388 & 21 & 97 & 1 & -1 & 0 & 2 & 9\\ 1455 & 33465 & 2037 & 11349 & 291 & 0 & -582 & 0 & 291\\ 53 & 1261 & 81 & 485 & 15 & 2 & 0 & -2 & 3\\ 45 & 1164 & 84 & 582 & 24 & 9 & 291 & 3 & -6\\ 10 & 291 & 24 & 194 & 10 & 6 & 291 & 7 & 0\\ 291 & 9506 & 873 & 8051 & 485 & 388 & 22989 & 679 & 291\\ 24 & 873 & 87 & 873 & 57 & 51 & 3201 & 99 & 51\\ 194 & 8051 & 873 & 9603 & 679 & 679 & 45105 & 1455 & 873\\ 10 & 485 & 57 & 679 & 51 & 55 & 3783 & 125 & 81\\ 6 & 388 & 51 & 679 & 55 & 65 & 4656 & 158 & 111\\ 291 & 22989 & 3201 & 45105 & 3783 & 4656 & 339306 & 11640 & 8439\\ 7 & 679 & 99 & 1455 & 125 & 158 & 11640 & 402 & 297\\ 0 & 291 & 51 & 873 & 81 & 111 & 8439 & 297 & 231 \end{pmatrix}.$$

$N = 100$ $d = 330 = 2 \cdot 3 \cdot 5 \cdot 11$, $\eta = 3$, $h = 0$: $\langle 6 \rangle \oplus \langle -110 \rangle \oplus \langle -2 \rangle (1/2, 1/2, 0)$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -2 \\ 154 & -18 & -231 \\ \frac{55}{2} & \frac{-7}{2} & -40 \\ \frac{33}{2} & \frac{-5}{2} & -22 \\ 5 & -1 & -5 \\ \frac{11}{2} & \frac{-3}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 4 & 462 & 80 & 44 & 10 & 0 \\ 0 & -110 & 0 & 1980 & 385 & 275 & 110 & 165 \\ 4 & 0 & -2 & 0 & 5 & 11 & 10 & 33 \\ 462 & 1980 & 0 & -66 & 0 & 132 & 330 & 2112 \\ 80 & 385 & 5 & 0 & -10 & 0 & 40 & 330 \\ 44 & 275 & 11 & 132 & 0 & -22 & 0 & 132 \\ 10 & 110 & 10 & 330 & 40 & 0 & -10 & 0 \\ 0 & 165 & 33 & 2112 & 330 & 132 & 0 & -66 \end{pmatrix}.$$

$N = 101$ $d = 345 = 3 \cdot 5 \cdot 23$, $\eta = 6$, $h = 0$: $\langle 1 \rangle \oplus \langle -23 \rangle \oplus \langle -15 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -1 \\ 6 & -1 & -1 \\ 207 & -39 & -23 \\ 25 & -5 & -2 \\ 23 & -5 & 0 \end{pmatrix} \qquad \begin{pmatrix} -15 & 0 & 15 & 15 & 345 & 30 & 0 \\ 0 & -23 & 0 & 23 & 897 & 115 & 115 \\ 15 & 0 & -6 & 3 & 276 & 45 & 69 \\ 15 & 23 & 3 & -2 & 0 & 5 & 23 \\ 345 & 897 & 276 & 0 & -69 & 0 & 276 \\ 30 & 115 & 45 & 5 & 0 & -10 & 0 \\ 0 & 115 & 69 & 23 & 276 & 0 & -46 \end{pmatrix}.$$

$N = 102$ $d = 357 = 3 \cdot 7 \cdot 17$, $\eta = 3$, $h = 1$: $\langle 17 \rangle \oplus \langle -7 \rangle \oplus \langle -3 \rangle$

$$\begin{pmatrix} 13 & 55 & 7 & 0 & 0 & 7 & 3 & 105 & 1 & 13 & 7 & 6 & 42 & 367 & 117 & 3465 \\ -20 & -85 & -11 & 0 & 1 & 0 & -1 & -51 & -1 & -17 & -10 & -9 & -64 & -561 & -179 & -5304 \\ -5 & -17 & 0 & 1 & 0 & -17 & -7 & -238 & -2 & -17 & -7 & -4 & -21 & -170 & -53 & -1547 \end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -2 & 0 & 7 & 15 & 140 & 1292 & 418 & 12495 \\ 0 & -17 & 0 & 51 & 595 & 5678 & 1853 & 55692 \\ 7 & 0 & -14 & 0 & 77 & 833 & 280 & 8568 \\ 15 & 51 & 0 & -3 & 0 & 51 & 21 & 714 \\ 140 & 595 & 77 & 0 & -7 & 0 & 7 & 357 \\ 1292 & 5678 & 833 & 51 & 0 & -34 & 0 & 357 \\ 418 & 1853 & 280 & 21 & 7 & 0 & -1 & 0 \\ 12495 & 55692 & 8568 & 714 & 357 & 357 & 0 & -714 \\ 51 & 238 & 42 & 6 & 7 & 17 & 2 & 0 \\ 238 & 1173 & 238 & 51 & 119 & 680 & 187 & 4998 \\ 42 & 238 & 63 & 21 & 70 & 476 & 140 & 3927 \\ 6 & 51 & 21 & 12 & 63 & 510 & 159 & 4641 \\ 7 & 119 & 70 & 63 & 448 & 3927 & 1253 & 37128 \\ 17 & 680 & 476 & 510 & 3927 & 35003 & 11220 & 333438 \\ 2 & 187 & 140 & 159 & 1253 & 11220 & 3601 & 107100 \\ 0 & 4998 & 3927 & 4641 & 37128 & 333438 & 107100 & 3186939 \end{pmatrix}.$$

$N = 103$ $d = 357 = 3 \cdot 7 \cdot 17$, $\eta = 5$, $h = 1$: $\langle 1 \rangle \oplus \langle -119 \rangle \oplus \langle -3 \rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 561 & -42 & -187 \\ 145 & -11 & -47 \\ 2975 & -227 & -952 \\ 156 & -12 & -49 \\ 1547 & -120 & -476 \\ 12 & -1 & -3 \\ 102 & -9 & -17 \\ 11 & -1 & -1 \\ 119 & -11 & 0 \end{pmatrix} \begin{pmatrix} -3 & 0 & 3 & 561 & 141 & 2856 & 147 & 1428 & 9 & 51 & 3 & 0 \\ 0 & -119 & 0 & 4998 & 1309 & 27013 & 1428 & 14280 & 119 & 1071 & 119 & 1309 \\ 3 & 0 & -2 & 0 & 4 & 119 & 9 & 119 & 3 & 51 & 8 & 119 \\ 561 & 4998 & 0 & -102 & 0 & 357 & 51 & 1071 & 51 & 2703 & 612 & 11781 \\ 141 & 1309 & 4 & 0 & -1 & 0 & 3 & 119 & 8 & 612 & 145 & 2856 \\ 2856 & 27013 & 119 & 357 & 0 & -238 & 0 & 1309 & 119 & 11781 & 2856 & 56882 \\ 147 & 1428 & 9 & 51 & 3 & 0 & -3 & 0 & 3 & 561 & 141 & 2856 \\ 1428 & 14280 & 119 & 1071 & 119 & 1309 & 0 & -119 & 0 & 4998 & 1309 & 27013 \\ 9 & 119 & 3 & 51 & 8 & 119 & 3 & 0 & -2 & 0 & 4 & 119 \\ 51 & 1071 & 51 & 2703 & 612 & 11781 & 561 & 4998 & 0 & -102 & 0 & 357 \\ 3 & 119 & 8 & 612 & 145 & 2856 & 141 & 1309 & 4 & 0 & -1 & 0 \\ 0 & 1309 & 119 & 11781 & 2856 & 56882 & 2856 & 27013 & 119 & 357 & 0 & -238 \end{pmatrix}.$$

$N = 104 \quad d = 385 = 5 \cdot 7 \cdot 11,\ \eta = 6,\ h = 1\colon\ \langle 5\rangle \oplus \langle -11\rangle \oplus \langle -7\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -1\\ 77 & -28 & -55\\ 37 & -15 & -25\\ 49 & -21 & -32\\ 88 & -40 & -55\\ 14 & -7 & -8\\ 22 & -12 & -11\\ 5 & -3 & -2\\ 77 & -49 & -22\\ 23 & -15 & -5\\ 21 & -14 & -3\\ 22 & -15 & 0 \end{pmatrix} \qquad \begin{pmatrix} -7 & 0 & 7 & 385 & 175 & 224 & 385 & 56 & 77 & 14 & 154 & 35 & 21 & 0\\ 0 & -11 & 0 & 308 & 165 & 231 & 440 & 77 & 132 & 33 & 539 & 165 & 154 & 165\\ 7 & 0 & -2 & 0 & 10 & 21 & 55 & 14 & 33 & 11 & 231 & 80 & 84 & 110\\ 385 & 308 & 0 & -154 & 0 & 77 & 385 & 154 & 539 & 231 & 6083 & 2310 & 2618 & 3850\\ 175 & 165 & 10 & 0 & -5 & 0 & 55 & 35 & 165 & 80 & 2310 & 905 & 1050 & 1595\\ 224 & 231 & 21 & 77 & 0 & -14 & 0 & 21 & 154 & 84 & 2618 & 1050 & 1239 & 1925\\ 385 & 440 & 55 & 385 & 55 & 0 & -55 & 0 & 165 & 110 & 3850 & 1595 & 1925 & 3080\\ 56 & 77 & 14 & 154 & 35 & 21 & 0 & -7 & 0 & 7 & 385 & 175 & 224 & 385\\ 77 & 132 & 33 & 539 & 165 & 154 & 165 & 0 & -11 & 0 & 308 & 165 & 231 & 440\\ 14 & 33 & 11 & 231 & 80 & 84 & 110 & 7 & 0 & -2 & 0 & 10 & 21 & 55\\ 154 & 539 & 231 & 6083 & 2310 & 2618 & 3850 & 385 & 308 & 0 & -154 & 0 & 77 & 385\\ 35 & 165 & 80 & 2310 & 905 & 1050 & 1595 & 175 & 165 & 10 & 0 & -5 & 0 & 55\\ 21 & 154 & 84 & 2618 & 1050 & 1239 & 1925 & 224 & 231 & 21 & 77 & 0 & -14 & 0\\ 0 & 165 & 110 & 3850 & 1595 & 1925 & 3080 & 385 & 440 & 55 & 385 & 55 & 0 & -55 \end{pmatrix}.$$

$N = 105 \quad d = 390 = 2 \cdot 3 \cdot 5 \cdot 13,\ \eta = 6, h = 1\colon\ \langle 10\rangle \oplus \langle -26\rangle \oplus \langle -6\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix} 45 & \frac{65}{2} & \frac{9}{2} & \frac{11}{2} & \frac{39}{2} & \frac{5}{2} & 78 & 8 & 0 & 0 & 3 & 32 & 273 & 60 & 2652 & \frac{659}{2}\\ -9 & \frac{-15}{2} & \frac{-3}{2} & \frac{-5}{2} & \frac{-21}{2} & \frac{-3}{2} & -48 & -5 & 0 & 1 & 0 & -5 & -48 & -11 & -498 & \frac{-125}{2}\\ -55 & -39 & -5 & -5 & -13 & -1 & -13 & 0 & 1 & 0 & -4 & -40 & -338 & -74 & -3263 & -405 \end{pmatrix}$$

$$\begin{pmatrix} A & B\\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A\\ B \end{pmatrix} = \begin{pmatrix} -6 & 0 & 24 & 240 & 2028 & 444 & 19578 & 2430\\ 0 & -26 & 0 & 130 & 1248 & 286 & 12948 & 1625\\ 24 & 0 & -6 & 0 & 78 & 24 & 1248 & 165\\ 240 & 130 & 0 & -10 & 0 & 10 & 780 & 115\\ 2028 & 1248 & 78 & 0 & -78 & 0 & 1092 & 195\\ 444 & 286 & 24 & 10 & 0 & -2 & 0 & 5\\ 19578 & 12948 & 1248 & 780 & 1092 & 0 & -78 & 0\\ 2430 & 1625 & 165 & 115 & 195 & 5 & 0 & -10\\ 330 & 234 & 30 & 30 & 78 & 6 & 78 & 0\\ 234 & 195 & 39 & 65 & 273 & 39 & 1248 & 130\\ 30 & 39 & 15 & 45 & 273 & 51 & 2028 & 240\\ 30 & 65 & 45 & 235 & 1755 & 365 & 15600 & 1910\\ 78 & 273 & 273 & 1755 & 13767 & 2925 & 126672 & 15600\\ 6 & 39 & 51 & 365 & 2925 & 627 & 27300 & 3370\\ 78 & 1248 & 2028 & 15600 & 126672 & 27300 & 1192542 & 147420\\ 0 & 130 & 240 & 1910 & 15600 & 3370 & 147420 & 18235 \end{pmatrix}.$$

$N = 106 \quad d = 399 = 3 \cdot 7 \cdot 19,\ \eta = 4,\ h = 0\colon\ \langle 14\rangle \oplus \langle -19\rangle \oplus \langle -6\rangle(1/2, 0, 1/2)$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ \frac{3}{2} & 0 & \frac{-7}{2}\\ \frac{3}{2} & -1 & \frac{-3}{2}\\ \frac{5}{2} & -2 & \frac{-3}{2}\\ \frac{57}{2} & -24 & \frac{-19}{2}\\ \frac{7}{2} & -3 & \frac{-1}{2}\\ 57 & -49 & 0 \end{pmatrix} \qquad \begin{pmatrix} -6 & 0 & 21 & 9 & 9 & 57 & 3 & 0\\ 0 & -19 & 0 & 19 & 38 & 456 & 57 & 931\\ 21 & 0 & -42 & 0 & 21 & 399 & 63 & 1197\\ 9 & 19 & 0 & -1 & 1 & 57 & 12 & 266\\ 9 & 38 & 21 & 1 & -2 & 0 & 4 & 133\\ 57 & 456 & 399 & 57 & 0 & -114 & 0 & 399\\ 3 & 57 & 63 & 12 & 4 & 0 & -1 & 0\\ 0 & 931 & 1197 & 266 & 133 & 399 & 0 & -133 \end{pmatrix}.$$

$N = 107 \quad d = 429 = 3 \cdot 11 \cdot 13,\ \eta = 3,\ h = 1\colon\ \langle 1\rangle \oplus \langle -39\rangle \oplus \langle -11\rangle$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 3 & 0 & -1\\ 1287 & -88 & -351\\ 41 & -3 & -11\\ 1573 & -121 & -416\\ 126 & -10 & -33\\ 132 & -11 & -34\\ 156 & -14 & -39\\ 9 & -1 & -2\\ 429 & -55 & -78\\ 7 & -1 & -1\\ 143 & -22 & -13\\ 6 & -1 & 0 \end{pmatrix} \begin{pmatrix} -11 & 0 & 11 & 3861 & 121 & 4576 & 363 & 374 & 429 & 22 & 858 & 11 & 143 & 0\\ 0 & -39 & 0 & 3432 & 117 & 4719 & 390 & 429 & 546 & 39 & 2145 & 39 & 858 & 39\\ 11 & 0 & -2 & 0 & 2 & 143 & 15 & 22 & 39 & 5 & 429 & 10 & 286 & 18\\ 3861 & 3432 & 0 & -858 & 0 & 3003 & 429 & 858 & 2145 & 429 & 62205 & 1716 & 58344 & 4290\\ 121 & 117 & 2 & 0 & -1 & 0 & 3 & 11 & 39 & 10 & 1716 & 49 & 1716 & 129\\ 4576 & 4719 & 143 & 3003 & 0 & -286 & 0 & 143 & 858 & 286 & 58344 & 1716 & 61633 & 4719\\ 363 & 390 & 15 & 429 & 3 & 0 & -3 & 0 & 39 & 18 & 4290 & 129 & 4719 & 366\\ 374 & 429 & 22 & 858 & 11 & 143 & 0 & -11 & 0 & 11 & 3861 & 121 & 4576 & 363\\ 429 & 546 & 39 & 2145 & 39 & 858 & 39 & 0 & -39 & 0 & 3432 & 117 & 4719 & 390\\ 22 & 39 & 5 & 429 & 10 & 286 & 18 & 11 & 0 & -2 & 0 & 2 & 143 & 15\\ 858 & 2145 & 429 & 62205 & 1716 & 58344 & 4290 & 3861 & 3432 & 0 & -858 & 0 & 3003 & 429\\ 11 & 39 & 10 & 1716 & 49 & 1716 & 129 & 121 & 117 & 2 & 0 & -1 & 0 & 3\\ 143 & 858 & 286 & 58344 & 1716 & 61633 & 4719 & 4576 & 4719 & 143 & 3003 & 0 & -286 & 0\\ 0 & 39 & 18 & 4290 & 129 & 4719 & 366 & 363 & 390 & 15 & 429 & 3 & 0 & -3 \end{pmatrix}.$$

$N = 108\quad d = 435 = 3\cdot 5\cdot 29,\ \eta = 0,\ h = 0\colon\ \langle 3\rangle \oplus \langle -29\rangle \oplus \langle -5\rangle$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -1 \\ 145 & -30 & -87 \\ 4 & -1 & -2 \\ 145 & -40 & -58 \\ 10 & -3 & -3 \\ 3 & -1 & 0 \end{pmatrix} \qquad \begin{pmatrix} -5 & 0 & 5 & 435 & 10 & 290 & 15 & 0 \\ 0 & -29 & 0 & 870 & 29 & 1160 & 87 & 29 \\ 5 & 0 & -2 & 0 & 2 & 145 & 15 & 9 \\ 435 & 870 & 0 & -870 & 0 & 3045 & 435 & 435 \\ 10 & 29 & 2 & 0 & -1 & 0 & 3 & 7 \\ 290 & 1160 & 145 & 3045 & 0 & -145 & 0 & 145 \\ 15 & 87 & 15 & 435 & 3 & 0 & -6 & 3 \\ 0 & 29 & 9 & 435 & 7 & 145 & 3 & -2 \end{pmatrix}.$$

$N = 109\quad d = 435 = 3\cdot 5\cdot 29,\ \eta = 6,\ h = 1\colon\ \langle 435\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$

$$\begin{pmatrix} 8 & 24 & 11 & 3 & 1 & 2 & 84 & 8 & 125 & 3 & 5 & 1 & 0 & 0 & 1 & 119 & 13 & 223 \\ -25 & -87 & -45 & -14 & -6 & -15 & -725 & -71 & -1131 & -30 & -58 & -15 & -1 & 1 & 0 & -290 & -34 & -609 \\ -165 & -493 & -225 & -61 & -20 & -39 & -1595 & -151 & -2349 & -55 & -87 & -15 & 1 & 0 & -21 & -2465 & -269 & -4611 \end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -10 & 0 & 30 & 25 & 30 & 150 & 11020 & 1150 & 19140 \\ 0 & -58 & 0 & 29 & 58 & 348 & 27550 & 2900 & 48546 \\ 30 & 0 & -15 & 0 & 15 & 120 & 10440 & 1110 & 18705 \\ 25 & 29 & 0 & -2 & 1 & 21 & 2175 & 235 & 4002 \\ 30 & 58 & 15 & 1 & -1 & 0 & 290 & 34 & 609 \\ 150 & 348 & 120 & 21 & 0 & -6 & 0 & 6 & 174 \\ 11020 & 27550 & 10440 & 2175 & 290 & 0 & -290 & 0 & 870 \\ 1150 & 2900 & 1110 & 235 & 34 & 6 & 0 & -2 & 0 \\ 19140 & 48546 & 18705 & 4002 & 609 & 174 & 870 & 0 & -87 \\ 615 & 1595 & 630 & 140 & 25 & 15 & 145 & 5 & 0 \\ 1595 & 4263 & 1740 & 406 & 87 & 87 & 1885 & 145 & 1914 \\ 630 & 1740 & 735 & 180 & 45 & 60 & 1740 & 150 & 2175 \\ 140 & 406 & 180 & 47 & 14 & 24 & 870 & 80 & 1218 \\ 25 & 87 & 45 & 14 & 6 & 15 & 725 & 71 & 1131 \\ 15 & 87 & 60 & 24 & 15 & 51 & 3045 & 309 & 5046 \\ 145 & 1885 & 1740 & 870 & 725 & 3045 & 206335 & 21315 & 352350 \\ 5 & 145 & 150 & 80 & 71 & 309 & 21315 & 2207 & 36540 \\ 0 & 1914 & 2175 & 1218 & 1131 & 5046 & 352350 & 36540 & 605607 \end{pmatrix}.$$

$N = 110\quad d = 455 = 5\cdot 7\cdot 13,\ \eta = 5,\ h = 1\colon\ \langle 7\rangle \oplus \langle -26\rangle \oplus \langle -10\rangle(0, 1/2, 1/2)$

$$\begin{pmatrix} 325 & 325 & 16 & 65 & 2 & 1 & 13 & 0 & 0 & 25 & 9 & 260 & 48 & 199 & 9087 & 1025 \\ \frac{-67}{2} & -35 & -2 & -10 & \frac{-1}{2} & \frac{-1}{2} & -7 & 0 & 1 & 0 & \frac{-1}{2} & \frac{-45}{2} & \frac{-9}{2} & \frac{-39}{2} & -903 & \frac{-205}{2} \\ \frac{-533}{2} & -266 & -13 & -52 & \frac{-3}{2} & \frac{-1}{2} & 0 & 1 & 0 & -21 & \frac{-15}{2} & \frac{-429}{2} & \frac{-79}{2} & \frac{-327}{2} & -7462 & \frac{-1683}{2} \end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -26 & 0 & 13 & 585 & 117 & 507 & 23478 & 2665 \\ 0 & -35 & 0 & 455 & 105 & 490 & 23205 & 2660 \\ 13 & 0 & -2 & 0 & 3 & 21 & 1092 & 130 \\ 585 & 455 & 0 & -65 & 0 & 65 & 4095 & 520 \\ 117 & 105 & 3 & 0 & -1 & 0 & 91 & 15 \\ 507 & 490 & 21 & 65 & 0 & -2 & 0 & 5 \\ 23478 & 23205 & 1092 & 4095 & 91 & 0 & -91 & 0 \\ 2665 & 2660 & 130 & 520 & 15 & 5 & 0 & -10 \\ 871 & 910 & 52 & 260 & 13 & 13 & 182 & 0 \\ 910 & 1015 & 70 & 455 & 35 & 70 & 2275 & 210 \\ 52 & 70 & 7 & 65 & 7 & 19 & 728 & 75 \\ 260 & 455 & 65 & 910 & 130 & 455 & 19565 & 2145 \\ 13 & 35 & 7 & 130 & 21 & 80 & 3549 & 395 \\ 13 & 70 & 19 & 455 & 80 & 322 & 14560 & 1635 \\ 182 & 2275 & 728 & 19565 & 3549 & 14560 & 662571 & 74620 \\ 0 & 210 & 75 & 2145 & 395 & 1635 & 74620 & 8415 \end{pmatrix}.$$

$N = 111 \quad d = 465 = 3 \cdot 5 \cdot 31,\ \eta = 5,\ h = 1\colon\ \langle 5\rangle \oplus \langle -31\rangle \oplus \langle -3\rangle$

$$\begin{pmatrix}
0 & 0 & 1 \\
0 & 1 & 0 \\
3 & 0 & -5 \\
31 & -8 & -31 \\
17 & -5 & -15 \\
16 & -5 & -13 \\
403 & -130 & -310 \\
18 & -6 & -13 \\
93 & -32 & -62 \\
42 & -15 & -25 \\
62 & -23 & -31 \\
13 & -5 & -5 \\
5 & -2 & -1 \\
62 & -25 & 0
\end{pmatrix}
\begin{pmatrix}
-3 & 0 & 15 & 93 & 45 & 39 & 930 & 39 & 186 & 75 & 93 & 15 & 3 & 0 \\
0 & -31 & 0 & 248 & 155 & 155 & 4030 & 186 & 992 & 465 & 713 & 155 & 62 & 775 \\
15 & 0 & -30 & 0 & 30 & 45 & 1395 & 75 & 465 & 255 & 465 & 120 & 60 & 930 \\
93 & 248 & 0 & -62 & 0 & 31 & 1395 & 93 & 713 & 465 & 1023 & 310 & 186 & 3410 \\
45 & 155 & 30 & 0 & -5 & 0 & 155 & 15 & 155 & 120 & 310 & 105 & 70 & 1395 \\
39 & 155 & 45 & 31 & 0 & -2 & 0 & 3 & 62 & 60 & 186 & 70 & 51 & 1085 \\
930 & 4030 & 1395 & 1395 & 155 & 0 & -155 & 0 & 775 & 930 & 3410 & 1395 & 1085 & 24180 \\
39 & 186 & 75 & 93 & 15 & 3 & 0 & -3 & 0 & 15 & 93 & 45 & 39 & 930 \\
186 & 992 & 465 & 713 & 155 & 62 & 775 & 0 & -31 & 0 & 248 & 155 & 155 & 4030 \\
75 & 465 & 255 & 465 & 120 & 60 & 930 & 15 & 0 & -30 & 0 & 30 & 45 & 1395 \\
93 & 713 & 465 & 1023 & 310 & 186 & 3410 & 93 & 248 & 0 & -62 & 0 & 31 & 1395 \\
15 & 155 & 120 & 310 & 105 & 70 & 1395 & 45 & 155 & 30 & 0 & -5 & 0 & 155 \\
3 & 62 & 60 & 186 & 70 & 51 & 1085 & 39 & 155 & 45 & 31 & 0 & -2 & 0 \\
0 & 775 & 930 & 3410 & 1395 & 1085 & 24180 & 930 & 4030 & 1395 & 1395 & 155 & 0 & -155
\end{pmatrix}.$$

$N = 112 \quad d = 483 = 3 \cdot 7 \cdot 23,\ \eta = 7, h = 1\colon\ \langle 6\rangle \oplus \langle -46\rangle \oplus \langle -7\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix}
7 & -2 & -4 \\
46 & -14 & -23 \\
\frac{21}{2} & \frac{-7}{2} & -4 \\
\frac{23}{2} & \frac{-9}{2} & 0 \\
0 & 0 & 1 \\
0 & 1 & 0 \\
1 & 0 & -1 \\
\frac{5}{2} & \frac{-1}{2} & -2 \\
391 & -101 & -253 \\
\frac{511}{2} & \frac{-133}{2} & -164 \\
\frac{2599}{2} & \frac{-681}{2} & -828 \\
399 & -105 & -253 \\
\frac{2185}{2} & \frac{-577}{2} & -690 \\
\frac{283}{2} & \frac{-75}{2} & -89
\end{pmatrix}
\begin{pmatrix}
-2 & 0 & 7 & 69 & 28 & 92 & 14 & 3 & 46 & 21 & 69 & 14 & 23 & 1 \\
0 & -23 & 0 & 276 & 161 & 644 & 115 & 46 & 2139 & 1288 & 6072 & 1771 & 4646 & 575 \\
7 & 0 & -14 & 0 & 28 & 161 & 35 & 21 & 1288 & 798 & 3864 & 1148 & 3059 & 385 \\
69 & 276 & 0 & -138 & 0 & 207 & 69 & 69 & 6072 & 3864 & 19182 & 5796 & 15663 & 2001 \\
28 & 161 & 28 & 0 & -7 & 0 & 7 & 14 & 1771 & 1148 & 5796 & 1771 & 4830 & 623 \\
92 & 644 & 161 & 207 & 0 & -46 & 0 & 23 & 4646 & 3059 & 15663 & 4830 & 13271 & 1725 \\
14 & 115 & 35 & 69 & 7 & 0 & -1 & 1 & 575 & 385 & 2001 & 623 & 1725 & 226 \\
3 & 46 & 21 & 69 & 14 & 23 & 1 & -2 & 0 & 7 & 69 & 28 & 92 & 14 \\
46 & 2139 & 1288 & 6072 & 1771 & 4646 & 575 & 0 & -23 & 0 & 276 & 161 & 644 & 115 \\
21 & 1288 & 798 & 3864 & 1148 & 3059 & 385 & 7 & 0 & -14 & 0 & 28 & 161 & 35 \\
69 & 6072 & 3864 & 19182 & 5796 & 15663 & 2001 & 69 & 276 & 0 & -138 & 0 & 207 & 69 \\
14 & 1771 & 1148 & 5796 & 1771 & 4830 & 623 & 28 & 161 & 28 & 0 & -7 & 0 & 7 \\
23 & 4646 & 3059 & 15663 & 4830 & 13271 & 1725 & 92 & 644 & 161 & 207 & 0 & -46 & 0 \\
1 & 575 & 385 & 2001 & 623 & 1725 & 226 & 14 & 115 & 35 & 69 & 7 & 0 & -1
\end{pmatrix}.$$

$N = 113 \quad d = 570 = 2 \cdot 3 \cdot 5 \cdot 19,\ \eta = 6,\ h = 1\colon\ \langle 38\rangle \oplus \langle -10\rangle \oplus \langle -6\rangle(0, 1/2, 1/2)$

$$\begin{pmatrix}
0 & 0 & 15 & 1 & 6 & 5 & 42 & 7 & 9 & 15 & 213 & 7 & 15 & 5 & 15 & 1 \\
0 & 1 & 0 & \frac{-1}{2} & -6 & -6 & -57 & -10 & \frac{-27}{2} & \frac{-47}{2} & -342 & \frac{-23}{2} & \frac{-51}{2} & -9 & \frac{-57}{2} & -2 \\
1 & 0 & -38 & \frac{-5}{2} & -13 & -10 & -76 & -12 & \frac{-29}{2} & \frac{-45}{2} & -304 & \frac{-19}{2} & \frac{-37}{2} & -5 & \frac{-19}{2} & 0
\end{pmatrix}$$

$$\begin{pmatrix}
-6 & 0 & 228 & 15 & 78 & 60 & 456 & 72 & 87 & 135 & 1824 & 57 & 111 & 30 & 57 & 0 \\
0 & -10 & 0 & 5 & 60 & 60 & 570 & 100 & 135 & 235 & 3420 & 115 & 255 & 90 & 285 & 20 \\
228 & 0 & -114 & 0 & 456 & 570 & 6612 & 1254 & 1824 & 3420 & 52098 & 1824 & 4332 & 1710 & 6384 & 570 \\
15 & 5 & 0 & -2 & 3 & 10 & 171 & 36 & 57 & 115 & 1824 & 66 & 165 & 70 & 285 & 28 \\
78 & 60 & 456 & 3 & -6 & 0 & 228 & 60 & 111 & 255 & 4332 & 165 & 447 & 210 & 969 & 108 \\
60 & 60 & 570 & 10 & 0 & -10 & 0 & 10 & 30 & 90 & 1710 & 70 & 210 & 110 & 570 & 70 \\
456 & 570 & 6612 & 171 & 228 & 0 & -114 & 0 & 57 & 285 & 6384 & 285 & 969 & 570 & 3363 & 456 \\
72 & 100 & 1254 & 36 & 60 & 10 & 0 & -2 & 0 & 20 & 570 & 28 & 108 & 70 & 456 & 66 \\
87 & 135 & 1824 & 57 & 111 & 30 & 57 & 0 & -6 & 0 & 228 & 15 & 78 & 60 & 456 & 72 \\
135 & 235 & 3420 & 115 & 255 & 90 & 285 & 20 & 0 & -10 & 0 & 5 & 60 & 60 & 570 & 100 \\
1824 & 3420 & 52098 & 1824 & 4332 & 1710 & 6384 & 570 & 228 & 0 & -114 & 0 & 456 & 570 & 6612 & 1254 \\
57 & 115 & 1824 & 66 & 165 & 70 & 285 & 28 & 15 & 5 & 0 & -2 & 3 & 10 & 171 & 36 \\
111 & 255 & 4332 & 165 & 447 & 210 & 969 & 108 & 78 & 60 & 456 & 3 & -6 & 0 & 228 & 60 \\
30 & 90 & 1710 & 70 & 210 & 110 & 570 & 70 & 60 & 60 & 570 & 10 & 0 & -10 & 0 & 10 \\
57 & 285 & 6384 & 285 & 969 & 570 & 3363 & 456 & 456 & 570 & 6612 & 171 & 228 & 0 & -114 & 0 \\
0 & 20 & 570 & 28 & 108 & 70 & 456 & 66 & 72 & 100 & 1254 & 36 & 60 & 10 & 0 & -2
\end{pmatrix}.$$

$N = 114$ $d = 615 = 3 \cdot 5 \cdot 41$, $\eta = 0$, $h = 1$: $\langle 3\rangle \oplus \langle -41\rangle \oplus \langle -5\rangle$

$$\begin{pmatrix}
0 & 0 & 1 & 16 & 82 & 9 & 410 & 25 & 20 & 164 & 27 & 80 & 246 & 15 & 410 & 11 \\
0 & 1 & 0 & -3 & -17 & -2 & -95 & -6 & -5 & -42 & -7 & -21 & -65 & -4 & -110 & -3 \\
1 & 0 & -1 & -9 & -41 & -4 & -164 & -9 & -6 & -41 & -6 & -15 & -41 & -2 & -41 & 0
\end{pmatrix}$$

$$\begin{pmatrix}
-5 & 0 & 5 & 45 & 205 & 20 & 820 & 45 & 30 & 205 & 30 & 75 & 205 & 10 & 205 & 0 \\
0 & -41 & 0 & 123 & 697 & 82 & 3895 & 246 & 205 & 1722 & 287 & 861 & 2665 & 164 & 4510 & 123 \\
5 & 0 & -2 & 3 & 41 & 7 & 410 & 30 & 30 & 287 & 51 & 165 & 533 & 35 & 1025 & 33 \\
45 & 123 & 3 & -6 & 0 & 6 & 615 & 57 & 75 & 861 & 165 & 582 & 1968 & 138 & 4305 & 159 \\
205 & 697 & 41 & 0 & -82 & 0 & 1025 & 123 & 205 & 2665 & 533 & 1968 & 6806 & 492 & 15785 & 615 \\
20 & 82 & 7 & 6 & 0 & -1 & 0 & 3 & 10 & 164 & 35 & 138 & 492 & 37 & 1230 & 51 \\
820 & 3895 & 410 & 615 & 1025 & 0 & -205 & 0 & 205 & 4510 & 1025 & 4305 & 15785 & 1230 & 42230 & 1845 \\
45 & 246 & 30 & 57 & 123 & 3 & 0 & -6 & 0 & 123 & 33 & 159 & 615 & 51 & 1845 & 87 \\
30 & 205 & 30 & 75 & 205 & 10 & 205 & 0 & -5 & 0 & 5 & 45 & 205 & 20 & 820 & 45 \\
205 & 1722 & 287 & 861 & 2665 & 164 & 4510 & 123 & 0 & -41 & 0 & 123 & 697 & 82 & 3895 & 246 \\
30 & 287 & 51 & 165 & 533 & 35 & 1025 & 33 & 5 & 0 & -2 & 3 & 41 & 7 & 410 & 30 \\
75 & 861 & 165 & 582 & 1968 & 138 & 4305 & 159 & 45 & 123 & 3 & -6 & 0 & 6 & 615 & 57 \\
205 & 2665 & 533 & 1968 & 6806 & 492 & 15785 & 615 & 205 & 697 & 41 & 0 & -82 & 0 & 1025 & 123 \\
10 & 164 & 35 & 138 & 492 & 37 & 1230 & 51 & 20 & 82 & 7 & 6 & 0 & -1 & 0 & 3 \\
205 & 4510 & 1025 & 4305 & 15785 & 1230 & 42230 & 1845 & 820 & 3895 & 410 & 615 & 1025 & 0 & -205 & 0 \\
0 & 123 & 33 & 159 & 615 & 51 & 1845 & 87 & 45 & 246 & 30 & 57 & 123 & 3 & 0 & -6
\end{pmatrix}.$$

$N = 115$ $d = 645 = 3 \cdot 5 \cdot 43$, $\eta = 3$, $h = 1$: $\langle 10\rangle \oplus \langle -86\rangle \oplus \langle -3\rangle(1/2, 1/2, 0)$

$$\begin{pmatrix}
\frac{165}{2} & \frac{645}{2} & \frac{43}{2} & 516 & 22 & 4 & \frac{387}{2} & \frac{3}{2} & \frac{43}{2} & 0 & 0 & 1 & 129 & \frac{31}{2} & 11 & 1419 & 36 & 1591 \\
\frac{-33}{2} & \frac{-131}{2} & \frac{-9}{2} & -111 & -5 & -1 & \frac{-105}{2} & \frac{-1}{2} & \frac{-15}{2} & 0 & 1 & 0 & -18 & \frac{-5}{2} & -2 & -270 & -7 & -315 \\
-122 & -473 & -31 & -731 & -30 & -5 & -215 & -1 & 0 & 1 & 0 & -2 & -215 & -25 & -17 & -2150 & -54 & -2365
\end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix}
-3 & 0 & 6 & 645 & 75 & 51 & 6450 & 162 & 7095 \\
0 & -86 & 0 & 1548 & 215 & 172 & 23220 & 602 & 27090 \\
6 & 0 & -2 & 0 & 5 & 8 & 1290 & 36 & 1720 \\
645 & 1548 & 0 & -129 & 0 & 129 & 25800 & 774 & 39345 \\
75 & 215 & 5 & 0 & -10 & 0 & 645 & 25 & 1505 \\
51 & 172 & 8 & 129 & 0 & -1 & 0 & 2 & 215 \\
6450 & 23220 & 1290 & 25800 & 645 & 0 & -1290 & 0 & 7740 \\
162 & 602 & 36 & 774 & 25 & 2 & 0 & -2 & 0 \\
7095 & 27090 & 1720 & 39345 & 1505 & 215 & 7740 & 0 & -215 \\
366 & 1419 & 93 & 2193 & 90 & 15 & 645 & 3 & 0 \\
1419 & 5633 & 387 & 9546 & 430 & 86 & 4515 & 43 & 645 \\
93 & 387 & 29 & 774 & 40 & 10 & 645 & 9 & 215 \\
2193 & 9546 & 774 & 22317 & 1290 & 387 & 29670 & 516 & 16125 \\
90 & 430 & 40 & 1290 & 85 & 30 & 2580 & 50 & 1720 \\
15 & 86 & 10 & 387 & 30 & 13 & 1290 & 28 & 1075 \\
645 & 4515 & 645 & 29670 & 2580 & 1290 & 139965 & 3225 & 130935 \\
3 & 43 & 9 & 516 & 50 & 28 & 3225 & 77 & 3225 \\
0 & 645 & 215 & 16125 & 1720 & 1075 & 130935 & 3225 & 138890
\end{pmatrix}.$$

$N = 116$ $d = 651 = 3 \cdot 7 \cdot 31$, $\eta = 4$, $h = 1$: $\langle 14\rangle \oplus \langle -31\rangle \oplus \langle -6\rangle(1/2, 0, 1/2)$

$$\begin{pmatrix}
129 & 992 & 13 & \frac{3}{2} & 31 & 0 & 0 & \frac{3}{2} & \frac{31}{2} & \frac{21}{2} & \frac{899}{2} & \frac{67}{2} & \frac{183}{2} & \frac{25885}{2} & \frac{2511}{2} & 5766 & 2091 & 1426 \\
-78 & -602 & -8 & -1 & -21 & 0 & 1 & 0 & -8 & -6 & -266 & -20 & -55 & -7791 & -756 & -3473 & -1260 & -860 \\
-86 & -651 & -8 & \frac{-1}{2} & 0 & 1 & 0 & \frac{-7}{2} & \frac{-31}{2} & \frac{-17}{2} & \frac{-651}{2} & \frac{-47}{2} & \frac{-125}{2} & \frac{-17577}{2} & \frac{-1703}{2} & -3906 & -1414 & -961
\end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix}
-6 & 0 & 6 & 33 & 5208 & 516 & 2418 & 903 & 651 \\
0 & -434 & 0 & 217 & 38626 & 3906 & 18662 & 7161 & 5425 \\
6 & 0 & -2 & 1 & 434 & 48 & 248 & 105 & 93 \\
33 & 217 & 1 & -1 & 0 & 3 & 31 & 21 & 31 \\
5208 & 38626 & 434 & 0 & -217 & 0 & 651 & 651 & 1519 \\
516 & 3906 & 48 & 3 & 0 & -6 & 0 & 21 & 93 \\
2418 & 18662 & 248 & 31 & 651 & 0 & -31 & 0 & 248 \\
903 & 7161 & 105 & 21 & 651 & 21 & 0 & -42 & 0 \\
651 & 5425 & 93 & 31 & 1519 & 93 & 248 & 0 & -62 \\
69 & 651 & 15 & 9 & 651 & 51 & 186 & 42 & 0 \\
651 & 7161 & 217 & 217 & 21917 & 1953 & 8246 & 2604 & 1302 \\
15 & 217 & 9 & 13 & 1519 & 141 & 620 & 210 & 124 \\
9 & 217 & 13 & 29 & 3906 & 375 & 1705 & 609 & 403 \\
651 & 21917 & 1519 & 3906 & 545104 & 52731 & 241521 & 87234 & 59024 \\
51 & 1953 & 141 & 375 & 52731 & 5109 & 23436 & 8484 & 5766 \\
186 & 8246 & 620 & 1705 & 241521 & 23436 & 107663 & 39060 & 26660 \\
42 & 2604 & 210 & 609 & 87234 & 8484 & 39060 & 14217 & 9765 \\
0 & 1302 & 124 & 403 & 59024 & 5766 & 26660 & 9765 & 6789
\end{pmatrix}.$$

$N=117\ \ d=795=3\cdot5\cdot53,\ \eta=6,\ h=1\colon\ \langle 3\rangle\oplus\langle -106\rangle\oplus\langle -10\rangle(0,1/2,1/2)$

$$\begin{pmatrix}
143 & 101 & 1060 & 4 & 265 & 3 & 53 & 0 & 0 & 5 & 7 & 49 & 1590 & 46 & 23585 & 747 & 31747 & 2200 & 5300 & 895\\
\frac{-29}{2} & \frac{-21}{2} & \frac{-225}{2} & \frac{-1}{2} & \frac{-75}{2} & \frac{-1}{2} & -9 & 0 & 1 & 0 & \frac{-1}{2} & \frac{-9}{2} & \frac{-305}{2} & \frac{-9}{2} & \frac{-4695}{2} & \frac{-149}{2} & -3171 & -220 & -531 & -90\\
\frac{-125}{2} & \frac{-87}{2} & \frac{-901}{2} & \frac{-3}{2} & \frac{-159}{2} & \frac{-1}{2} & 0 & 1 & 0 & -3 & \frac{-7}{2} & \frac{-45}{2} & \frac{-1431}{2} & \frac{-41}{2} & \frac{-20829}{2} & \frac{-659}{2} & -13992 & -969 & -2332 & -393
\end{pmatrix}$$

$$\begin{pmatrix} A & B\\ B & A\end{pmatrix}\text{ where }\begin{pmatrix} A\\ B\end{pmatrix}=\begin{pmatrix}
-2 & 3 & 265 & 10 & 6360 & 206 & 8904 & 625 & 1537 & 270\\
3 & -6 & 0 & 3 & 3975 & 135 & 6042 & 435 & 1113 & 210\\
265 & 0 & -265 & 0 & 37365 & 1325 & 61215 & 4505 & 11925 & 2385\\
10 & 3 & 0 & -1 & 0 & 2 & 159 & 15 & 53 & 15\\
6360 & 3975 & 37365 & 0 & -1590 & 0 & 6360 & 795 & 3975 & 1590\\
206 & 135 & 1325 & 2 & 0 & -2 & 0 & 5 & 53 & 30\\
8904 & 6042 & 61215 & 159 & 6360 & 0 & -159 & 0 & 954 & 795\\
625 & 435 & 4505 & 15 & 795 & 5 & 0 & -10 & 0 & 30\\
1537 & 1113 & 11925 & 53 & 3975 & 53 & 954 & 0 & -106 & 0\\
270 & 210 & 2385 & 15 & 1590 & 30 & 795 & 30 & 0 & -15\\
47 & 42 & 530 & 5 & 795 & 19 & 636 & 35 & 53 & 0\\
42 & 51 & 795 & 12 & 3180 & 90 & 3498 & 225 & 477 & 60\\
530 & 795 & 14310 & 265 & 89040 & 2650 & 107325 & 7155 & 16165 & 2385\\
5 & 12 & 265 & 6 & 2385 & 73 & 3021 & 205 & 477 & 75\\
795 & 3180 & 89040 & 2385 & 1139235 & 35775 & 1510500 & 104145 & 248835 & 41340\\
19 & 90 & 2650 & 73 & 35775 & 1127 & 47700 & 3295 & 7897 & 1320\\
636 & 3498 & 107325 & 3021 & 1510500 & 47700 & 2022639 & 139920 & 336126 & 56445\\
35 & 225 & 7155 & 205 & 104145 & 3295 & 139920 & 9690 & 23320 & 3930\\
53 & 477 & 16165 & 477 & 248835 & 7897 & 336126 & 23320 & 56286 & 9540\\
0 & 60 & 2385 & 75 & 41340 & 1320 & 56445 & 3930 & 9540 & 1635
\end{pmatrix}.$$

$N=118\ \ d=1155=3\cdot5\cdot7\cdot11,\ \eta=2, h=0\colon\ \langle 14\rangle\oplus\langle -22\rangle\oplus\langle -15\rangle(1/2,1/2,0)$

$$\begin{pmatrix}
0 & 0 & 1 & \frac{165}{2} & \frac{9}{2} & \frac{55}{2} & \frac{39}{2} & \frac{25}{2} & 132 & \frac{1}{2}\\
0 & 1 & 0 & \frac{-35}{2} & \frac{-3}{2} & \frac{-25}{2} & \frac{-21}{2} & \frac{-15}{2} & -84 & \frac{-1}{2}\\
1 & 0 & -1 & -77 & -4 & -22 & -14 & -8 & -77 & 0
\end{pmatrix}$$

$$\begin{pmatrix}
-15 & 0 & 15 & 1155 & 60 & 330 & 210 & 120 & 1155 & 0\\
0 & -22 & 0 & 385 & 33 & 275 & 231 & 165 & 1848 & 11\\
15 & 0 & -1 & 0 & 3 & 55 & 63 & 55 & 693 & 7\\
1155 & 385 & 0 & -385 & 0 & 1540 & 2310 & 2310 & 31185 & 385\\
60 & 33 & 3 & 0 & -6 & 0 & 42 & 60 & 924 & 15\\
330 & 275 & 55 & 1540 & 0 & -110 & 0 & 110 & 2310 & 55\\
210 & 231 & 63 & 2310 & 42 & 0 & -42 & 0 & 462 & 21\\
120 & 165 & 55 & 2310 & 60 & 110 & 0 & -10 & 0 & 5\\
1155 & 1848 & 693 & 31185 & 924 & 2310 & 462 & 0 & -231 & 0\\
0 & 11 & 7 & 385 & 15 & 55 & 21 & 5 & 0 & -2
\end{pmatrix}.$$

$N=119\ \ d=1155=3\cdot5\cdot7\cdot11,\ \eta=8,\ h=1\colon\ \langle 1155\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$

$$\begin{pmatrix}
0 & 0 & 1 & 4 & 2 & 17 & 43 & 5 & 61 & 1 & 1 & 6 & 7 & 2 & 11 & 23 & 2 & 16\\
-1 & 1 & 0 & -33 & -20 & -189 & -495 & -60 & -770 & -14 & -16 & -105 & -132 & -40 & -231 & -495 & -45 & -385\\
1 & 0 & -35 & -132 & -65 & -546 & -1375 & -159 & -1925 & -31 & -30 & -175 & -198 & -55 & -294 & -605 & -51 & -385
\end{pmatrix}$$

$$\begin{pmatrix}
-2 & 1 & 35 & 99 & 45 & 357 & 880 & 99 & 1155 & 17 & 14 & 70 & 66 & 15 & 63 & 110 & 6 & 0\\
1 & -1 & 0 & 33 & 20 & 189 & 495 & 60 & 770 & 14 & 16 & 105 & 132 & 40 & 231 & 495 & 45 & 385\\
35 & 0 & -70 & 0 & 35 & 525 & 1540 & 210 & 3080 & 70 & 105 & 805 & 1155 & 385 & 2415 & 5390 & 525 & 5005\\
99 & 33 & 0 & -33 & 0 & 231 & 825 & 132 & 2310 & 66 & 132 & 1155 & 1848 & 660 & 4389 & 10065 & 1023 & 10395\\
45 & 20 & 35 & 0 & -5 & 0 & 55 & 15 & 385 & 15 & 40 & 385 & 660 & 245 & 1680 & 3905 & 405 & 4235\\
357 & 189 & 525 & 231 & 0 & -42 & 0 & 21 & 1155 & 63 & 231 & 2415 & 4389 & 1680 & 11802 & 27720 & 2919 & 31185\\
880 & 495 & 1540 & 825 & 55 & 0 & -55 & 0 & 1540 & 110 & 495 & 5390 & 10065 & 3905 & 27720 & 65395 & 6930 & 74690\\
99 & 60 & 210 & 132 & 15 & 21 & 0 & -6 & 0 & 6 & 45 & 525 & 1023 & 405 & 2919 & 6930 & 741 & 8085\\
1155 & 770 & 3080 & 2310 & 385 & 1155 & 1540 & 0 & -770 & 0 & 385 & 5005 & 10395 & 4235 & 31185 & 74690 & 8085 & 89705\\
17 & 14 & 70 & 66 & 15 & 63 & 110 & 6 & 0 & -2 & 1 & 35 & 99 & 45 & 357 & 880 & 99 & 1155\\
14 & 16 & 105 & 132 & 40 & 231 & 495 & 45 & 385 & 1 & -1 & 0 & 33 & 20 & 189 & 495 & 60 & 770\\
70 & 105 & 805 & 1155 & 385 & 2415 & 5390 & 525 & 5005 & 35 & 0 & -70 & 0 & 35 & 525 & 1540 & 210 & 3080\\
66 & 132 & 1155 & 1848 & 660 & 4389 & 10065 & 1023 & 10395 & 99 & 33 & 0 & -33 & 0 & 231 & 825 & 132 & 2310\\
15 & 40 & 385 & 660 & 245 & 1680 & 3905 & 405 & 4235 & 45 & 20 & 35 & 0 & -5 & 0 & 55 & 15 & 385\\
63 & 231 & 2415 & 4389 & 1680 & 11802 & 27720 & 2919 & 31185 & 357 & 189 & 525 & 231 & 0 & -42 & 0 & 21 & 1155\\
110 & 495 & 5390 & 10065 & 3905 & 27720 & 65395 & 6930 & 74690 & 880 & 495 & 1540 & 825 & 55 & 0 & -55 & 0 & 1540\\
6 & 45 & 525 & 1023 & 405 & 2919 & 6930 & 741 & 8085 & 99 & 60 & 210 & 132 & 15 & 21 & 0 & -6 & 0\\
0 & 385 & 5005 & 10395 & 4235 & 31185 & 74690 & 8085 & 89705 & 1155 & 770 & 3080 & 2310 & 385 & 1155 & 1540 & 0 & -770
\end{pmatrix}.$$

$N = 120 \quad d = 1155 = 3 \cdot 5 \cdot 7 \cdot 11,\ \eta = 14,\ h = 0\colon\ \langle 22\rangle \oplus \langle -15\rangle \oplus \langle -14\rangle(1/2, 0, 1/2)$

$$\begin{pmatrix} 0 & 0 & \frac{7}{2} & \frac{5}{2} & 7 & \frac{15}{2} & \frac{7}{2} & \frac{525}{2} & \frac{5}{2} & 9 \\ 0 & 1 & 0 & -2 & -7 & -8 & -4 & -308 & -3 & -11 \\ 1 & 0 & \frac{-11}{2} & \frac{-5}{2} & -5 & \frac{-9}{2} & \frac{-3}{2} & \frac{-165}{2} & \frac{-1}{2} & 0 \end{pmatrix}$$

$$\begin{pmatrix} -14 & 0 & 77 & 35 & 70 & 63 & 21 & 1155 & 7 & 0 \\ 0 & -15 & 0 & 30 & 105 & 120 & 60 & 4620 & 45 & 165 \\ 77 & 0 & -154 & 0 & 154 & 231 & 154 & 13860 & 154 & 693 \\ 35 & 30 & 0 & -10 & 0 & 15 & 20 & 2310 & 30 & 165 \\ 70 & 105 & 154 & 0 & -7 & 0 & 14 & 2310 & 35 & 231 \\ 63 & 120 & 231 & 15 & 0 & -6 & 3 & 1155 & 21 & 165 \\ 21 & 60 & 154 & 20 & 14 & 3 & -2 & 0 & 2 & 33 \\ 1155 & 4620 & 13860 & 2310 & 2310 & 1155 & 0 & -2310 & 0 & 1155 \\ 7 & 45 & 154 & 30 & 35 & 21 & 2 & 0 & -1 & 0 \\ 0 & 165 & 693 & 165 & 231 & 165 & 33 & 1155 & 0 & -33 \end{pmatrix}.$$

$N = 121 \quad d = 1365 = 3 \cdot 5 \cdot 7 \cdot 13,\ \eta = 5,\ h = 1\colon\ \langle 5\rangle \oplus \langle -39\rangle \oplus \langle -7\rangle$

$$\begin{pmatrix} 90 & 49 & 33 & 3 & 13 & 0 & 0 & 1 & 182 & 9 & 28 & 132 & 63 & 1417 & 462 & 1287 & 142 & 4823 \\ -25 & -14 & -10 & -1 & -5 & 0 & 1 & 0 & -35 & -2 & -7 & -35 & -17 & -385 & -126 & -352 & -39 & -1330 \\ -48 & -25 & -15 & -1 & 0 & 1 & 0 & -1 & -130 & -6 & -17 & -75 & -35 & -780 & -253 & -702 & -77 & -2600 \end{pmatrix}$$

$$\begin{pmatrix} A & B \\ B & A \end{pmatrix} \text{ where } \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -3 & 0 & 60 & 39 & 975 & 336 & 975 & 114 & 4095 \\ 0 & -14 & 0 & 14 & 455 & 175 & 546 & 70 & 2730 \\ 60 & 0 & -30 & 0 & 195 & 105 & 390 & 60 & 2730 \\ 39 & 14 & 0 & -1 & 0 & 7 & 39 & 8 & 455 \\ 975 & 455 & 195 & 0 & -130 & 0 & 195 & 65 & 5005 \\ 336 & 175 & 105 & 7 & 0 & -7 & 0 & 7 & 910 \\ 975 & 546 & 390 & 39 & 195 & 0 & -39 & 0 & 1365 \\ 114 & 70 & 60 & 8 & 65 & 7 & 0 & -2 & 0 \\ 4095 & 2730 & 2730 & 455 & 5005 & 910 & 1365 & 0 & -455 \\ 84 & 63 & 75 & 15 & 195 & 42 & 78 & 3 & 0 \\ 63 & 63 & 105 & 28 & 455 & 119 & 273 & 21 & 455 \\ 75 & 105 & 255 & 90 & 1755 & 525 & 1365 & 135 & 4095 \\ 15 & 28 & 90 & 37 & 780 & 245 & 663 & 70 & 2275 \\ 195 & 455 & 1755 & 780 & 17030 & 5460 & 15015 & 1625 & 54145 \\ 42 & 119 & 525 & 245 & 5460 & 1771 & 4914 & 539 & 18200 \\ 78 & 273 & 1365 & 663 & 15015 & 4914 & 13728 & 1521 & 51870 \\ 3 & 21 & 135 & 70 & 1625 & 539 & 1521 & 171 & 5915 \\ 0 & 455 & 4095 & 2275 & 54145 & 18200 & 51870 & 5915 & 207480 \end{pmatrix}.$$

$N = 122\ \ d = 1365 = 3 \cdot 5 \cdot 7 \cdot 13,\ \eta = 15,\ h = 1$: $\langle 6\rangle \oplus \langle -65\rangle \oplus \langle -14\rangle(1/2, 0, 1/2)$

$$\left(\begin{matrix} \frac{223}{2} & \frac{5005}{2} & 37 & 140 & 13 & 0 & 0 & \frac{1}{2} & 91 & \frac{15}{2} & \frac{49}{2} & 31 & 1820 & 58 & \frac{1715}{2} & \frac{1209}{2} \\ -33 & -742 & -11 & -42 & -4 & 0 & 1 & 0 & -21 & -2 & -7 & -9 & -532 & -17 & -252 & -178 \\ \frac{-33}{2} & \frac{-715}{2} & -5 & -15 & 0 & 1 & 0 & \frac{-1}{2} & -39 & \frac{-5}{2} & \frac{-11}{2} & -6 & -325 & -10 & \frac{-285}{2} & \frac{-195}{2} \end{matrix}\right.$$

$$\left.\begin{matrix} \frac{1995}{2} & 8645 & \frac{1709}{2} & 25844 & 515 & 308 \\ -294 & -2549 & -252 & -7623 & -152 & -91 \\ \frac{-317}{2} & -1365 & \frac{-269}{2} & -4056 & -80 & -47 \end{matrix}\right)$$

$\begin{pmatrix} A & B \\ B & A \end{pmatrix}$ where

$$\begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -3 & 0 & 3 & 105 & 117 & 231 & 2145 & 219 & 6825 & 150 & 105 \\ 0 & -910 & 0 & 1365 & 2275 & 5005 & 48230 & 5005 & 158340 & 3640 & 2730 \\ 3 & 0 & -1 & 0 & 26 & 70 & 715 & 76 & 2457 & 60 & 49 \\ 105 & 1365 & 0 & -210 & 0 & 210 & 2730 & 315 & 10920 & 315 & 315 \\ 117 & 2275 & 26 & 0 & -26 & 0 & 260 & 39 & 1638 & 65 & 91 \\ 231 & 5005 & 70 & 210 & 0 & -14 & 0 & 7 & 546 & 35 & 77 \\ 2145 & 48230 & 715 & 2730 & 260 & 0 & -65 & 0 & 1365 & 130 & 455 \\ 219 & 5005 & 76 & 315 & 39 & 7 & 0 & -2 & 0 & 5 & 35 \\ 6825 & 158340 & 2457 & 10920 & 1638 & 546 & 1365 & 0 & -273 & 0 & 819 \\ 150 & 3640 & 60 & 315 & 65 & 35 & 130 & 5 & 0 & -10 & 0 \\ 105 & 2730 & 49 & 315 & 91 & 77 & 455 & 35 & 819 & 0 & -7 \\ 48 & 1365 & 27 & 210 & 78 & 84 & 585 & 51 & 1365 & 15 & 0 \\ 1365 & 42315 & 910 & 8190 & 3640 & 4550 & 34580 & 3185 & 90090 & 1365 & 455 \\ 27 & 910 & 21 & 210 & 104 & 140 & 1105 & 104 & 3003 & 50 & 21 \\ 210 & 8190 & 210 & 2415 & 1365 & 1995 & 16380 & 1575 & 46410 & 840 & 420 \\ 78 & 3640 & 104 & 1365 & 871 & 1365 & 11570 & 1131 & 33852 & 650 & 364 \\ 84 & 4550 & 140 & 1995 & 1365 & 2219 & 19110 & 1883 & 56784 & 1120 & 658 \\ 585 & 34580 & 1105 & 16380 & 11570 & 19110 & 165685 & 16380 & 495495 & 9880 & 5915 \\ 51 & 3185 & 104 & 1575 & 1131 & 1883 & 16380 & 1622 & 49140 & 985 & 595 \\ 1365 & 90090 & 3003 & 46410 & 33852 & 56784 & 495495 & 49140 & 1490853 & 30030 & 18291 \\ 15 & 1365 & 50 & 840 & 650 & 1120 & 9880 & 985 & 30030 & 615 & 385 \\ 0 & 455 & 21 & 420 & 364 & 658 & 5915 & 595 & 18291 & 385 & 252 \end{pmatrix}.$$

Table 2.

The list of odd hyperbolic lattices of rank three
and with even square-free determinant (i.e. non-main)
which are reflective of elliptic or parabolic type.

$N' = 1$ $d = 2$, odd, $\eta = 0$, $h = 0$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -2\rangle$. It is equivariantly equivalent to $d = 1$, $\eta = 0$, $h = 0$: $U \oplus \langle -1\rangle$.

$N' = 2$ $d = 6 = 2\cdot 3$, odd, $\eta = 0$, $h = 0$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -6\rangle$. It is equivariantly equivalent to $d = 3$, $\eta = 1$, $h = 0$: $U \oplus \langle -3\rangle$.

$N' = 3$ $d = 6 = 2\cdot 3$, odd, $\eta = 1$, $h = 0$: $\langle 6\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$ $(= (3, \widetilde{0, h} = 0))$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -3 \\ 1 & -2 & -2 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 3 & 0 \\ 1 & -1 & 0 & 2 \\ 3 & 0 & -3 & 0 \\ 0 & 2 & 0 & -2 \end{pmatrix}.$$

$N' = 4$ $d = 10 = 2\cdot 5$, odd, $\eta = 0$, $h = 1$: $\langle 2\rangle \oplus \langle -5\rangle \oplus \langle -1\rangle$ $(=(5, \widetilde{1, h} = 0))$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -2 \\ 2 & -1 & -2 \\ 10 & -6 & -5 \\ 3 & -2 & 0 \end{pmatrix} \qquad \begin{pmatrix} -1 & 0 & 2 & 2 & 5 & 0 \\ 0 & -5 & 0 & 5 & 30 & 10 \\ 2 & 0 & -2 & 0 & 10 & 6 \\ 2 & 5 & 0 & -1 & 0 & 2 \\ 5 & 30 & 10 & 0 & -5 & 0 \\ 0 & 10 & 6 & 2 & 0 & -2 \end{pmatrix}.$$

$N' = 5$ $d = 10 = 2\cdot 5$, odd, $\eta = 1$, $h = 0$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -10\rangle$. It is equivariantly equivalent to $d = 5$, $\eta = 0$, $h = 0$: $U \oplus \langle -5\rangle$.

$N' = 6$ $d = 14 = 2\cdot 7$, odd, $\eta = 0$, $h = 1$: $\langle 14\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$ $(=(7, \widetilde{0, h} = 1))$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & -4 \\ 2 & -3 & -7 \\ 4 & -9 & -12 \\ 3 & -8 & -8 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 4 & 4 & 3 & 0 \\ 1 & -1 & 0 & 3 & 9 & 8 \\ 4 & 0 & -2 & 0 & 8 & 10 \\ 4 & 3 & 0 & -2 & 1 & 4 \\ 3 & 9 & 8 & 1 & -1 & 0 \\ 0 & 8 & 10 & 4 & 0 & -2 \end{pmatrix}.$$

$N' = 7$ $d = 14 = 2\cdot 7, \text{odd}$, $\eta = 1$, $h = 0$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -14\rangle$. It is equivariantly equivalent to $d = 7$, $\eta = 1$, $h = 0$: $U \oplus \langle -7\rangle$.

$N' = 8$ $d = 22 = 2\cdot 11$, odd, $\eta = 0$, $h = 1$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -22\rangle$. It is equivariantly equivalent to $d = 11$, $\eta = 1$, $h = 1$: $U \oplus \langle -11\rangle$.

$N' = 9$ $d = 22 = 2\cdot 11$, odd, $\eta = 1$, $h = 1$: $\langle 22\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$ $(=(11, \widetilde{0, h} = 0))$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 7 & 0 & -33 \\ 3 & -2 & -14 \\ 2 & -3 & -9 \\ 2 & -5 & -8 \\ 15 & -44 & -55 \\ 3 & -10 & -10 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 33 & 12 & 6 & 3 & 11 & 0 \\ 1 & -1 & 0 & 2 & 3 & 5 & 44 & 10 \\ 33 & 0 & -11 & 0 & 11 & 44 & 495 & 132 \\ 12 & 2 & 0 & -2 & 0 & 10 & 132 & 38 \\ 6 & 3 & 11 & 0 & -2 & 1 & 33 & 12 \\ 3 & 5 & 44 & 10 & 1 & -1 & 0 & 2 \\ 11 & 44 & 495 & 132 & 33 & 0 & -11 & 0 \\ 0 & 10 & 132 & 38 & 12 & 2 & 0 & -2 \end{pmatrix}.$$

$N' = 10$ $d = 26 = 2\cdot 13$, odd, $\eta = 1$, $h = 1$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -26\rangle$. It is equivariantly equivalent to $d = 13$, $\eta = 0$, $h = 1$: $U \oplus \langle -13\rangle$.

$N' = 11$ $d = 30 = 2\cdot 3\cdot 5$, odd, $\eta = 0$, $h = 0$: $\langle 30\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$ $(=(15, \widetilde{3, h} = 0))$

$$\begin{pmatrix} 0 & -1 & 1\\ 0 & 1 & 0\\ 1 & 0 & -6\\ 2 & -5 & -10\\ 1 & -4 & -4 \end{pmatrix} \qquad \begin{pmatrix} -2 & 1 & 6 & 5 & 0\\ 1 & -1 & 0 & 5 & 4\\ 6 & 0 & -6 & 0 & 6\\ 5 & 5 & 0 & -5 & 0\\ 0 & 4 & 6 & 0 & -2 \end{pmatrix}.$$

$N' = 12$ $d = 30 = 2\cdot 3\cdot 5$, odd, $\eta = 1$, $h = 0$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -30\rangle$. It is equivariantly equivalent to $d = 15$, $\eta = 2$, $h = 0$: $U \oplus \langle -15\rangle$.

$N' = 13$ $d = 30 = 2\cdot 3\cdot 5$, odd, $\eta = 2$, $h = 0$: $\langle 10\rangle \oplus \langle -6\rangle \oplus \langle -2\rangle(1/2, 1/2, 0)$. It is equivariantly equivalent to $d = 15$, $\eta = 1$, $h = 0$: $\langle 5\rangle \oplus \langle -3\rangle \oplus \langle -1\rangle$.

$N' = 14$ $d = 30 = 2\cdot 3\cdot 5$, odd, $\eta = 3$, $h = 0$: $\langle 6\rangle \oplus \langle -10\rangle \oplus \langle -2\rangle(1/2, 1/2, 0)$ $(= (15, \widetilde{0, h} = 0))$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -2\\ 10 & -4 & -15\\ \frac{5}{2} & \frac{-3}{2} & -3\\ \frac{1}{2} & \frac{-1}{2} & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 4 & 30 & 6 & 0\\ 0 & -10 & 0 & 40 & 15 & 5\\ 4 & 0 & -2 & 0 & 3 & 3\\ 30 & 40 & 0 & -10 & 0 & 10\\ 6 & 15 & 3 & 0 & -3 & 0\\ 0 & 5 & 3 & 10 & 0 & -1 \end{pmatrix}.$$

$N' = 15$ $d = 34 = 2\cdot 17$, odd, $\eta = 0$, $h = 0$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -34\rangle$. It is equivariantly equivalent to $d = 17$, $\eta = 0$, $h = 0$: $U \oplus \langle -17\rangle$.

$N' = 16$ $d = 42 = 2\cdot 3\cdot 7$, odd, $\eta = 0$, $h = 1$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -42\rangle$. It is equivariantly equivalent to $d = 21$, $\eta = 1$, $h = 1$: $U \oplus \langle -21\rangle$.

$N' = 17$ $d = 42 = 2\cdot 3\cdot 7$, odd, $\eta = 1$, $h = 1$: $\langle 7\rangle \oplus \langle -3\rangle \oplus \langle -2\rangle$ $(=(21, \widetilde{0, h} = 0))$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -2\\ 12 & -7 & -21\\ 2 & -2 & -3\\ 3 & -4 & -3\\ 2 & -3 & -1\\ 9 & -14 & 0 \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 4 & 42 & 6 & 6 & 2 & 0\\ 0 & -3 & 0 & 21 & 6 & 12 & 9 & 42\\ 4 & 0 & -1 & 0 & 2 & 9 & 10 & 63\\ 42 & 21 & 0 & -21 & 0 & 42 & 63 & 462\\ 6 & 6 & 2 & 0 & -2 & 0 & 4 & 42\\ 6 & 12 & 9 & 42 & 0 & -3 & 0 & 21\\ 2 & 9 & 10 & 63 & 4 & 0 & -1 & 0\\ 0 & 42 & 63 & 462 & 42 & 21 & 0 & -21 \end{pmatrix}.$$

$N' = 18$ $d = 42 = 2\cdot 3\cdot 7$, odd, $\eta = 2, h = 0$: $\langle 2\rangle \oplus \langle -14\rangle \oplus \langle -6\rangle(0, 1/2, 1/2)$ $(=(21, \widetilde{3, h} = 0))$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 3 & 0 & -2\\ 7 & \frac{-3}{2} & \frac{-7}{2}\\ 3 & -1 & -1\\ 4 & \frac{-3}{2} & \frac{-1}{2}\\ 21 & -8 & 0 \end{pmatrix} \qquad \begin{pmatrix} -6 & 0 & 12 & 21 & 6 & 3 & 0\\ 0 & -14 & 0 & 21 & 14 & 21 & 112\\ 12 & 0 & -6 & 0 & 6 & 18 & 126\\ 21 & 21 & 0 & -7 & 0 & 14 & 126\\ 6 & 14 & 6 & 0 & -2 & 0 & 14\\ 3 & 21 & 18 & 14 & 0 & -1 & 0\\ 0 & 112 & 126 & 126 & 14 & 0 & -14 \end{pmatrix}.$$

$N' = 19$ $d = 42 = 2\cdot 3\cdot 7$, odd, $\eta = 3$, $h = 0$: $\langle 6\rangle \oplus \langle -14\rangle \oplus \langle -2\rangle(1/2, 0, 1/2)$. It is equivariantly equivalent to $d = 21$, $\eta = 2$, $h = 0$: $\langle 3\rangle \oplus \langle -7\rangle \oplus \langle -1\rangle$.

$N' = 20\ \ d = 66 = 2\cdot 3\cdot 11$, odd, $\eta = 0$, $h = 1$: $\langle 2\rangle \oplus \langle -22\rangle \oplus \langle -6\rangle(1/2, 1/2, 0)$ $(=(33, \widetilde{3, h} = 1))$

$$\begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -2 \\ 66 & -10 & -33 \\ \frac{17}{2} & \frac{-3}{2} & -4 \\ 30 & -6 & -13 \\ 55 & -12 & -22 \\ 12 & -3 & -4 \\ 44 & -12 & -11 \\ \frac{3}{2} & \frac{-1}{2} & 0 \end{pmatrix} \begin{pmatrix} -6 & 0 & 12 & 198 & 24 & 78 & 132 & 24 & 66 & 0 \\ 0 & -22 & 0 & 220 & 33 & 132 & 264 & 66 & 264 & 11 \\ 12 & 0 & -6 & 0 & 3 & 24 & 66 & 24 & 132 & 9 \\ 198 & 220 & 0 & -22 & 0 & 66 & 264 & 132 & 990 & 88 \\ 24 & 33 & 3 & 0 & -1 & 0 & 11 & 9 & 88 & 9 \\ 78 & 132 & 24 & 66 & 0 & -6 & 0 & 12 & 198 & 24 \\ 132 & 264 & 66 & 264 & 11 & 0 & -22 & 0 & 220 & 33 \\ 24 & 66 & 24 & 132 & 9 & 12 & 0 & -6 & 0 & 3 \\ 66 & 264 & 132 & 990 & 88 & 198 & 220 & 0 & -22 & 0 \\ 0 & 11 & 9 & 88 & 9 & 24 & 33 & 3 & 0 & -1 \end{pmatrix}.$$

$N' = 21\ \ d = 66 = 2\cdot 3\cdot 11$, odd, $\eta = 1$, $h = 1$: $\langle 1\rangle \oplus \langle -1\rangle \oplus \langle -66\rangle$. It is equivariantly equivalent to $d = 33$, $\eta = 2$, $h = 1$: $U \oplus \langle -33\rangle$.

$N' = 22\ \ d = 66 = 2\cdot 3\cdot 11$, odd, $\eta = 2$, $h = 0$: $\langle 22\rangle \oplus \langle -6\rangle \oplus \langle -2\rangle(1/2, 0, 1/2)$. It is equivariantly equivalent to $d = 33$, $\eta = 1$, $h = 0$: $\langle 11\rangle \oplus \langle -3\rangle \oplus \langle -1\rangle$.

$N' = 23\ \ d = 70 = 2\cdot 5\cdot 7$, odd, $\eta = 1$, $h = 1$: $\langle 14\rangle \oplus \langle -10\rangle \oplus \langle -2\rangle(1/2, 1/2, 0)$ $(=(35, \widetilde{0, h} = 0))$

$$\begin{pmatrix} 50 & -11 & -130 \\ 7 & -2 & -18 \\ 10 & -4 & -25 \\ \frac{1}{2} & \frac{-1}{2} & -1 \\ \frac{5}{2} & \frac{-7}{2} & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \\ 3 & 0 & -8 \\ 40 & -6 & -105 \\ \frac{39}{2} & \frac{-7}{2} & -51 \\ \frac{1395}{2} & \frac{-273}{2} & -1820 \\ 130 & -26 & -339 \end{pmatrix} \quad \begin{pmatrix} -10 & 0 & 60 & 35 & 1365 & 260 & 110 & 20 & 40 & 5 & 35 & 0 \\ 0 & -2 & 0 & 3 & 175 & 36 & 20 & 6 & 20 & 5 & 105 & 16 \\ 60 & 0 & -10 & 0 & 210 & 50 & 40 & 20 & 110 & 40 & 1190 & 210 \\ 35 & 3 & 0 & -1 & 0 & 2 & 5 & 5 & 40 & 17 & 560 & 102 \\ 1365 & 175 & 210 & 0 & -35 & 0 & 35 & 105 & 1190 & 560 & 19635 & 3640 \\ 260 & 36 & 50 & 2 & 0 & -2 & 0 & 16 & 210 & 102 & 3640 & 678 \\ 110 & 20 & 40 & 5 & 35 & 0 & -10 & 0 & 60 & 35 & 1365 & 260 \\ 20 & 6 & 20 & 5 & 105 & 16 & 0 & -2 & 0 & 3 & 175 & 36 \\ 40 & 20 & 110 & 40 & 1190 & 210 & 60 & 0 & -10 & 0 & 210 & 50 \\ 5 & 5 & 40 & 17 & 560 & 102 & 35 & 3 & 0 & -1 & 0 & 2 \\ 35 & 105 & 1190 & 560 & 19635 & 3640 & 1365 & 175 & 210 & 0 & -35 & 0 \\ 0 & 16 & 210 & 102 & 3640 & 678 & 260 & 36 & 50 & 2 & 0 & -2 \end{pmatrix}.$$

$N' = 24\ \ d = 70 = 2\cdot 5\cdot 7$, odd, $\eta = 2$, $h = 1$: $\langle 70\rangle \oplus \langle -1\rangle \oplus \langle -1\rangle$ $(=(35, \widetilde{3, h} = 0))$

$$\begin{pmatrix} 0 & -1 & 1 \\ 0 & 1 & 0 \\ 5 & 0 & -42 \\ 6 & -5 & -50 \\ 11 & -14 & -91 \\ 9 & -14 & -74 \\ 6 & -11 & -49 \\ 2 & -5 & -16 \\ 9 & -28 & -70 \\ 4 & -15 & -30 \\ 3 & -14 & -21 \\ 1 & -6 & -6 \end{pmatrix} \quad \begin{pmatrix} -2 & 1 & 42 & 45 & 77 & 60 & 38 & 11 & 42 & 15 & 7 & 0 \\ 1 & -1 & 0 & 5 & 14 & 14 & 11 & 5 & 28 & 15 & 14 & 6 \\ 42 & 0 & -14 & 0 & 28 & 42 & 42 & 28 & 210 & 140 & 168 & 98 \\ 45 & 5 & 0 & -5 & 0 & 10 & 15 & 15 & 140 & 105 & 140 & 90 \\ 77 & 14 & 28 & 0 & -7 & 0 & 7 & 14 & 168 & 140 & 203 & 140 \\ 60 & 14 & 42 & 10 & 0 & -2 & 0 & 6 & 98 & 90 & 140 & 102 \\ 38 & 11 & 42 & 15 & 7 & 0 & -2 & 1 & 42 & 45 & 77 & 60 \\ 11 & 5 & 28 & 15 & 14 & 6 & 1 & -1 & 0 & 5 & 14 & 14 \\ 42 & 28 & 210 & 140 & 168 & 98 & 42 & 0 & -14 & 0 & 28 & 42 \\ 15 & 15 & 140 & 105 & 140 & 90 & 45 & 5 & 0 & -5 & 0 & 10 \\ 7 & 14 & 168 & 140 & 203 & 140 & 77 & 14 & 28 & 0 & -7 & 0 \\ 0 & 6 & 98 & 90 & 140 & 102 & 60 & 14 & 42 & 10 & 0 & -2 \end{pmatrix}.$$

$N' = 25\ \ d = 70 = 2\cdot 5\cdot 7$, odd, $\eta = 3$, $h = 1$: $\langle 2\rangle \oplus \langle -14\rangle \oplus \langle -10\rangle(1/2, 1/2, 0)$. It is equivariantly equivalent to $d = 35$, $\eta = 2$, $h = 1$: $\langle 1\rangle \oplus \langle -7\rangle \oplus \langle -5\rangle$.

$N' = 26\ \ d = 78 = 2\cdot 3\cdot 13$, odd, $\eta = 1$, $h = 1$: $\langle 6\rangle \oplus \langle -13\rangle \oplus \langle -1\rangle$. It is equivariantly equivalent to $d = 39$, $\eta = 2$, $h = 1$: $\langle 3\rangle \oplus \langle -26\rangle \oplus \langle -2\rangle(0, 1/2, 1/2)$.

$N'=27$ $d=78=2\cdot 3\cdot 13$, odd, $\eta=3$, $h=0$: $\langle 6\rangle\oplus\langle -26\rangle\oplus\langle -2\rangle(0,1/2,1/2)$ $(=(39,\widetilde{0},h=0))$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 1 & 0 & -2\\ 4 & -1 & -6\\ 39 & -12 & -52\\ 4 & \frac{-3}{2} & \frac{-9}{2}\\ 1 & \frac{-1}{2} & \frac{-1}{2} \end{pmatrix} \qquad \begin{pmatrix} -2 & 0 & 4 & 12 & 104 & 9 & 1\\ 0 & -26 & 0 & 26 & 312 & 39 & 13\\ 4 & 0 & -2 & 0 & 26 & 6 & 4\\ 12 & 26 & 0 & -2 & 0 & 3 & 5\\ 104 & 312 & 26 & 0 & -26 & 0 & 26\\ 9 & 39 & 6 & 3 & 0 & -3 & 0\\ 1 & 13 & 4 & 5 & 26 & 0 & -1 \end{pmatrix}.$$

$N'=28$ $d=102=2\cdot 3\cdot 17$, odd, $\eta=0$, $h=1$: $\langle 34\rangle\oplus\langle -6\rangle\oplus\langle -2\rangle(1/2,1/2,0)$. It is equivariantly equivalent to $d=51$, $\eta=1$, $h=1$: $\langle 17\rangle\oplus\langle -3\rangle\oplus\langle -1\rangle$.

$N'=29$ $d=114=2\cdot 3\cdot 19$, $\eta=1$, $h=1$: $\langle 6\rangle\oplus\langle -38\rangle\oplus\langle -2\rangle(1/2,0,1/2)$. It is equivariantly equivalent to $d=57$, $\eta=2$, $h=1$: $\langle 3\rangle\oplus\langle -19\rangle\oplus\langle -1\rangle$.

$N'=30$ $d=138=2\cdot 3\cdot 23$, odd, $\eta=2$, $h=1$: $\langle 2\rangle\oplus\langle -46\rangle\oplus\langle -6\rangle(0,1/2,1/2)$ $(=(69,\widetilde{3},h=0))$

$$\begin{pmatrix} 72 & 276 & 69 & 115 & 5 & 138 & 12 & 115 & 0 & 0 & 3 & 23 & 7 & 1104 & 126 & 1541\\ -12 & -47 & -12 & \frac{-41}{2} & -1 & \frac{-57}{2} & \frac{-5}{2} & -24 & 0 & 1 & 0 & \frac{-5}{2} & -1 & \frac{-357}{2} & \frac{-41}{2} & -252\\ -25 & -92 & -22 & \frac{-69}{2} & -1 & \frac{-23}{2} & \frac{-1}{2} & 0 & 1 & 0 & -2 & \frac{-23}{2} & -3 & \frac{-805}{2} & \frac{-91}{2} & -552 \end{pmatrix}$$

$$\begin{pmatrix} -6 & 0 & 12 & 69 & 18 & 2415 & 273 & 3312 & 150 & 552 & 132 & 207 & 6 & 69 & 3 & 0\\ 0 & -46 & 0 & 115 & 46 & 8211 & 943 & 11592 & 552 & 2162 & 552 & 943 & 46 & 1311 & 115 & 1104\\ 12 & 0 & -6 & 0 & 6 & 1794 & 210 & 2622 & 132 & 552 & 150 & 276 & 18 & 690 & 66 & 690\\ 69 & 115 & 0 & -23 & 0 & 2484 & 299 & 3818 & 207 & 943 & 276 & 552 & 46 & 2277 & 230 & 2530\\ 18 & 46 & 6 & 0 & -2 & 0 & 2 & 46 & 6 & 46 & 18 & 46 & 6 & 414 & 44 & 506\\ 2415 & 8211 & 1794 & 2484 & 0 & -69 & 0 & 276 & 69 & 1311 & 690 & 2277 & 414 & 42918 & 4761 & 56856\\ 273 & 943 & 210 & 299 & 2 & 0 & -1 & 0 & 3 & 115 & 66 & 230 & 44 & 4761 & 530 & 6348\\ 3312 & 11592 & 2622 & 3818 & 46 & 276 & 0 & -46 & 0 & 1104 & 690 & 2530 & 506 & 56856 & 6348 & 76222\\ 150 & 552 & 132 & 207 & 6 & 69 & 3 & 0 & -6 & 0 & 12 & 69 & 18 & 2415 & 273 & 3312\\ 552 & 2162 & 552 & 943 & 46 & 1311 & 115 & 1104 & 0 & -46 & 0 & 115 & 46 & 8211 & 943 & 11592\\ 132 & 552 & 150 & 276 & 18 & 690 & 66 & 690 & 12 & 0 & -6 & 0 & 6 & 1794 & 210 & 2622\\ 207 & 943 & 276 & 552 & 46 & 2277 & 230 & 2530 & 69 & 115 & 0 & -23 & 0 & 2484 & 299 & 3818\\ 6 & 46 & 18 & 46 & 6 & 414 & 44 & 506 & 18 & 46 & 6 & 0 & -2 & 0 & 2 & 46\\ 69 & 1311 & 690 & 2277 & 414 & 42918 & 4761 & 56856 & 2415 & 8211 & 1794 & 2484 & 0 & -69 & 0 & 276\\ 3 & 115 & 66 & 230 & 44 & 4761 & 530 & 6348 & 273 & 943 & 210 & 299 & 2 & 0 & -1 & 0\\ 0 & 1104 & 690 & 2530 & 506 & 56856 & 6348 & 76222 & 3312 & 11592 & 2622 & 3818 & 46 & 276 & 0 & -46 \end{pmatrix}.$$

$N'=31$ $d=210=2\cdot 3\cdot 5\cdot 7$, odd, $\eta=0$, $h=0$: $\langle 7\rangle\oplus\langle -5\rangle\oplus\langle -6\rangle$ $(=(105,\widetilde{3},h=0))$

$$\begin{pmatrix} 0 & 0 & 1\\ 0 & 1 & 0\\ 6 & 0 & -7\\ 2 & -1 & -2\\ 40 & -28 & -35\\ 3 & -3 & -2\\ 5 & -7 & 0 \end{pmatrix} \qquad \begin{pmatrix} -6 & 0 & 42 & 12 & 210 & 12 & 0\\ 0 & -5 & 0 & 5 & 140 & 15 & 35\\ 42 & 0 & -42 & 0 & 210 & 42 & 210\\ 12 & 5 & 0 & -1 & 0 & 3 & 35\\ 210 & 140 & 210 & 0 & -70 & 0 & 420\\ 12 & 15 & 42 & 3 & 0 & -6 & 0\\ 0 & 35 & 210 & 35 & 420 & 0 & -70 \end{pmatrix}.$$

$N'=32$ $d=210=2\cdot 3\cdot 5\cdot 7$, odd, $\eta=1$, $h=1$: $\langle 14\rangle\oplus\langle -30\rangle\oplus\langle -2\rangle(1/2,0,1/2)$. It is equivariantly equivalent to $d=105$, $\eta=2$, $h=1$: $\langle 7\rangle\oplus\langle -15\rangle\oplus\langle -1\rangle$.

$N'=33$ $d=210=2\cdot 3\cdot 5\cdot 7$, odd, $\eta=2$, $h=0$: $\langle 2\rangle\oplus\langle -42\rangle\oplus\langle -10\rangle(0,1/2,1/2)$. It is equivariantly equivalent to $d=105=3\cdot 5\cdot 7$, $\eta=1$, $h=0$: $\langle 1\rangle\oplus\langle -21\rangle\oplus\langle -5\rangle$.

$N'=34$ $d=210=2\cdot 3\cdot 5\cdot 7$, odd, $\eta=4$, $h=0$: $\langle 5\rangle\oplus\langle -7\rangle\oplus\langle -6\rangle$. It is equivariantly equivalent to $d=105$, $\eta=7$, $h=0$: $\langle 10\rangle\oplus\langle -14\rangle\oplus\langle -3\rangle(1/2,1/2,0)$.

$N' = 35$ $d = 210 = 2.3.5.7$, odd, $\eta = 6$, $h = 1$: $\langle 10\rangle \oplus \langle -14\rangle \oplus \langle -6\rangle(0, 1/2, 1/2)$ r $(=(\widetilde{105, 5,}\, h = 0))$

$$\begin{pmatrix} 0 & 0 & 3 & 2 & 13 & 35 & 81 & 105 & 24 & 28 & 21 & 4 & 7 & 7 & 9 & 7 \\ 0 & 1 & 0 & \frac{-1}{2} & -5 & \frac{-31}{2} & \frac{-75}{2} & -50 & -12 & -15 & -12 & \frac{-5}{2} & -5 & \frac{-11}{2} & \frac{-15}{2} & -6 \\ 1 & 0 & -4 & \frac{-5}{2} & -15 & \frac{-77}{2} & \frac{-175}{2} & -112 & -25 & -28 & -20 & \frac{-7}{2} & -5 & \frac{-7}{2} & \frac{-5}{2} & 0 \end{pmatrix}$$

$$\begin{pmatrix} -6 & 0 & 24 & 15 & 90 & 231 & 525 & 672 & 150 & 168 & 120 & 21 & 30 & 21 & 15 & 0 \\ 0 & -14 & 0 & 7 & 70 & 217 & 525 & 700 & 168 & 210 & 168 & 35 & 70 & 77 & 105 & 84 \\ 24 & 0 & -6 & 0 & 30 & 126 & 330 & 462 & 120 & 168 & 150 & 36 & 90 & 126 & 210 & 210 \\ 15 & 7 & 0 & -1 & 0 & 14 & 45 & 70 & 21 & 35 & 36 & 10 & 30 & 49 & 90 & 98 \\ 90 & 70 & 30 & 0 & -10 & 0 & 30 & 70 & 30 & 70 & 90 & 30 & 110 & 210 & 420 & 490 \\ 231 & 217 & 126 & 14 & 0 & -7 & 0 & 28 & 21 & 77 & 126 & 49 & 210 & 448 & 945 & 1148 \\ 525 & 525 & 330 & 45 & 30 & 0 & -15 & 0 & 15 & 105 & 210 & 90 & 420 & 945 & 2040 & 2520 \\ 672 & 700 & 462 & 70 & 70 & 28 & 0 & -14 & 0 & 84 & 210 & 98 & 490 & 1148 & 2520 & 3150 \\ 150 & 168 & 120 & 21 & 30 & 21 & 15 & 0 & -6 & 0 & 24 & 15 & 90 & 231 & 525 & 672 \\ 168 & 210 & 168 & 35 & 70 & 77 & 105 & 84 & 0 & -14 & 0 & 7 & 70 & 217 & 525 & 700 \\ 120 & 168 & 150 & 36 & 90 & 126 & 210 & 210 & 24 & 0 & -6 & 0 & 30 & 126 & 330 & 462 \\ 21 & 35 & 36 & 10 & 30 & 49 & 90 & 98 & 15 & 7 & 0 & -1 & 0 & 14 & 45 & 70 \\ 30 & 70 & 90 & 30 & 110 & 210 & 420 & 490 & 90 & 70 & 30 & 0 & -10 & 0 & 30 & 70 \\ 21 & 77 & 126 & 49 & 210 & 448 & 945 & 1148 & 231 & 217 & 126 & 14 & 0 & -7 & 0 & 28 \\ 15 & 105 & 210 & 90 & 420 & 945 & 2040 & 2520 & 525 & 525 & 330 & 45 & 30 & 0 & -15 & 0 \\ 0 & 84 & 210 & 98 & 490 & 1148 & 2520 & 3150 & 672 & 700 & 462 & 70 & 70 & 28 & 0 & -14 \end{pmatrix}.$$

$N' = 36$ $d = 330 = 2 \cdot 3 \cdot 5 \cdot 11$, odd, $\eta = 3$, $h = 1$: $\langle 6\rangle \oplus \langle -10\rangle \oplus \langle -22\rangle(1/2, 1/2, 0)$. It is equivariantly equivalent to $d = 165$, $\eta = 4$, $h = 1$: $\langle 3\rangle \oplus \langle -5\rangle \oplus \langle -11\rangle$.

$N' = 37$ $d = 390 = 2 \cdot 3 \cdot 5 \cdot 13$, odd, $\eta = 4$, $h = 1$: $\langle 30\rangle \oplus \langle -26\rangle \oplus \langle -2\rangle(0, 1/2, 1/2)$ $(=(\widetilde{195, 3,}\, h = 0))$

$$\begin{pmatrix} 0 & 0 & 1 & 26 & 1 & 13 & 3 & 13 & 2 & 26 & 21 & 364 & 9 & 65 & 7 & 13 \\ 0 & 1 & 0 & \frac{-15}{2} & \frac{-1}{2} & -9 & \frac{-5}{2} & -12 & -2 & -27 & -22 & \frac{-765}{2} & \frac{-19}{2} & -69 & \frac{-15}{2} & -14 \\ 1 & 0 & -4 & \frac{-195}{2} & \frac{-7}{2} & -39 & \frac{-15}{2} & -26 & -3 & -26 & -18 & \frac{-585}{2} & \frac{-13}{2} & -39 & \frac{-5}{2} & 0 \end{pmatrix}$$

$$\begin{pmatrix} -2 & 0 & 8 & 195 & 7 & 78 & 15 & 52 & 6 & 52 & 36 & 585 & 13 & 78 & 5 & 0 \\ 0 & -26 & 0 & 195 & 13 & 234 & 65 & 312 & 52 & 702 & 572 & 9945 & 247 & 1794 & 195 & 364 \\ 8 & 0 & -2 & 0 & 2 & 78 & 30 & 182 & 36 & 572 & 486 & 8580 & 218 & 1638 & 190 & 390 \\ 195 & 195 & 0 & -195 & 0 & 780 & 390 & 2730 & 585 & 9945 & 8580 & 152295 & 3900 & 29640 & 3510 & 7410 \\ 7 & 13 & 2 & 0 & -1 & 0 & 5 & 52 & 13 & 247 & 218 & 3900 & 101 & 780 & 95 & 208 \\ 78 & 234 & 78 & 780 & 0 & -78 & 0 & 234 & 78 & 1794 & 1638 & 29640 & 780 & 6162 & 780 & 1794 \\ 15 & 65 & 30 & 390 & 5 & 0 & -5 & 0 & 5 & 195 & 190 & 3510 & 95 & 780 & 105 & 260 \\ 52 & 312 & 182 & 2730 & 52 & 234 & 0 & -26 & 0 & 364 & 390 & 7410 & 208 & 1794 & 260 & 702 \\ 6 & 52 & 36 & 585 & 13 & 78 & 5 & 0 & -2 & 0 & 8 & 195 & 7 & 78 & 15 & 52 \\ 52 & 702 & 572 & 9945 & 247 & 1794 & 195 & 364 & 0 & -26 & 0 & 195 & 13 & 234 & 65 & 312 \\ 36 & 572 & 486 & 8580 & 218 & 1638 & 190 & 390 & 8 & 0 & -2 & 0 & 2 & 78 & 30 & 182 \\ 585 & 9945 & 8580 & 152295 & 3900 & 29640 & 3510 & 7410 & 195 & 195 & 0 & -195 & 0 & 780 & 390 & 2730 \\ 13 & 247 & 218 & 3900 & 101 & 780 & 95 & 208 & 7 & 13 & 2 & 0 & -1 & 0 & 5 & 52 \\ 78 & 1794 & 1638 & 29640 & 780 & 6162 & 780 & 1794 & 78 & 234 & 78 & 780 & 0 & -78 & 0 & 234 \\ 5 & 195 & 190 & 3510 & 95 & 780 & 105 & 260 & 15 & 65 & 30 & 390 & 5 & 0 & -5 & 0 \end{pmatrix}.$$

$N' = 38$ $d = 570 = 2\cdot 3\cdot 5\cdot 19$, odd, $\eta = 2$, $h = 1$: $\langle 2\rangle \oplus \langle -190\rangle \oplus \langle -6\rangle (0, 1/2, 1/2)$
$(=(285\widetilde{,5,h=}0))$

$$\begin{pmatrix} 158 & 2850 & 11 & 15 & 19 & 0 & 0 & 3 & 38 & 48 & 855 & 22 & 570 & 13 & 165 & 893 & 288 & 2280 & 285 & 874 & 600 & 8265 \\ \frac{-27}{2} & \frac{-489}{2} & -1 & \frac{-3}{2} & -2 & 0 & 1 & 0 & -2 & -3 & -56 & \frac{-3}{2} & \frac{-81}{2} & -1 & \frac{-27}{2} & -74 & -24 & -191 & -24 & -74 & -51 & -704 \\ \frac{-101}{2} & \frac{-1805}{2} & -3 & \frac{-5}{2} & 0 & 1 & 0 & -2 & -19 & -22 & -380 & \frac{-19}{2} & \frac{-475}{2} & -5 & \frac{-115}{2} & -304 & -97 & -760 & -94 & -285 & -194 & -2660 \end{pmatrix}$$

$\begin{pmatrix} A & B \\ B & A \end{pmatrix}$ where

$$\begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} -1 & 0 & 2 & 135 & 874 & 303 & 2565 & 342 & 1121 & 807 & 11400 \\ 0 & -285 & 0 & 2280 & 15390 & 5415 & 46455 & 6270 & 20805 & 15105 & 214320 \\ 2 & 0 & -2 & 0 & 38 & 18 & 190 & 30 & 114 & 90 & 1330 \\ 135 & 2280 & 0 & -15 & 0 & 15 & 285 & 60 & 285 & 255 & 3990 \\ 874 & 15390 & 38 & 0 & -38 & 0 & 380 & 114 & 684 & 684 & 11210 \\ 303 & 5415 & 18 & 15 & 0 & -6 & 0 & 12 & 114 & 132 & 2280 \\ 2565 & 46455 & 190 & 285 & 380 & 0 & -190 & 0 & 380 & 570 & 10640 \\ 342 & 6270 & 30 & 60 & 114 & 12 & 0 & -6 & 0 & 24 & 570 \\ 1121 & 20805 & 114 & 285 & 684 & 114 & 380 & 0 & -38 & 0 & 380 \\ 807 & 15105 & 90 & 255 & 684 & 132 & 570 & 24 & 0 & -6 & 0 \\ 11400 & 214320 & 1330 & 3990 & 11210 & 2280 & 10640 & 570 & 380 & 0 & -190 \\ 226 & 4275 & 28 & 90 & 266 & 57 & 285 & 18 & 19 & 3 & 0 \\ 4275 & 81510 & 570 & 1995 & 6270 & 1425 & 7695 & 570 & 855 & 285 & 2280 \\ 28 & 570 & 6 & 30 & 114 & 30 & 190 & 18 & 38 & 18 & 190 \\ 90 & 1995 & 30 & 240 & 1140 & 345 & 2565 & 300 & 855 & 555 & 7410 \\ 266 & 6270 & 114 & 1140 & 5814 & 1824 & 14060 & 1710 & 5092 & 3420 & 46550 \\ 57 & 1425 & 30 & 345 & 1824 & 582 & 4560 & 564 & 1710 & 1164 & 15960 \\ 285 & 7695 & 190 & 2565 & 14060 & 4560 & 36290 & 4560 & 14060 & 9690 & 133760 \\ 18 & 570 & 18 & 300 & 1710 & 564 & 4560 & 582 & 1824 & 1272 & 17670 \\ 19 & 855 & 38 & 855 & 5092 & 1710 & 14060 & 1824 & 5814 & 4104 & 57380 \\ 3 & 285 & 18 & 555 & 3420 & 1164 & 9690 & 1272 & 4104 & 2922 & 41040 \\ 0 & 2280 & 190 & 7410 & 46550 & 15960 & 133760 & 17670 & 57380 & 41040 & 577790 \end{pmatrix}.$$

Table 3
The list of main hyperbolic lattices of the rank 3
with square-free determinant $d \leq 100000$ and $h \leq 1$

$n = 1$, $d = 1$, $\eta = 0$, $h = 0$	$U \oplus \langle -1 \rangle$	*er*
$n = 2$, $d = 2$, $\eta = 0$, $h = 0$	$U \oplus \langle -2 \rangle$	*er*
$n = 3$, $d = 3$, $\eta = 0$, $h = 0$	$\langle 3 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 4$, $d = 3$, $\eta = 1$, $h = 0$	$U \oplus \langle -3 \rangle$	*er*
$n = 5$, $d = 5$, $\eta = 0$, $h = 0$	$U \oplus \langle -5 \rangle$	*er*
$n = 6$, $d = 5$, $\eta = 1$, $h = 0$	$\langle 1 \rangle \oplus \langle -10 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 7$, $d = 6 = 2 \cdot 3$, $\eta = 0$, $h = 0$	$U \oplus \langle -6 \rangle$	*er*
$n = 8$, $d = 7$, $\eta = 0$, $h = 1$	$\langle 7 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 9$, $d = 7$, $\eta = 1$, $h = 0$	$U \oplus \langle -7 \rangle$	*er*
$n = 10$, $d = 10 = 2 \cdot 5$, $\eta = 1$, $h = 0$	$U \oplus \langle -10 \rangle$	*er*
$n = 11$, $d = 11$, $\eta = 0$, $h = 0$	$\langle 11 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 12$, $d = 11$, $\eta = 1$, $h = 1$	$U \oplus \langle -11 \rangle$	*er*
$n = 13$, $d = 13$, $\eta = 0$, $h = 1$	$U \oplus \langle -13 \rangle$	*er*
$n = 14$, $d = 13$, $\eta = 1$, $h = 1$	$\langle 26 \rangle \oplus \langle -2 \rangle \oplus \langle -1 \rangle (1/2, 1/2, 0)$	*er*
$n = 15$, $d = 14 = 2 \cdot 7$, $\eta = 1$, $h = 0$	$U \oplus \langle -14 \rangle$	*er*
$n = 16$, $d = 15 = 3 \cdot 5$, $\eta = 0$, $h = 0$	$\langle 3 \rangle \oplus \langle -5 \rangle \oplus \langle -1 \rangle$	*er*
$n = 17$, $d = 15 = 3 \cdot 5$, $\eta = 1$, $h = 0$	$\langle 5 \rangle \oplus \langle -3 \rangle \oplus \langle -1 \rangle$	*er*
$n = 18$, $d = 15 = 3 \cdot 5$, $\eta = 2$, $h = 0$	$U \oplus \langle -15 \rangle$	*er*
$n = 19$, $d = 15 = 3 \cdot 5$, $\eta = 3$, $h = 0$	$\langle 15 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 20$, $d = 17$, $\eta = 0$, $h = 0$	$U \oplus \langle -17 \rangle$	*er*
$n = 21$, $d = 19$, $\eta = 0$, $h = 1$	$\langle 19 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 22$, $d = 21 = 3 \cdot 7$, $\eta = 0$, $h = 0$	$\langle 14 \rangle \oplus \langle -6 \rangle \oplus \langle -1 \rangle (1/2, 1/2, 0)$	*er*
$n = 23$, $d = 21 = 3 \cdot 7$, $\eta = 1$, $h = 1$	$U \oplus \langle -21 \rangle$	*er*
$n = 24$, $d = 21 = 3 \cdot 7$, $\eta = 2$, $h = 0$	$\langle 3 \rangle \oplus \langle -7 \rangle \oplus \langle -1 \rangle$	*er*
$n = 25$, $d = 21 = 3 \cdot 7$, $\eta = 3$, $h = 0$	$\langle 1 \rangle \oplus \langle -7 \rangle \oplus \langle -3 \rangle$	*er*
$n = 26$, $d = 22 = 2 \cdot 11$, $\eta = 0$, $h = 1$	$U \oplus \langle -22 \rangle$	*er*
$n = 27$, $d = 23$, $\eta = 0$, $h = 1$	$\langle 23 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 28$, $d = 26 = 2 \cdot 13$, $\eta = 1$, $h = 0$	$U \oplus \langle -26 \rangle$	*er*
$n = 29$, $d = 29, \eta = 0$, $h = 1$	$U \oplus \langle -29 \rangle$	*nr*
$n = 30$, $d = 29$, $\eta = 1$, $h = 1$	$\langle 1 \rangle \oplus \langle -58 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 31$, $d = 30 = 2 \cdot 3 \cdot 5$, $\eta = 1$, $h = 1$	$U \oplus \langle -30 \rangle$	*er*
$n = 32$, $d = 30 = 2 \cdot 3 \cdot 5 \cdot \eta = 2$, $h = 0$	$\langle 10 \rangle \oplus \langle -6 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 33$, $d = 33 = 3 \cdot 11$, $\eta = 0$, $h = 1$	$\langle 3 \rangle \oplus \langle -22 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 34$, $d = 33 = 3 \cdot 11$, $\eta = 1$, $h = 0$	$\langle 11 \rangle \oplus \langle -3 \rangle \oplus \langle -1 \rangle$	*er*
$n = 35$, $d = 33 = 3 \cdot 11$, $\eta = 2$, $h = 1$	$U \oplus \langle -33 \rangle$	*er*
$n = 36$, $d = 33 = 3 \cdot 11$, $\eta = 3$, $h = 1$	$\langle 1 \rangle \oplus \langle -11 \rangle \oplus \langle -3 \rangle$	*er*
$n = 37$, $d = 34 = 2 \cdot 17$, $\eta = 0$, $h = 1$	$U \oplus \langle -34 \rangle$	*er*
$n = 38$, $d = 35 = 5 \cdot 7$, $\eta = 0$, $h = 0$	$\langle 7 \rangle \oplus \langle -5 \rangle \oplus \langle -1 \rangle$	*er*
$n = 39$, $d = 35 = 5 \cdot 7$, $\eta = 2$, $h = 1$	$\langle 1 \rangle \oplus \langle -7 \rangle \oplus \langle -5 \rangle$	*er*
$n = 40$, $d = 35 = 5 \cdot 7$, $\eta = 3$, $h = 0$	$\langle 35 \rangle \oplus \langle -1 \rangle \oplus \langle -1 \rangle$	*er*
$n = 41$, $d = 38 = 2 \cdot 19$, $\eta = 0$, $h = 1$	$U \oplus \langle -38 \rangle$	*er*
$n = 42$, $d = 39 = 3 \cdot 13$, $\eta = 0$, $h = 0$	$\langle 3 \rangle \oplus \langle -13 \rangle \oplus \langle -1 \rangle$	*er*
$n = 43$, $d = 39 = 3 \cdot 13$, $\eta = 2$, $h = 1$	$\langle 3 \rangle \oplus \langle -26 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 44$, $d = 39 = 3 \cdot 13$, $\eta = 3$, $h = 1$	$\langle 2 \rangle \oplus \langle -26 \rangle \oplus \langle -3 \rangle (1/2, 1/2, 0)$	*er*

$n=45,\ d=41,\ \eta=0,\ h=1$	$U\oplus\langle -41\rangle$	*nr*
$n=46,\ d=42=2\cdot 3\cdot 7,\ \eta=0,\ h=0$	$U\oplus\langle -42\rangle$	*er*
$n=47,\ d=42=2\cdot 3\cdot 7,\ \eta=3,\ h=1$	$\langle 6\rangle\oplus\langle -14\rangle\oplus\langle -2\rangle(1/2,1/2,0)$	*er*
$n=48,\ d=51=3\cdot 17,\ \eta=0,\ h=0$	$\langle 3\rangle\oplus\langle -17\rangle\oplus\langle -1\rangle$	*er*
$n=49,\ d=51=3\cdot 17,\ \eta=1,\ h=1$	$\langle 17\rangle\oplus\langle -3\rangle\oplus\langle -1\rangle$	*er*
$n=50,\ d=51=3\cdot 17,\ \eta=3,\ h=1$	$\langle 51\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$	*er*
$n=51,\ d=55=5\cdot 11,\ \eta=0,\ h=1$	$\langle 11\rangle\oplus\langle -5\rangle\oplus\langle -1\rangle$	*er*
$n=52,\ d=55=5\cdot 11,\ \eta=3,\ h=1$	$\langle 2\rangle\oplus\langle -11\rangle\oplus\langle -10\rangle(1/2,0,1/2)$	*er*
$n=53,\ d=57=3\cdot 19,\ \eta=0,\ h=1$	$\langle 1\rangle\oplus\langle -38\rangle\oplus\langle -6\rangle(0,1/2,1/2)$	*er*
$n=54,\ d=57=3\cdot 19,\ \eta=1,\ h=1$	$U\oplus\langle -57\rangle$	*nr*
$n=55,\ d=57=3\cdot 19,\ \eta=2,\ h=1$	$\langle 3\rangle\oplus\langle -19\rangle\oplus\langle -1\rangle$	*er*
$n=56,\ d=65=5\cdot 13,\ \eta=0,\ h=0$	$\langle 1\rangle\oplus\langle -13\rangle\oplus\langle -5\rangle$	*hr*
$n=57,\ d=65=5\cdot 13,\ \eta=2,\ h=1$	$\langle 5\rangle\oplus\langle -26\rangle\oplus\langle -2\rangle(0,1/2,1/2)$	*er*
$n=58,\ d=65=5\cdot 13,\ \eta=3,\ h=1$	$U\oplus\langle -65\rangle$	*nr*
$n=59,\ d=66=2\cdot 3\cdot 11,\ \eta=1,\ h=1$	$U\oplus\langle -66\rangle$	*er*
$n=60,\ d=66=2\cdot 3\cdot 11,\ \eta=2,\ h=1$	$\langle 22\rangle\oplus\langle -6\rangle\oplus\langle -2\rangle(0,1/2,1/2)$	*er*
$n=61,\ d=69=3\cdot 23,\ \eta=3,\ h=0$	$\langle 1\rangle\oplus\langle -23\rangle\oplus\langle -3\rangle$	*er*
$n=62,\ d=70=2\cdot 5\cdot 7,\ \eta=3,\ h=1$	$\langle 2\rangle\oplus\langle -14\rangle\oplus\langle -10\rangle(0,1/2,1/2)$	*er*
$n=63,\ d=71,\ \eta=0,\ h=1$	$\langle 71\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$	*nr*
$n=64,\ d=74=2\cdot 37,\ \eta=1,\ h=0$	$U\oplus\langle -74\rangle$	*hr*
$n=65,\ d=77=7\cdot 11,\ \eta=1,\ h=0$	$U\oplus\langle -77\rangle$	*nr*
$n=66,\ d=77=7\cdot 11,\ \eta=3,\ h=0$	$\langle 1\rangle\oplus\langle -11\rangle\oplus\langle -7\rangle$	*er*
$n=67,\ d=78=2\cdot 3\cdot 13,\ \eta=2,\ h=0$	$U\oplus\langle -78\rangle$	*er*
$n=68,\ d=85=5\cdot 17,\ \eta=0,\ h=1$	$\langle 1\rangle\oplus\langle -17\rangle\oplus\langle -5\rangle$	*nr*
$n=69,\ d=85=5\cdot 17,\ \eta=1,\ h=1$	$\langle 1\rangle\oplus\langle -34\rangle\oplus\langle -10\rangle(0,1/2,1/2)$	*er*
$n=70,\ d=86=2\cdot 43,\ \eta=0,\ h=1$	$U\oplus\langle -86\rangle$	*nr*
$n=71,\ d=87=3\cdot 29,\ \eta=3,\ h=1$	$\langle 2\rangle\oplus\langle -58\rangle\oplus\langle -3\rangle(1/2,1/2,0)$	*er*
$n=72,\ d=91=7\cdot 13,\ \eta=3,\ h=1$	$\langle 1\rangle\oplus\langle -26\rangle\oplus\langle -14\rangle(0,1/2,1/2)$	*er*
$n=73,\ d=93=3\cdot 31,\ \eta=0,\ h=1$	$\langle 31\rangle\oplus\langle -6\rangle\oplus\langle -2\rangle(0,1/2,1/2)$	*er*
$n=74,\ d=95=5\cdot 19,\ \eta=0,\ h=0$	$\langle 19\rangle\oplus\langle -5\rangle\oplus\langle -1\rangle$	*hr*
$n=75,\ d=95=5\cdot 19,\ \eta=3,\ h=1$	$\langle 2\rangle\oplus\langle -19\rangle\oplus\langle -10\rangle(1/2,0,1/2)$	*er*
$n=76,\ d=102=2\cdot 3\cdot 17,\ \eta=0,\ h=1$	$\langle 2\rangle\oplus\langle -34\rangle\oplus\langle -6\rangle(0,1/2,1/2)$	*er*
$n=77,\ d=105=3\cdot 5\cdot 7,\ \eta=0,\ h=1$	$\langle 2\rangle\oplus\langle -42\rangle\oplus\langle -5\rangle(1/2,1/2,0)$	*er*
$n=78,\ d=105=3\cdot 5\cdot 7,\ \eta=1,\ h=0$	$\langle 1\rangle\oplus\langle -21\rangle\oplus\langle -5\rangle$	*er*
$n=79,\ d=105=3\cdot 5\cdot 7,\ \eta=2,\ h=1$	$\langle 7\rangle\oplus\langle -15\rangle\oplus\langle -1\rangle$	*er*
$n=80,\ d=105=3\cdot 5\cdot 7,\ \eta=3,\ h=0$	$\langle 14\rangle\oplus\langle -10\rangle\oplus\langle -3\rangle(1/2,1/2,0)$	*er*
$n=81,\ d=105=3\cdot 5\cdot 7,\ \eta=4,\ h=1$	$U\oplus\langle -105\rangle$	*nr*
$n=82,\ d=105=3\cdot 5\cdot 7,\ \eta=5,\ h=0$	$\langle 5\rangle\oplus\langle -7\rangle\oplus\langle -3\rangle$	*er*
$n=83,\ d=105=3\cdot 5\cdot 7,\ \eta=6,\ h=0$	$\langle 1\rangle\oplus\langle -15\rangle\oplus\langle -7\rangle$	*er*
$n=84,\ d=105=3\cdot 5\cdot 7,\ \eta=7,\ h=0$	$\langle 10\rangle\oplus\langle -14\rangle\oplus\langle -3\rangle(1/2,1/2,0)$	*er*
$n=85,\ d=110=2\cdot 5\cdot 11,\ \eta=1,\ h=1$	$U\oplus\langle -110\rangle$	*er*
$n=86,\ d=111=3\cdot 37,\ \eta=0,\ h=1$	$\langle 3\rangle\oplus\langle -37\rangle\oplus\langle -1\rangle$	*er*
$n=87,\ d=114=2\cdot 3\cdot 19,\ \eta=2,\ h=0$	$U\oplus\langle -114\rangle$	*hr*
$n=88,\ d=119=7\cdot 17,\ \eta=3,\ h=1$	$\langle 119\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$	*nr*
$n=89,\ d=130=2\cdot 5\cdot 13,\ \eta=0,\ h=1$	$U\oplus\langle -130\rangle$	*nr*
$n=90,\ d=130=2\cdot 5\cdot 13,\ \eta=3,\ h=1$	$\langle 10\rangle\oplus\langle -26\rangle\oplus\langle -2\rangle(1/2,1/2,0)$	*er*
$n=91,\ d=134=2\cdot 67,\ \eta=0,\ h=1$	$U\oplus\langle -134\rangle$	*nr*
$n=92,\ d=141=3\cdot 47,\ \eta=3,\ h=1$	$\langle 1\rangle\oplus\langle -47\rangle\oplus\langle -3\rangle$	*er*
$n=93,\ d=143=11\cdot 13,\ \eta=0,\ h=1$	$\langle 11\rangle\oplus\langle -13\rangle\oplus\langle -1\rangle$	*nr*

$n = 94$, $d = 146 = 2 \cdot 73$, $\eta = 0$, $h = 1$	$U \oplus \langle -146 \rangle$	*nr*
$n = 95$, $d = 154 = 2 \cdot 7 \cdot 11$, $\eta = 3$, $h = 1$	$U \oplus \langle -154 \rangle$	*nr*
$n = 96$, $d = 155 = 5 \cdot 31$, $\eta = 3$, $h = 1$	$\langle 2 \rangle \oplus \langle -31 \rangle \oplus \langle -10 \rangle (1/2, 0, 1/2)$	*er*
$n = 97$, $d = 161 = 7 \cdot 23$, $\eta = 1$, $h = 1$	$U \oplus \langle -161 \rangle$	*nr*
$n = 98$, $d = 161 = 7 \cdot 23$, $\eta = 3$, $h = 1$	$\langle 1 \rangle \oplus \langle -23 \rangle \oplus \langle -7 \rangle$	*nr*
$n = 99$, $d = 165 = 3 \cdot 5 \cdot 11$, $\eta = 0$, $h = 0$	$\langle 5 \rangle \oplus \langle -6 \rangle \oplus \langle -22 \rangle (0, 1/2, 1/2)$	*er*
$n = 100$, $d = 165 = 3 \cdot 5 \cdot 11$, $\eta = 1$, $h = 1$	$\langle 11 \rangle \oplus \langle -5 \rangle \oplus \langle -3 \rangle$	*nr*
$n = 101$, $d = 165 = 3 \cdot 5 \cdot 11$, $\eta = 3$, $h = 1$	$\langle 15 \rangle \oplus \langle -22 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 102$, $d = 165 = 3 \cdot 5 \cdot 11$, $\eta = 4$, $h = 1$	$\langle 3 \rangle \oplus \langle -5 \rangle \oplus \langle -11 \rangle$	*er*
$n = 103$, $d = 165 = 3 \cdot 5 \cdot 11$, $\eta = 5$, $h = 1$	$\langle 1 \rangle \oplus \langle -55 \rangle \oplus \langle -3 \rangle$	*er*
$n = 104$, $d = 165 = 3 \cdot 5 \cdot 11$, $\eta = 6$, $h = 0$	$\langle 1 \rangle \oplus \langle -15 \rangle \oplus \langle -11 \rangle$	*er*
$n = 105$, $d = 170 = 2 \cdot 5 \cdot 17$, $\eta = 1$, $h = 1$	$\langle 2 \rangle \oplus \langle -10 \rangle \oplus \langle -34 \rangle (1/2, 1/2, 0)$	*er*
$n = 106$, $d = 170 = 2 \cdot 5 \cdot 17$, $\eta = 2$, $h = 0$	$U \oplus \langle -170 \rangle$	*nr*
$n = 107$, $d = 182 = 2 \cdot 7 \cdot 13$, $\eta = 3$, $h = 1$	$\langle 2 \rangle \oplus \langle -26 \rangle \oplus \langle -14 \rangle (0, 1/2, 1/2)$	*nr*
$n = 108$, $d = 186 = 2 \cdot 3 \cdot 31$, $\eta = 0$, $h = 0$	$U \oplus \langle -186 \rangle$	*nr*
$n = 109$, $d = 194 = 2 \cdot 97$, $\eta = 0$, $h = 1$	$U \oplus \langle -194 \rangle$	*nr*
$n = 110$, $d = 195 = 3 \cdot 5 \cdot 13$, $\eta = 3$, $h = 0$	$\langle 15 \rangle \oplus \langle -13 \rangle \oplus \langle -1 \rangle$	*er*
$n = 111$, $d = 195 = 3 \cdot 5 \cdot 13$, $\eta = 5$, $h = 1$	$\langle 6 \rangle \oplus \langle -26 \rangle \oplus \langle -5 \rangle (1/2, 1/2, 0)$	*er*
$n = 112$, $d = 195 = 3 \cdot 5 \cdot 13$, $\eta = 6$, $h = 0$	$\langle 3 \rangle \oplus \langle -65 \rangle \oplus \langle -1 \rangle$	*er*
$n = 113$, $d = 203 = 7 \cdot 29$, $\eta = 3$, $h = 1$	$\langle 2 \rangle \oplus \langle -58 \rangle \oplus \langle -7 \rangle (1/2, 1/2, 0)$	*nr*
$n = 114$, $d = 205 = 5 \cdot 41$, $\eta = 1$, $h = 1$	$\langle 2 \rangle \oplus \langle -41 \rangle \oplus \langle -10 \rangle (1/2, 0, 1/2)$	*er*
$n = 115$, $d = 210 = 2 \cdot 3 \cdot 5 \cdot 7$, $\eta = 2$, $h = 0$	$\langle 2 \rangle \oplus \langle -10 \rangle \oplus \langle -42 \rangle (1/2, 1/2, 0)$	*er*
$n = 116$, $d = 210 = 2 \cdot 3 \cdot 5 \cdot 7$, $\eta = 4$, $h = 1$	$\langle 30 \rangle \oplus \langle -14 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*er*
$n = 117$, $d = 215 = 5 \cdot 43$, $\eta = 0$, $h = 1$	$\langle 43 \rangle \oplus \langle -5 \rangle \oplus \langle -1 \rangle$	*nr*
$n = 118$, $d = 219 = 3 \cdot 73$, $\eta = 0$, $h = 0$	$\langle 3 \rangle \oplus \langle -73 \rangle \oplus \langle -1 \rangle$	*er*
$n = 119$, $d = 231 = 3 \cdot 7 \cdot 11$, $\eta = 1$, $h = 1$	$\langle 14 \rangle \oplus \langle -22 \rangle \oplus \langle -3 \rangle (1/2, 1/2, 0)$	*er*
$n = 120$, $d = 231 = 3 \cdot 7 \cdot 11$, $\eta = 2$, $h = 0$	$\langle 3 \rangle \oplus \langle -22 \rangle \oplus \langle -14 \rangle (0, 1/2, 1/2)$	*hr*
$n = 121$, $d = 231 = 3 \cdot 7 \cdot 11$, $\eta = 7$, $h = 0$	$\langle 6 \rangle \oplus \langle -14 \rangle \oplus \langle -11 \rangle (1/2, 1/2, 0)$	*er*
$n = 122$, $d = 246 = 2 \cdot 3 \cdot 41$, $\eta = 0$, $h = 1$	$\langle 2 \rangle \oplus \langle -82 \rangle \oplus \langle -6 \rangle (0, 1/2, 1/2)$	*nr*
$n = 123$, $d = 255 = 3 \cdot 5 \cdot 17$, $\eta = 0$, $h = 1$	$\langle 3 \rangle \oplus \langle -17 \rangle \oplus \langle -5 \rangle$	*er*
$n = 124$, $d = 255 = 3 \cdot 5 \cdot 17$, $\eta = 5$, $h = 1$	$\langle 51 \rangle \oplus \langle -5 \rangle \oplus \langle -1 \rangle$	*nr*
$n = 125$, $d = 255 = 3 \cdot 5 \cdot 17$, $\eta = 6$, $h = 0$	$\langle 3 \rangle \oplus \langle -85 \rangle \oplus \langle -1 \rangle$	*er*
$n = 126$, $d = 259 = 7 \cdot 37$, $\eta = 3$, $h = 1$	$\langle 2 \rangle \oplus \langle -74 \rangle \oplus \langle -7 \rangle (1/2, 1/2, 0)$	*nr*
$n = 127$, $d = 266 = 2 \cdot 7 \cdot 19$, $\eta = 0$, $h = 1$	$U \oplus \langle -266 \rangle$	*nr*
$n = 128$, $d = 266 = 2 \cdot 7 \cdot 19$, $\eta = 3$, $h = 1$	$\langle 38 \rangle \oplus \langle -14 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*nr*
$n = 129$, $d = 273 = 3 \cdot 7 \cdot 13$, $\eta = 0$, $h = 1$	$\langle 14 \rangle \oplus \langle -13 \rangle \oplus \langle -6 \rangle (1/2, 0, 1/2)$	*er*
$n = 130$, $d = 273 = 3 \cdot 7 \cdot 13$, $\eta = 6$, $h = 1$	$\langle 26 \rangle \oplus \langle -7 \rangle \oplus \langle -6 \rangle (1/2, 0, 1/2)$	*er*
$n = 131$, $d = 285 = 3 \cdot 5 \cdot 19$, $\eta = 1$, $h = 1$	$\langle 19 \rangle \oplus \langle -5 \rangle \oplus \langle -3 \rangle$	*nr*
$n = 132$, $d = 285 = 3 \cdot 5 \cdot 19$, $\eta = 3$, $h = 1$	$\langle 10 \rangle \oplus \langle -38 \rangle \oplus \langle -3 \rangle (1/2, 1/2, 0)$	*er*
$n = 133$, $d = 285 = 3 \cdot 5 \cdot 19$, $\eta = 5$, $h = 0$	$\langle 1 \rangle \oplus \langle -95 \rangle \oplus \langle -3 \rangle$	*er*
$n = 134$, $d = 285 = 3 \cdot 5 \cdot 19$, $\eta = 6$, $h = 1$	$\langle 57 \rangle \oplus \langle -10 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*nr*
$n = 135$, $d = 291 = 3 \cdot 97$, $\eta = 0$, $h = 1$	$\langle 3 \rangle \oplus \langle -97 \rangle \oplus \langle -1 \rangle$	*er*
$n = 136$, $d = 299 = 13 \cdot 23$, $\eta = 3$, $h = 1$	$\langle 2 \rangle \oplus \langle -26 \rangle \oplus \langle -23 \rangle (1/2, 1/2, 0)$	*nr*
$n = 137$, $d = 326 = 2 \cdot 163$, $\eta = 0$, $h = 1$	$U \oplus \langle -326 \rangle$	*nr*
$n = 138$, $d = 330 = 2 \cdot 3 \cdot 5 \cdot 11$, $\eta = 0$, $h = 1$	$U \oplus \langle -330 \rangle$	*nr*
$n = 139$, $d = 330 = 2 \cdot 3 \cdot 5 \cdot 11$, $\eta = 3$, $h = 0$	$\langle 6 \rangle \oplus \langle -110 \rangle \oplus \langle -2 \rangle (1/2, 1/2, 0)$	*er*
$n = 140$, $d = 335 = 5 \cdot 67$, $\eta = 0$, $h = 1$	$\langle 67 \rangle \oplus \langle -5 \rangle \oplus \langle -1 \rangle$	*nr*
$n = 141$, $d = 345 = 3 \cdot 5 \cdot 23$, $\eta = 6$, $h = 0$	$\langle 1 \rangle \oplus \langle -23 \rangle \oplus \langle -15 \rangle$	*er*
$n = 142$, $d = 354 = 2 \cdot 3 \cdot 59$, $\eta = 2$, $h = 1$	$\langle 118 \rangle \oplus \langle -6 \rangle \oplus \langle -2 \rangle (0, 1/2, 1/2)$	*nr*

$n=143,\ d=357=3\cdot 7\cdot 17,\ \eta=0,\ h=1$	$\langle 14\rangle\oplus\langle -17\rangle\oplus\langle -6\rangle(1/2,0,1/2)$	nr
$n=144,\ d=357=3\cdot 7\cdot 17,\ \eta=3,\ h=1$	$\langle 17\rangle\oplus\langle -7\rangle\oplus\langle -3\rangle$	er
$n=145,\ d=357=3\cdot 7\cdot 17,\ \eta=5,\ h=1$	$\langle 1\rangle\oplus\langle -119\rangle\oplus\langle -3\rangle$	er
$n=146,\ d=371=7\cdot 53,\ \eta=3,\ h=1$	$\langle 2\rangle\oplus\langle -106\rangle\oplus\langle -7\rangle(1/2,1/2,0)$	nr
$n=147,\ d=385=5\cdot 7\cdot 11,\ \eta=3,\ h=1$	$\langle 11\rangle\oplus\langle -14\rangle\oplus\langle -10\rangle(0,1/2,1/2)$	nr
$n=148,\ d=385=5\cdot 7\cdot 11,\ \eta=6,\ h=1$	$\langle 5\rangle\oplus\langle -11\rangle\oplus\langle -7\rangle$	er
$n=149,\ d=386=2\cdot 193,\ \eta=0,\ h=1$	$U\oplus\langle -386\rangle$	nr
$n=150,\ d=390=2\cdot 3\cdot 5\cdot 13,\ \eta=6,\ h=1$	$\langle 10\rangle\oplus\langle -26\rangle\oplus\langle -6\rangle(1/2,1/2,0)$	er
$n=151,\ d=399=3\cdot 7\cdot 19,\ \eta=2,\ h=1$	$\langle 3\rangle\oplus\langle -38\rangle\oplus\langle -14\rangle(0,1/2,1/2)$	nr
$n=152,\ d=399=3\cdot 7\cdot 19,\ \eta=4,\ h=0$	$\langle 14\rangle\oplus\langle -19\rangle\oplus\langle -6\rangle(1/2,0,1/2)$	er
$n=153,\ d=407=11\cdot 37,\ \eta=0,\ h=1$	$\langle 11\rangle\oplus\langle -37\rangle\oplus\langle -1\rangle$	nr
$n=154,\ d=429=3\cdot 11\cdot 13,\ \eta=3,\ h=1$	$\langle 1\rangle\oplus\langle -39\rangle\oplus\langle -11\rangle$	er
$n=155,\ d=435=3\cdot 5\cdot 29,\ \eta=0,\ h=0$	$\langle 3\rangle\oplus\langle -29\rangle\oplus\langle -5\rangle$	er
$n=156,\ d=435=3\cdot 5\cdot 29,\ \eta=6,\ h=1$	$\langle 435\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$	er
$n=157,\ d=455=5\cdot 7\cdot 13,\ \eta=0,\ h=1$	$\langle 7\rangle\oplus\langle -13\rangle\oplus\langle -5\rangle$	nr
$n=158,\ d=455=5\cdot 7\cdot 13,\ \eta=5,\ h=1$	$\langle 7\rangle\oplus\langle -26\rangle\oplus\langle -10\rangle(0,1/2,1/2)$	er
$n=159,\ d=465=3\cdot 5\cdot 31,\ \eta=5,\ h=1$	$\langle 5\rangle\oplus\langle -31\rangle\oplus\langle -3\rangle$	er
$n=160,\ d=483=3\cdot 7\cdot 23,\ \eta=7,\ h=1$	$\langle 6\rangle\oplus\langle -46\rangle\oplus\langle -7\rangle(1/2,1/2,0)$	er
$n=161,\ d=506=2\cdot 11\cdot 23,\ \eta=0,\ h=1$	$U\oplus\langle -506\rangle$	nr
$n=162,\ d=530=2\cdot 5\cdot 53,\ \eta=0,\ h=1$	$U\oplus\langle -530\rangle$	nr
$n=163,\ d=534=2\cdot 3\cdot 89,\ \eta=0,\ h=1$	$\langle 2\rangle\oplus\langle -178\rangle\oplus\langle -6\rangle(0,1/2,1/2)$	nr
$n=164,\ d=546=2\cdot 3\cdot 7\cdot 13,\ \eta=2,\ h=0$	$U\oplus\langle -546\rangle$	nr
$n=165,\ d=546=2\cdot 3\cdot 7\cdot 13,\ \eta=4,\ h=0$	$\langle 14\rangle\oplus\langle -26\rangle\oplus\langle -6\rangle(1/2,0,1/2)$	nr
$n=166,\ d=561=3\cdot 11\cdot 17,\ \eta=2,\ h=1$	$\langle 3\rangle\oplus\langle -11\rangle\oplus\langle -17\rangle$	nr
$n=167,\ d=570=2\cdot 3\cdot 5\cdot 19,\ \eta=6,\ h=1$	$\langle 38\rangle\oplus\langle -10\rangle\oplus\langle -6\rangle(0,1/2,1/2)$	er
$n=168,\ d=602=2\cdot 7\cdot 43,\ \eta=3,\ h=1$	$U\oplus\langle -602\rangle$	nr
$n=169,\ d=615=3\cdot 5\cdot 41,\ \eta=0,\ h=1$	$\langle 3\rangle\oplus\langle -41\rangle\oplus\langle -5\rangle$	er
$n=170,\ d=645=3\cdot 5\cdot 43,\ \eta=3,\ h=1$	$\langle 10\rangle\oplus\langle -86\rangle\oplus\langle -3\rangle(1/2,1/2,0)$	er
$n=171,\ d=645=3\cdot 5\cdot 43,\ \eta=6,\ h=1$	$\langle 10\rangle\oplus\langle -6\rangle\oplus\langle -43\rangle(1/2,1/2,0)$	nr
$n=172,\ d=651=3\cdot 7\cdot 31,\ \eta=2,\ h=1$	$\langle 62\rangle\oplus\langle -7\rangle\oplus\langle -6\rangle(1/2,0,1/2)$	nr
$n=173,\ d=651=3\cdot 7\cdot 31,\ \eta=4,\ h=1$	$\langle 14\rangle\oplus\langle -31\rangle\oplus\langle -6\rangle(1/2,0,1/2)$	er
$n=174,\ d=714=2\cdot 3\cdot 7\cdot 17,\ \eta=0,\ h=1$	$\langle 14\rangle\oplus\langle -34\rangle\oplus\langle -6\rangle(1/2,0,1/2)$	nr
$n=175,\ d=714=2\cdot 3\cdot 7\cdot 17,\ \eta=6,\ h=1$	$\langle 102\rangle\oplus\langle -14\rangle\oplus\langle -2\rangle(0,1/2,1/2)$	nr
$n=176,\ d=759=3\cdot 11\cdot 23,\ \eta=4,\ h=1$	$\langle 11\rangle\oplus\langle -69\rangle\oplus\langle -1\rangle$	nr
$n=177,\ d=777=3\cdot 7\cdot 37,\ \eta=6,\ h=1$	$\langle 74\rangle\oplus\langle -6\rangle\oplus\langle -7\rangle(1/2,1/2,0)$	nr
$n=178,\ d=795=3\cdot 5\cdot 53,\ \eta=6,\ h=1$	$\langle 3\rangle\oplus\langle -106\rangle\oplus\langle -10\rangle(0,1/2,1/2)$	er
$n=179,\ d=805=5\cdot 7\cdot 23,\ \eta=3,\ h=1$	$\langle 1\rangle\oplus\langle -115\rangle\oplus\langle -7\rangle$	nr
$n=180,\ d=854=2\cdot 7\cdot 61,\ \eta=3,\ h=1$	$\langle 2\rangle\oplus\langle -122\rangle\oplus\langle -14\rangle(0,1/2,1/2)$	nr
$n=181,\ d=897=3\cdot 13\cdot 23,\ \eta=5,\ h=1$	$\langle 13\rangle\oplus\langle -23\rangle\oplus\langle -3\rangle$	nr
$n=182,\ d=897=3\cdot 13\cdot 23,\ \eta=7,\ h=1$	$\langle 6\rangle\oplus\langle -26\rangle\oplus\langle -23\rangle(1/2,1/2,0)$	nr
$n=183,\ d=930=2\cdot 3\cdot 5\cdot 31,\ \eta=2,\ h=1$	$\langle 2\rangle\oplus\langle -186\rangle\oplus\langle -10\rangle(1/2,0,1/2)$	nr
$n=184,\ d=935=5\cdot 11\cdot 17,\ \eta=6,\ h=1$	$\langle 187\rangle\oplus\langle -5\rangle\oplus\langle -1\rangle$	nr
$n=185,\ d=966=2\cdot 3\cdot 7\cdot 23,\ \eta=2,\ h=1$	$\langle 46\rangle\oplus\langle -14\rangle\oplus\langle -6\rangle(1/2,1/2,0)$	nr
$n=186,\ d=1106=2\cdot 7\cdot 79,\ \eta=1,\ h=1$	$U\oplus\langle -1106\rangle$	nr
$n=187,\ d=1155=3\cdot 5\cdot 7\cdot 11,\ \eta=2,\ h=0$	$\langle 14\rangle\oplus\langle -22\rangle\oplus\langle -15\rangle(1/2,1/2,0)$	er
$n=188,\ d=1155=3\cdot 5\cdot 7\cdot 11,\ \eta=4,\ h=1$	$\langle 3\rangle\oplus\langle -77\rangle\oplus\langle -5\rangle$	nr
$n=189,\ d=1155=3\cdot 5\cdot 7\cdot 11,\ \eta=8,\ h=1$	$\langle 1155\rangle\oplus\langle -1\rangle\oplus\langle -1\rangle$	er
$n=190,\ d=1155=3\cdot 5\cdot 7\cdot 11,\ \eta=14,\ h=0$	$\langle 22\rangle\oplus\langle -15\rangle\oplus\langle -14\rangle(1/2,0,1/2)$	er
$n=191,\ d=1254=2\cdot 3\cdot 11\cdot 19,\ \eta=4,\ h=1$	$\langle 38\rangle\oplus\langle -22\rangle\oplus\langle -6\rangle(1/2,1/2,0)$	nr

$n = 192,\ d = 1365 = 3 \cdot 5 \cdot 7 \cdot 13,\ \eta = 1,\ h = 1$	$\langle 455 \rangle \oplus \langle -3 \rangle \oplus \langle -1 \rangle$	*nr*
$n = 193,\ d = 1365 = 3 \cdot 5 \cdot 7 \cdot 13,\ \eta = 5,\ h = 1$	$\langle 5 \rangle \oplus \langle -39 \rangle \oplus \langle -7 \rangle$	*er*
$n = 194,\ d = 1365 = 3 \cdot 5 \cdot 7 \cdot 13,\ \eta = 15,\ h = 1$	$\langle 6 \rangle \oplus \langle -65 \rangle \oplus \langle -14 \rangle (1/2, 0, 1/2)$	*er*
$n = 195,\ d = 1394 = 2 \cdot 17 \cdot 41,\ \eta = 3,\ h = 1$	$U \oplus \langle -1394 \rangle$	*nr*
$n = 196,\ d = 1659 = 3 \cdot 7 \cdot 79,\ \eta = 2,\ h = 1$	$\langle 79 \rangle \oplus \langle -14 \rangle \oplus \langle -6 \rangle (0, 1/2, 1/2)$	*nr*
$n = 197,\ d = 1785 = 3 \cdot 5 \cdot 7 \cdot 17,\ \eta = 4,\ h = 1$	$\langle 30 \rangle \oplus \langle -17 \rangle \oplus \langle -14 \rangle (1/2, 0, 1/2)$	*nr*
$n = 198,\ d = 1785 = 3 \cdot 5 \cdot 7 \cdot 17,\ \eta = 6,\ h = 1$	$\langle 17 \rangle \oplus \langle -15 \rangle \oplus \langle -7 \rangle$	*nr*
$n = 199,\ d = 2145 = 3 \cdot 5 \cdot 11 \cdot 13,\ \eta = 10,\ h = 1$	$\langle 1 \rangle \oplus \langle -143 \rangle \oplus \langle -15 \rangle$	*nr*
$n = 200,\ d = 2210 = 2 \cdot 5 \cdot 13 \cdot 17,\ \eta = 6,\ h = 1$	$\langle 2 \rangle \oplus \langle -170 \rangle \oplus \langle -26 \rangle (1/2, 0, 1/2)$	*nr*
$n = 201,\ d = 2310 = 2 \cdot 3 \cdot 5 \cdot 7 \cdot 11,\ \eta = 1,\ h = 1$	$\langle 6 \rangle \oplus \langle -70 \rangle \oplus \langle -22 \rangle (1/2, 0, 1/2)$	*nr*
$n = 202,\ d = 2730 = 2 \cdot 3 \cdot 5 \cdot 7 \cdot 13,\ \eta = 6,\ h = 0$	$\langle 2 \rangle \oplus \langle -546 \rangle \oplus \langle -10 \rangle (1/2, 0, 1/2)$	*nr*
$n = 203,\ d = 3311 = 7 \cdot 11 \cdot 43,\ \eta = 1,\ h = 1$	$\langle 43 \rangle \oplus \langle -77 \rangle \oplus \langle -1 \rangle$	*nr*
$n = 204,\ d = 3570 = 2 \cdot 3 \cdot 5 \cdot 7 \cdot 17,\ \eta = 7,\ h = 1$	$\langle 2 \rangle \oplus \langle -714 \rangle \oplus \langle -10 \rangle (1/2, 0, 1/2)$	*nr*
$n = 205,\ d = 3990 = 2 \cdot 3 \cdot 5 \cdot 7 \cdot 19,\ \eta = 4,\ h = 1$	$\langle 30 \rangle \oplus \langle -38 \rangle \oplus \langle -14 \rangle (1/2, 1/2, 0)$	*nr*
$n = 206,\ d = 4466 = 2 \cdot 7 \cdot 11 \cdot 29,\ \eta = 1,\ h = 1$	$U \oplus \langle -4466 \rangle$	*nr*

References

[AN1] V.A. Alexeev and V.V. Nikulin, *The classification of Del Pezzo surfaces with log terminal singularities of the index ≤ 2, involutions of K3 surfaces and reflection groups in Lobachevsky spaces (Russian)*, Doklady po matematike i prilogeniyam, MIAN **2** (1988), no. 2, 51–150.

[AN2] V.A. Alexeev and V.V. Nikulin, *The classification of Del Pezzo surfaces with log terminal singularities of the index ≤ 2 and involutions of K3 surfaces*, Dokl. AN SSSR **306** (1989), no. 3, 525–528; English transl. in Soviet Math. Dokl. **39** (1989).

[B1] R. Borcherds, *Generalized Kac–Moody algebras*, J. of Algebra **115** (1988), 501–512.

[B2] R. Borcherds, *The monster Lie algebra*, Adv. Math. **83** (1990), 30–47.

[B3] R. Borcherds, *The monstrous moonshine and monstrous Lie superalgebras*, Invent. Math. **109** (1992), 405–444.

[B4] R. Borcherds, *Sporadic groups and string theory*, Proc. European Congress of Mathem. 1992, pp. 411–421.

[B5] R. Borcherds, *Automorphic forms on $O_{s+2,2}$ and infinite products*, Invent. Math. **120** (1995), 161–213.

[B6] R. Borcherds, *The moduli space of Enriques surfaces and the fake monster Lie superalgebra*, Topology **35** (1996), no. 3, 699–710.

[C] J.W.S. Cassels, *Rational quadratic forms*, Academic Press, 1978.

[CCL] G.L. Cardoso, G. Curio and D. Lüst, *Perturbative coupling and modular forms in $N = 2$ string models with a Wilson line*, Preprint (1996); hep-th/9608154.

[E1] M. Eichler, *Quadratische Formen und orthogonale Gruppen*, Springer-Verlag, 1952.

[E2] F. Esselmann, *Über die maximale Dimension von Lorentz-Gittern mit coendlicher Spiegelungsgruppe*, Preprint Univ. Bielefeld **92-023** (1992).

[GN1] V.A. Gritsenko, V.V. Nikulin, *Siegel automorphic form correction of some Lorentzian Kac–Moody Lie algebras*, Amer. J. Math. **119** (1997), no. 1, 181–224; alg-geom/9504006.

[GN2] V.A. Gritsenko, V.V. Nikulin, *Siegel automorphic form correction of a Lorentzian Kac–Moody algebra*, C. R. Acad. Sci. Paris Sér. A–B **321** (1995), 1151–1156.

[GN3] V.A. Gritsenko, V.V. Nikulin, *K3 surfaces, Lorentzian Kac–Moody algebras and mirror symmetry*, Math. Res. Lett. **3** (1996), no. 2, 211–229; alg-geom/9510008.

[GN4] V.A. Gritsenko, V.V. Nikulin, *The Igusa modular forms and "the simplest" Lorentzian Kac–Moody algebras*, Matem. Sbornik **187** (1996), no. 11, 27–66; English transl. in Sbornik: Mathematics **187** (1996), no. 11, 1601–1641; alg-geom/9603010.

[GN5] V.A. Gritsenko, V.V. Nikulin, *Automorphic forms and Lorentzian Kac-Moody algebras. Part I*, Preprint RIMS Kyoto Univ. **RIMS-1116** (1996); alg-geom/9610022.

[GN6] V.A. Gritsenko, V.V. Nikulin, *Automorphic forms and Lorentzian Kac-Moody algebras. Part II*, Preprint RIMS Kyoto Univ. **RIMS-1122** (1996); alg-geom/9611028.

[GN7] V.A. Gritsenko, V.V. Nikulin, *The arithmetic mirror symmetry and Calabi–Yau mani-*

[HM1] J. Harvey, G. Moore, *Algebras, BPS-states, and strings*, Nucl. Physics. **B463** (1996), 315; hep-th/9510182.

[HM2] J. Harvey, G. Moore, *On the algebras of BPS-states*, Preprint (1996); hep-th/9609017.

[Kac] V. Kac, *Infinite dimensional Lie algebras*, Cambridge Univ. Press, 1990.

[Kaw1] T. Kawai, *String duality and modular forms*, Preprint (1996); hep-th/9607078.

[Kaw2] T. Kawai, *K3 surfaces, Igusa cusp forms and string theory*, Preprint (1997); hep-th/-9710016.

[Kn] M. Kneser, *Klassenzahlen indefiniter quadratischer Formen in drei oder mehr Veränderlichen*, Arch. Math. (Basel) **7** (1956), 323–332.

[M] G. Moore, *String duality, automorphic forms, and generalized Kac–Moody algebras*, Preprint (1997); hep-th/9710198.

[N1] V.V. Nikulin, *Integral symmetric bilinear forms and some of their geometric applications*, Izv. Akad. Nauk SSSR Ser. Mat. **43** (1979), 111–177; English transl. in Math. USSR Izv. **14** (1980).

[N2] V.V. Nikulin, *On factor groups of the automorphism groups of hyperbolic forms modulo subgroups generated by 2-reflections*, Dokl. Akad. Nauk SSSR **248** (1979), 1307–1309; English transl. in Soviet Math. Dokl. **20** (1979), 1156–1158.

[N3] V.V. Nikulin, *On the quotient groups of the automorphism groups of hyperbolic forms by the subgroups generated by 2-reflections, Algebraic-geometric applications*, Current Problems in Math. Vsesoyuz. Inst. Nauchn. i Tekhn. Informatsii, Moscow **18** (1981), 3–114; English transl. in J. Soviet Math. **22** (1983), 1401–1476.

[N4] V.V. Nikulin, *On arithmetic groups generated by reflections in Lobachevsky spaces*, Izv. Akad. Nauk SSSR Ser. Mat. **44** (1980), 637–669; English transl. in Math. USSR Izv. **16** (1981).

[N5] V.V. Nikulin, *On the classification of arithmetic groups generated by reflections in Lobachevsky spaces*, Izv. Akad. Nauk SSSR Ser. Mat. **45** (1981), no. 1, 113–142; English transl. in Math. USSR Izv. **18** (1982).

[N6] V.V. Nikulin, *Surfaces of type K3 with finite automorphism group and Picard group of rank three*, Trudy Inst. Steklov **165** (1984), 113–142; English transl. in Proc. Steklov Math. Inst. **3** (1985).

[N7] V.V. Nikulin, *On a description of the automorphism groups of Enriques surfaces*, Dokl. AN SSSR **277** (1984), 1324–1327; English transl. in Soviet Math. Dokl. **30** (1984), 282–285.

[N8] V.V. Nikulin, *Discrete reflection groups in Lobachevsky spaces and algebraic surfaces*, Proc. Int. Congr. Math. Berkeley 1986, vol. 1, pp. 654–669.

[N9] V.V. Nikulin, *Basis of the diagram method for generalized reflection groups in Lobachevsky spaces and algebraic surfaces with nef anticanonical class*, Intern. J. of Mathem. **7** (1996), no. 1, 71–108; alg-geom/9405011.

[N10] V.V. Nikulin, *A lecture on Kac–Moody Lie algebras of the arithmetic type*, Preprint Queen's University, Canada **#1994-16,** (1994); alg-geom/9412003.

[N11] V.V. Nikulin, *Reflection groups in Lobachevsky spaces and the denominator identity for Lorentzian Kac–Moody algebras*, Izv. Akad. Nauk of Russia. Ser. Mat. **60** (1996), no. 2, 73–106; English transl. in Izvestiya Math. **60** (1996), no. 2, 305–334; alg-geom/9503003.

[N12] V.V. Nikulin, *The remark on discriminants of K3 surfaces moduli as sets of zeros of automorphic forms*, J. of Mathematical Sciences, **81** (1996), no. 3, Plenum Publishing, 2738–2743; alg-geom/9512018.

[N13] V.V. Nikulin, *K3 surfaces with interesting groups of automorphisms*, Preprint RIMS Kyoto University **RIMS-1132** (1997); alg-geom/ 9701011.

[P-ŠŠ] I..I. Pjatetckiĭ-Šapiro, I.R. Šafarevich, *A Torelli theorem for algebraic surfaces of type K3*, Izv. Akad. Nauk SSSR Ser. Mat. **35** (1971), 530–572; English transl. in Math. USSR Izv. **5** (1971).

[R] M.S. Raghunatan, *Discrete subgroups of Lie groups*, Springer-Verlag, 1972.

[SW] R. Scharlau and C. Walhorn, *Integral lattices and hyperbolic reflection groups*, Astérisque **209** (1992), 279–291.

[V1] É.B. Vinberg, *Discrete groups generated by reflections in Lobachevsky spaces*, Mat. Sb. (N.S.) **72** (1967), 471–488; English transl. in Math. USSR Sb. **1** (1967), 429–444.

[V2] É.B. Vinberg, *On groups of unit elements of certain quadratic forms*, Mat. Sbornik **87** (1972), 18–36; English transl. in Math. USSR Sbornik **16** (1972), 17–35.

[V3] É.B. Vinberg, *The absence of crystallographic reflection groups in Lobachevsky spaces of large dimension*, Trudy Moscow. Mat. Obshch. **47** (1984), 67–102; English transl. in Trans. Moscow Math. Soc. **47** (1985).

[V4] É.B. Vinberg, *Hyperbolic reflection groups*, Uspekhi Mat. Nauk **40** (1985), 29–66; English transl. in Russian Math. Surveys **40** (1985).

[VSh] É.B. Vinberg and O.V. Shvartsman, *Discrete groups of motions of spaces of constant curvature*, Sovrem. problemy matem. Fundam. Napr. Vol. 29, Geometriya 2, VINITI, Moscow, 1988, pp. 147–259; English transl. in Encyclopaedia of Math. Sciences. Geometry II, vol. 29, Springer-Verlag, 1991.

[W] C. Walhorn, *Arithmetische Spiegelungsgruppen auf dem 4-dimensionalen hyperbolischen Raum*, Dissertation zur Erlangung des Doktorgrades der Fakultät für Mathematik der Universität Bielefeld (1993).

Steklov Mathematical Institute, ul. Gubkina 8, Moscow 117966, GSP-1, Russia
E-mail address: `slava@nikulin.mian.su`